
1	79.50	1	4.50	4.50	4.50	0.05	0.50	0.05	142.69	141.48	140.26
---	-------	---	------	------	------	------	------	------	--------	--------	--------

79.50 ft (total length of tendon)

SUMMARY :

Average initial stress (after release).....	141.48	ksi
Long term stress losses	0.00	ksi
Final average stress	141.48	ksi
Final average force in tendon	92.10	k
Anchor set influence from right pull (142.69ksi;0.528) ..	79.50	ft
Elongation at right pull before anchor set	5.111	inch
Elongation at right pull after anchor set	4.736	inch
Total elongation after anchor set	4.736	inch
Ratio of total elongation to tendon length after anchor set	0.060	inch/ft
Jacking force	100.19	k

CRITICAL STRESS RATIOS :

At stressing 0.570; At anchorage 0.528; Max along tendon 0.528

Vermont Agency of Transportation

RECEIVED

CK'D BY CLD OK'D BY TAS

December 7, 2016

RESUBMIT No Approved
BY T Sumner DATE 12/16/16