



# VTrans Road Centerline Spatial Data User Guide

December 2019



Mapping Section  
Policy, Planning and Intermodal Development Division  
219 North Main Street, Barre, VT 05641  
Tel: 802-828-2600  
<https://vtrans.vermont.gov/planning/maps>



Read the metadata.

**TABLE OF CONTENTS**

INTRODUCTION ..... 4

    User Guide Background ..... 4

    Background of the Road Centerline Data Set ..... 4

    Release Notes – 2019-12-31 ..... 5

    Terminology ..... 5

DATA DESIGN AND MODEL ..... 6

    Model Features ..... 6

    Units and Coordinate System ..... 7

    Most Often Used Fields..... 7

    Associating External Information to the Data Layer ..... 9

MAINTENANCE REQUIREMENTS ..... 10

    General Assumptions ..... 10

        Data Management ..... 10

        Unique Version of the Current Data ..... 10

        Topology Standard ..... 10

        Tracking Updates ..... 10

        Quality Control Procedures..... 12

        Attributes: Some Special Cases..... 12

APPENDIX A ..... 14

    ATTRIBUTE CODING SCHEME..... 14

APPENDIX B ..... 43

    FIELD ORDER ..... 43

    ATTRIBUTES WITH DEFAULT VALUES..... 45

    ATTRIBUTES WITH UNOFFICIAL DEFAULT VALUES ..... 45

    ATTRIBUTES WITH DOMAINS..... 45

APPENDIX C ..... 46

    AGENCY ASSIGNMENT OF ATTRIBUTES ..... 46

APPENDIX D ..... 48

    CTCODE LIST (by county)..... 48

APPENDIX E ..... 50

    UA CODES..... 50

APPENDIX F ..... 51

# VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

---

|  |    |
|--|----|
| VERMONT POLITICAL DIVISIONS.....                 | 51 |
| APPENDIX G.....                                  | 52 |
| TOWN HIGHWAY DEFINITIONS AND CLASSIFICATION..... | 52 |
| APPENDIX H.....                                  | 55 |
| RTNAME vs HWYSIGN .....                          | 55 |

## INTRODUCTION

The Vermont Agency of Transportation (VTrans) Road Centerline data layer contains all town and state highways, as well as many private roads. This dataset goes by various names depending on the organization and its storage within the organization. Some of the names include: All Roads, TransRoad\_RDS, Trans\_RDS, rdsmall (roads - master - all), and VT Road Centerline.

### User Guide Background

This User Guide is a reincarnation of the “VGIS Handbook Part 2 – Standards Section G Road Centerline Spatial Data Standard” version 2005. Much of the introductory narrative of this version is heavily borrowed from the 2005 Standard which was initiated by the Vermont Center for Geographic Information (VCGI). The original purpose of the VCGI standard was to draft a document which would be used as a frame of reference for the coordinated maintenance of a single “master” road centerline data layer.

### Background of the Road Centerline Data Set

The original road centerline data set was digitized by Greenhorne & O’Mara Inc. in 1991-1992. Many subsequent updates were made by Regional Planning Commissions (RPC’s), their contractors, and VCGI who was the steward of the data layer between 1992 and 2004. They were responsible for coordinating update efforts and for quality control. In 2004, VTrans became the steward and has taken over the update and maintenance of the road centerline data layer.

Another statewide road centerline data layer was created in February 1996 when the Vermont E911 program enhanced the original road centerline data with road names and address range information.

Over the years, two “master” road centerline data layers have evolved, one especially designed for E911 functional needs and another one configured for Vermont Agency of Transportation (VTrans) needs.

For many years, the two organizations have been working toward returning to the concept of one single “master” road centerline data layer, but for practical, everyday needs, it continues to be more effective for each agency to maintain the separate layers with certain fields coordinated between the two.

The VTrans’ data layer has been revised to match "Official" highway mileage. It is the most reliable source for official VTrans road class (AOTCLASS) information. However, this layer may not include every private road, and the road name information may not match perfectly with the E911 roads data layer. The E911 centerline layer maintained by VT's E911 Board includes all private roads and generally more reliable road name and address information.

In 2013, the two organizations synchronized the schema between the two data layers with some fields being primarily E911 fields and others being VTrans fields. The fields that are E911's have not been fully populated in the VTrans data releases since 2013. The agency maintaining each field is identified in the data dictionary section of the user guide and in appendices A and B.

## VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

---

In 2017, VTrans removed many of the E911 specific fields from the road centerline data layer, as many of these fields were not being maintained and were null. This has streamlined the data, but VTrans retains the SEGMENTID field that allows for a linkage with the E911 road data, where conflation has occurred.

### Release Notes – 2019-12-31

Year-end cut of 2019 road centerlines with updates completed since 2019-05-31. The data has been internally QA/QC'd by the VTrans Mapping Section and corrections have been made.

#### Fields removed or renamed

(none were removed or renamed)

#### Fields added

The field, **UPDATENOTES**, was added in October 2019.

### Terminology

The following terminology is used in this user guide:

|                  |  |
|------------------|--|
| Road             | An open public or private way for the passage of persons and vehicles  |
| Road segment     | Portion of a road defined by a beginning and ending point (node).  |
| Arc              | A representation of a line in the GIS software defined by a beginning and ending point (node)  |
| Feature tracking | Tracking of changes to individual features in the data layer, i.e., road segments.   |
| Node             | The beginning or ending point of a line.   |
| Divided highway  | “A multi-lane facility with a curbed or positive barrier median, or a median that is at least 4 feet in width.” <sup>1</sup>   |
| FHWA             | “Federal Highway Administration (FHWA) provides stewardship over the construction, maintenance and preservation of the Nation’s highways, bridges and tunnels. FHWA also conducts research and provides technical assistance to state and local agencies in an effort to improve safety, mobility, and livability, and encourage innovation.” <sup>2</sup> |
| HPMS             | “The HPMS is a national level highway information system that includes data on the extent, condition, performance, use and operating characteristics of the nation’s highways.” <sup>3</sup>   |

#### Source

1. “HPMS Field Manual Appendix B. Glossary.” *Federal Highway Administration*, Dec. 2016, <https://www.fhwa.dot.gov/policyinformation/hpms/fieldmanual/page11.cfm>.
2. “What We Do.” *Home | Federal Highway Administration*, Federal Highway Administration, [www.fhwa.dot.gov/](http://www.fhwa.dot.gov/).

- Office of Highway Policy Information. "Highway Performance Monitoring System (HPMS)." *Federal Highway Administration*, 22 Feb. 2018, <https://www.fhwa.dot.gov/policyinformation/hpms.cfm>.

### DATA DESIGN AND MODEL

The road centerline data model has been developed and is maintained within an Esri ArcGIS geodatabase data model. This polyline data layer is stored in a relational database with a table that contains a series of fields, as well as the binary geometry objects.

#### Model Features

**Road Feature:** A digital representation of a "real world" entity called a "road". A road feature is defined by "road segments" and road segments have uniform attributes. They are represented by a line (arc) composed of a series of vertices. The beginning and ending point of a road segment is defined by a "node". The nodes are virtual features and are not physical points in the data layer. VTrans has built an intersection data layer that leverages the representation of the nodes from the road centerline data layer. VTrans does not include non-linear geometry, true curves, or Bezier curves in the road centerline data, as these features break several linear referencing operations in a resultant data product.

Each road segment has a unique identifier statewide that is composed of the following: (FIPS8 + ARCID = FAID). Other attributes associated with road segments are outlined in the "Attribute Coding Scheme" section of this user guide. Figure 1 illustrates the relationships between road segments.




Figure 1

### Units and Coordinate System

The data layer is in the Vermont State Plane Coordinate System based on the North American Datum (NAD) of 1983. The coordinates are stored in meters. This is the standard data coordinate system used by VCGI.

#### Details

NAD\_1983\_StatePlane\_Vermont\_FIPS\_4400  
WKID: 32145 Authority: EPSG

Projection: Transverse\_Mercator  
False\_Easting: 500000.0  
False\_Northing: 0.0  
Central\_Meridian: -72.5  
Scale\_Factor: 0.9999642857142858  
Latitude\_Of\_Origin: 42.5  
Linear Unit: Meter (1.0)

Geographic Coordinate System: GCS\_North\_American\_1983  
Angular Unit: Degree (0.0174532925199433)  
Prime Meridian: Greenwich (0.0)  
Datum: D\_North\_American\_1983  
Spheroid: GRS\_1980  
Semimajor Axis: 6378137.0  
Semiminor Axis: 6356752.314140356  
Inverse Flattening: 298.257222101


According to Vermont statute, the Vermont Coordinate System 1983 will be the sole system for projects commenced after January 1, 2000.

Vermont Statutes Annotated, Title 1 General Provisions, Chapter 17 Vermont Coordinate System  
(<http://legislature.vermont.gov/statutes/chapter/01/017>).

### Most Often Used Fields

The road centerline data layer is used in a variety of ways and is the foundation for many derivative products, as diagramed in the illustration below. Because the road centerline dataset is designed for such a variety of purposes, some fields are “more used” than others depending on the application. Probably the two fields that are “the” most used are AOTCLASS and AOTMILES.

# VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE



Here are some of the other fields and the context in which they are most often used.

## Behind the scenes use - data maintenance

FAID (a concatenation of FIPS8 and ARCID)

UPDACT

LOCMETH

SRCORG

ARCMILES

## For production of the town highway maps

AOTCLASS

RTNAME

RTNUMBER\_N

SURFACTYPE

CTCODE

UA

CTUA (a combination of CTCODE and UA)

AOTMILES

CERTYEAR

NUTS

PENT

## Other map production

TOWNGEOID

RDFLNAME

RPCCLASS



### Federal Reporting

NHS  
FUNCL  
TWN\_LR  
ETE\_LR  
Urban\_Code  
FED\_AID  
Facility\_Type  
Ownership

More detail about all the fields can be found in the appendices.

### Associating External Information to the Data Layer

More detailed information about the specific fields referenced in this section can be found in the data dictionary section of the user guide.

#### Unique Feature Identifier:

Each road segment (arc) has a unique identifier, FAID (a concatenation of FIPS8 + ARCID). These ID's are primarily designed for feature tracking linkage to internal VTrans data to support the Town Highway Map production, and quality control. However, users can potentially associate attribute information to specific arcs via this feature.

#### Pros:

User only needs FAID (or FIPS8 + ARCID) in their database  
Does not require address matching or linear referencing software

#### Cons:

The user must re-fresh their database as features are modified and retired  
Does not allow user to locate point events  
User can only associate information along the entire length of the road segment with the assigned ARCID.

#### Unique Road Name:

Many road segments (arcs) have a road name identifier codes. There are two fields in the data that hold this data, RDNAME and GEONAMEID. RDNAME is maintained by VTrans and generally is equal to E911's GEONAMEID field. VTrans generally defers to E911 in the identification of road names.

Two other fields are associated with road names, RDFLNAME (road full name) and PRIMARYNAME. Here is how the four name fields relate to each other:

number identifier: VTrans RDNAME = E911 GEONAMEID  
text identifier: VTrans RDFLNAME = E911 PRIMARYNAME

## MAINTENANCE REQUIREMENTS

This section defines data maintenance requirements.

In brief, updates include the following:

- All attributes must be assigned valid values as described in the attribute coding scheme section of this user guide.
- Attribute updates do not need to be recorded, but the change may be noticed by the editor tracking system
- When data topology is modified (by adding, deleting, splitting or joining arcs), the action will be recorded in a 1-character “update action” field (UPDACT).

## General Assumptions

Maintenance is based on the following general assumptions:

### Data Management

VTrans is the current data manager for the road centerline data and has responsibility for assuring the data are updated in a consistent manner. Most references to VTrans in the user guide are for convenience and should read ‘data management coordinator’ (which could change in the future).

### Unique Version of the Current Data

At any given time there will be only one copy of the current data upon which updates are performed. VTrans is in charge of the master data set.

### Topology Standard

All updates must preserve proper topology: no overlapping arcs, no unnecessary pseudo nodes, no un-snapped nodes, and no improper dangles. Unlike some topology models, this one includes nodes at not-at-grade intersections.

### Tracking Updates

The FAID is a unique feature identifier assigned to each arc in the road centerline dataset. The UPDACT field is coded by VTrans in order to identify changes made to the feature (arc/road segment). This allows VTrans to document specific changes made to the data layer, including additions, splits, merged arcs and moved arcs. The FAID is also used for quality control.

Modifications to the arc topology are tracked via the UPDACT field. To enable this process, data developers must record any changes made to the arc topology in the UPDACT field with the following codes:

| UPDACT | Action   |
|--------|--|
| A      | Added arc (i.e., a new arc)  |
| M      | Moved arc (by reshaping the arc, moving a node, moving or deleting a vertex, or other action altering the shape of the arc). |
| S      | Split arc (both new arcs are coded ‘S’)  |
| U      | Unsplit arcs (originally 2 or more arcs)   |

Due the sheer volume of arcs that are moved to improve the geometry to the most recent high resolution orthophotography from originally digitized arcs from the 1990's, "M" is reserved for major moves of a road segment where a true highway realignment has occurred. Cartographic alignments are not being tracked using the "M" code in the UPDACT at this time.

Note that for S (split) and U (unsplit), the locations of the vertices are unchanged. The shapes (and combined lengths) of the arcs remain the same, but nodes have been added, removed or moved along the arcs.




Figure 2

Moving a pseudo node is sometimes required to modify the location where an attribute changes. For example, in Figure 2 a pseudo node needed to be moved to change the location of a town boundary. All of the attributes for the two arcs remain the same; only the location of the pseudo node has changed. This entails splitting and unsplitting the two arcs, and therefore would be coded as 'S' or 'U'.

Sometimes an arc may be modified more than once, in which case either of the appropriate UPDACT codes can be assigned. For example, an arc might be reshaped and then split. In such a case, the arcs could be coded with an 'S' (split). Although it is not critical, it is preferable for the 'S' (split) code to take precedence over the 'M' code. Likewise, 'A' (added arc) takes precedence of other codes, so that if an added arc is later split, the UPDACT code should remain 'A'. Routine cartographic realignments or subtle changes are generally not coded as a 'M' (move).

The coding hierarchy is outlined below:

### UPDACT Hierarchy

1. A (Addition)
2. S (Split)
3. U (Unsplit)
4. M (Move)

It is not necessary to record changes to attributes.

### Quality Control Procedures

VTrans has developed quality control (QC) procedures for checking road attributes and topology errors.

These procedures include:

- Checks for invalid attribute values.
- Incorrect topology: intersecting arcs errors, unnecessary pseudo nodes, un-snapped nodes, improper dangles, and short arcs.
- Checks for illogical combinations of attribute values (i.e., a gravel interstate highway).
- Mileage checks against the town mileage totals by class from the Mileage Certificates.

### Attributes: Some Special Cases

Several road attributes are discussed below regarding the update process.

#### **FIPS8 – TOWNGEOID - CTCODE and UA**

The FIPS8, TOWNGEOID, and CTCODE codes identify the town to which each arc belongs, according to VTrans highway maps. The UA code is used to identify villages and urban compacts below the FIPS8 – TOWNGEOID – CTCODE level. Agreement with VTrans highway maps is often based on the shape of the road, or on measured distances on the VTrans maps. Therefore, the FIPS8-TOWNGEOID-CTCODE/UA coding may not agree perfectly with the VCGI BNDHASH or other town boundary layers. VTrans Mapping works in conjunction with E911 and VCGI on improving the accuracy of the town boundary data, but there are several areas that remain ambiguous and have not been well defined, creating mismatch with the road centerline arcs and the town boundaries.

#### **ARCID - FAID**

The ARCID is unique within each town, hence the concatenation of FIPS8 and ARCID constitute a statewide-unique number for each arc into the field FAID (**F**IPS8 + **A**RCID + **I**dentifier). The FAID is used for reporting errors, for quality control, for tracking modifications to the data, and linkage to other data layers used in the production of the Town Highway Maps or VTrans Mapping Section work flows.

- Several actions warrant special consideration for the ARCID / FAID:
  - New arcs will be assigned new, unique ARCID / FAID codes by the data developer, such that the codes are unique to their towns. ARCID will never be reused.
  - If the FIPS8 code of an arc is changed (putting the arc into a new town), then the ARCID must be modified so that it is unique within the arc's new town. *Care must be taken to assure that unique ARCID / FAID codes are maintained when editing near a town boundary.*
  - When an arc is split, both arcs will be assigned new ARCID / FAID's. The FAID is retired, as it represents an arc that no longer exists and the 2 new segments gain new FAID values that are the next in sequence.

## VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

---

- When two (or more) arcs are joined, the resulting arc will be assigned a new ARCID / FAID.

New ARCID codes should be added in sequential order, starting with the next available ARCID (1 more than the current maximum for the given town). ARCID's will never be reused.

### **AOTCLASS**

The AOTCLASS field contains the “official” highway classification as assigned by VTrans. The classification of town highways is defined in Vermont State Statutes in 19 V.S.A. § 302 (<https://legislature.vermont.gov/statutes/section/19/003/00302>, see also Appendix G). VTrans Mapping annually receives Mileage Certificates that include classification and mileage changes, which prompts updates to the road centerline data layer.

### **LOCMETH**

When roads are added, or if they are reshaped based on new information, the LOCMETH field must record the method used to capture the information. The location method provides insight to the accuracy of how the centerline has been derived and rendered in the data.

### **UPDATENOTES**

While not required, characteristics of some edits are recorded in the UPDATENOTES field to provide additional insight into an edit on a road segment.

### **RDNAME & RDFLNAME**

Road names assigned to arcs via the RDNAME/RDFLNAME fields must be based on “official” E911 information. VTrans will attempt to maintain synchronization with E911 roads data (excluding address range). Occasionally, VTrans receives information from the town regarding a road name before it shows up in the E911 data. In these instances, the road name is recoded in the RDFLNAME field and 999999 is recorded in the RDNAME field. The PRIMARYNAME and GEONAMEID are conflated from E911 data, as well as the other alias names.

## APPENDIX A

### ATTRIBUTE CODING SCHEME

NOTE: The numeric indexing for each attribute corresponds to the order in which that field appears in the dataset's attribute table. Reference tables for the attributes appear in the appendices.

#### 1 – OBJECTID

**Maintained by:** Esri

**Type:** Object ID

**Required:** True

**Editable:** False

**Description:** Sequential unique whole numbers that are automatically generated.

#### 2 – SEGMENTID

**Maintained by:** E911

**Type:** Long Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 10

**Description:** A unique numeric value assigned by the software for each feature. This attribute has been conflated from the E911 road centerline data, allowing for VTrans and E911 to link the two road centerline data layers and validate attributes.

#### 3 - ARCID

**Maintained by:** VTrans

**Type:** Long Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 10

**Description:** The ARCID is a unique arc identifier within each municipality (town, city, grant or gore). When combined with the FIPS8 code, this provides a unique arc identifier statewide. A redefined item, FAID contains both FIPS8 and ARCID within the road centerline dataset. The ARCID can be used for error reporting, and is used to aid in quality control of updated data.

- New arcs must be assigned ARCIDs unique to their towns.
- When an arc is split, both arcs will be assigned new ARCIDs.
- When two (or more) arcs are joined, the resulting arc will be assigned a new ARCID.
- If the FIPS8 code of an arc is changed (putting the arc into a new town), then the ARCID must be modified to make it unique with the arc's new town. *Care must be taken to assure that unique ARCID codes are maintained when editing near a town boundary.*

The ARCID is not changed when an arc is only moved or reshaped.

New ARCID codes should be added in sequential order, starting with the next available ARCID (1 more than the current maximum for the given town). ARCIDs will never be reused.

In summary, any data updates must maintain unique ARCIDs within each municipality.

### 4 – PD

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 10

**Description:** Prefix road direction, previously named PRE.DIR; incompletely populated in this release.

Field values:

E = East

N = North

NE = Northeast

NW = Northwest

S = South

SE = Southeast

SW = Southwest

W = West

### 5 – PT

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 10

**Description:** Prefix type; incompletely populated in this release.

### 6 – SN

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 80

**Description:** Street name; incompletely populated in this release.

### 7 – ST

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 10

**Description:** Street type; incompletely populated in this release.

## 8 – SD

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 10

**Description:** Street direction; incompletely populated in this release.

Field values:

E = East

N = North

S = South

W = West

## 9 – GEONAMEID

**Maintained by:** E911

**Type:** Long Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 10

**Description:** Geo Name ID number; incompletely populated in this release.

## 10 – PRIMARYNAME

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 100

**Description:** Full primary road segment name; incompletely populated in this release.

## 11 – ALIAS1

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 60

**Description:** Alternate road name 1; incompletely populated in this release.



### 12 – ALIAS2

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 60

**Description:** Alternate road name 2; incompletely populated in this release.

### 13 – ALIAS3

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 60

**Description:** Alternate road name 3; incompletely populated in this release.

### 14 – ALIAS4

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 60

**Description:** Alternate road name 4; incompletely populated in this release.

### 15 – ALIAS5

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 60

**Description:** Alternate road name 5; incompletely populated in this release.

### 16 - SURFACETYPE

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** SurfaceType  
**Type:** CodedValue  
**Merge policy:** DefaultValue  
**Split policy:** Duplicate

**Precision:** 5

**Description:** The surface type of the road; previously named SURFACE.

**Note:** The surface type for some highways has not been reviewed or updated since the development of the road centerline data layer in the 1990's and is based off the last field inventory to be performed on the highway. Surface types may have changed since this point, either being upgraded through maintenance or downgraded. VTrans seeks input regarding the quality and content of the surface type of the highway network.

Field values:

1 = Paved

A road whose surface is bituminous concrete or other treated surface such as cement concrete, bricks, or cobblestone.

2 = Gravel

A graded and drained road, the surface of which consists of gravel, broken stone, slag, slate and shale or other similar fragmental material coarser than sand. A gravel highway as applied to Town highways is defined as a highway having a gravel base and widths sufficient to provide reasonable transportation facilities at all times of the year, according to the classification of the highway.

3 = Soil or graded and drained earth

A road which has been improved to provide more adequate traffic service by the addition of sand, coarse loam or light course of gravel, but not in sufficient amount to prevent a break-through in the spring, or a road of natural earth, aligned and graded to permit reasonably convenient use by motor vehicles.

5 = Unimproved/primitive

An earth road consisting of the natural ground and which is maintained in a condition of bare passability, or an unimproved road on which there appears to be no public maintenance and which may or may not be traveled or passable.

6 = Impassable or untraveled

A public highway in a primitive condition on which there appears to be no public travel and which is not maintained.

9 = Unknown

### 17 – ONEWAY

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 'N'

**Domain:** Oneway

**Length:** 1

**Description:** One-way street; completely populated in this release.

Field values:

N = Not a one-way street.

X = One-way street in opposite direction of arc.

Y = One-way street in direction of arc.

## 18 – RTNAME

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 12

**Description:** The RTNAME town highway number/name corresponds to the official number on the VTrans highway maps with an added prefix (ex: "I-89", "VT-12A", "TH-3", "US-4", etc.). State and federal numbers will be unique for that highway for the entire state, while town-numbered highways will only be unique for that town. RTNAME = '-' is used for a blank (no data) value. The RTNAME field must not be empty. Where a route has two route numbers (as shown on road signs), the more local number (and prefix) is used - for example, a route having both a State route number and a town route number is assigned the town route number (as shown on the VTrans highway maps). The RTNAME field is not the same as RDNAME or ETE\_LR. The RDNAME field refers to the road's common name (defined by the E911 GEONAMEID field) - for example, Main Street may be considered Town Highway 5 (TH-5) by VTrans. In this situation the RTNAME would be "TH-5" and the RDNAME value would be 12519 (which is "Main Street" in the E911 data set). However, the same road could also be classified as "Vermont Route 12" (VT-12). In this case, the ETE\_LR field would be populated with "V012".

Field values:

- Alt US- = US Alternate Route
- BR I- = Interstate Business Route
- BR US- = US Business Route
- BSp I- = Interstate Business Spur
- BSp US- = US Business Spur
- Hist US- = Historic US Route
- Hist VT- = Vermont Numbered Route – Historic Route
- I- = Interstate
- NF- = National Forest Highway
- NSH- = Named State Highway
- Old U.S.- = Old US Route
- Old VT- = Vermont Numbered Route – Old Route
- S- = Other State Highway special case
- SF- = Department of Forests, Parks, and Recreation Highway
- TH- = Town Highway
- US- = US Route
- VT- = Vermont Numbered Route
- = No Route Name has been assigned

## 19 – RTNUMBER

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 4

**Description:** This field is related to the RTNAME field. Everything after the dash "-" in the RTNAME field is transferred to this field. It should always match RTNAME. Previously known as RTNO. A hyphen ("-") is used for unassigned route numbers.

### 20 – HWYSIGN

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 12

**Description:** The HWYSIGN corresponds to how the road is signed in the field by VTrans, with an added prefix (ex: "I-89", "VT-12A", "TH-3", "US-4", etc.). State and federal numbers will be unique for that highway for the entire state, while town-numbered highways will only be unique for that town. HWYSIGN = '-' is used for a blank (no data) value. The HWYSIGN field must not be empty. The HWYSIGN field is not the same as RTNAME. HWYSIGN should be consistent with how the road is signed by VTrans in the field. RTNAME should be consistent with how the road is marked on the official VTrans Town Highway Maps. These don't always match.

Field values:

Alt US- = US Alternate Route

BR I- = Interstate Business Route

BR US- = US Business Route

BSp I- = Interstate Business Spur

BSp US- = US Business Spur

Hist US- = Historic US Route

Hist VT- = Vermont Numbered Route – Historic Route

I- = Interstate

NF- = National Forest Highway

NSH- = Named State Highway

Old US- = Old US Route

Old VT- = Vermont Numbered Route – Old Route

S- = Other State Highway special case

SF- = Dept. of Forests, Parks and Recreation Highway

TH- = Town Highway

US- = US Route

VT- = Vermont Numbered Route

- = No Route Name has been assigned

### 21 – RPCCLASS

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 5

**Description:** The RPCCLASS item indicates the road class, generally as shown on official VTrans highway maps. However, updates to the roads data have changed some road RPCCLASS codes based on local and/or regional review; therefore, in some cases the RPCCLASS values may not agree with current VTrans highway maps.

NOTE: This field is for the convenience of end-users only. Changes made to this field by end-users are unofficial and may not be maintained in the roads data layer. RPCCLASS may be reset to equal

AOTCLASS whenever AOTCLASS is updated. Two attributes for road class are therefore used: the RPCCLASS code, which can be modified as needed for regional/local mapping, and the AOTCLASS code, which maintains agreement with the VTrans town highway maps. Comparison of the RPCCLASS and AOTCLASS attributes will help to identify roads needing class updates by VTrans. All arcs must be assigned RPCCLASS and AOTCLASS codes. In addition to the road class, the RPCCLASS field is used to indicate the road 'type' (as for codes 11 to 19). Although this road type is not technically the road class, it is convenient to embed the 'type' information in the RPCCLASS code for generating maps with lookup tables. These 'type' codes are needed for state routes and class 1 and 2 town highways, as well as for interstates and US routes. (See also AOTCLASS for specific code descriptions.)

## 22 – AOTCLASS

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 9

**Domain:** AOTClass

Type: CodedValue

Merge policy: DefaultValue

Split policy: Duplicate

**Precision:** 5

**Description:** This item will hold the official VTrans road class from the VTrans highway maps (see also the description for RPCCLASS). All arcs must be assigned an AOTCLASS code. AOTCLASS generally uses the same codes as the RPCCLASS field, except for codes 8 and 9 - some RPCs use 8 to identify private roads not generally used by the public and 9 to identify private roads in general use by the public, while VTrans uses 8 to identify private roads not shown on the Town Highway Maps (most private roads) and 9 to identify private roads shown on the Town Highway Maps. These are usually short connectors between public highways or roads such as the Mount Mansfield Toll Road. VTrans follows a statutory process to define and reclassify town highways based on information provided from each town on their annual Mileage Certificate. This certificate is a record of total mileage in each classification of highway. Any changes require proper documentation and following of the statutory process. VTrans will make corrections based on the formal documentation, but cannot alter classification without justification. Act 178 of 2006 formally added class 4 and legal trail mileage to the Mileage Certificates, prompting the need to distinguish between formally approved legal trails. VTrans has added the class of 70 for legal trails that have yet to be approved, and leaving class 7 for those legal trails that have been approved by Selectboards. See Appendix G for more information about the definitions and classifications of town highway classifications 1-4, provisional class 3 town highway, legal trail, pent road, and discontinued highway.

Field values:

- 1 = Town Highway Class 1 – undivided
- 2 = Town Highway Class 2 – undivided
- 3 = Town Highway Class 3 – undivided
- 4 = Town Highway Class 4 – undivided
- 5 = State Forest Highway
- 6 = National Forest Highway
- 7 = Legal trail
- 8 = Private road – no-show
- 9 = Private road
- 10 = Driveway
- 11 = Town Highway Class 1 – northbound
- 12 = Town Highway Class 1 – southbound
- 13 = Town Highway Class 1 – eastbound
- 14 = Town Highway Class 1 – westbound
- 15 = Town Highway Class 1 – on/off-ramp
- 16 = Town Highway Class 1 – emergency U-turn

## VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

---

- 17 = Town Highway Class 1 – rest area
- 19 = Town Highway Class 1 – other
- 20 = County Highway - undivided
- 21 = Town Highway Class 2 – northbound
- 22 = Town Highway Class 2 – southbound
- 23 = Town Highway Class 2 – eastbound
- 24 = Town Highway Class 2 – westbound
- 25 = Town Highway Class 2 – on/off-ramp
- 26 = Town Highway Class 2 – emergency U-turn
- 27 = Town Highway Class 2 – rest area
- 29 = Town Highway Class 2 – other
- 30 = State Highway – undivided
- 31 = State Highway – northbound
- 32 = State Highway – southbound
- 33 = State Highway – eastbound
- 34 = State Highway – westbound
- 35 = State Highway – on/off-ramp
- 36 = State Highway – emergency U-turn
- 37 = State Highway – rest area
- 39 = State Highway – other
- 40 = US Highway – undivided
- 41 = US Highway – northbound
- 42 = US Highway – southbound
- 43 = US Highway – eastbound
- 44 = US Highway – westbound
- 45 = US Highway – on/off-ramp
- 46 = US Highway – emergency U-turn
- 47 = US Highway – rest area
- 49 = US Highway – other
- 50 = Interstate Highway – undivided (not currently used)
- 51 = Interstate Highway – northbound
- 52 = Interstate Highway – southbound
- 53 = Interstate Highway – eastbound
- 54 = Interstate Highway – westbound
- 55 = Interstate Highway – on/off-ramp
- 56 = Interstate Highway – emergency U-turn
- 57 = Interstate Highway – rest area
- 59 = Interstate Highway – other
- 60 = US Government Highway
- 65 = Ferry
- 70 = Unconfirmed legal trail
- 71 = Unidentified corridor
- 80 = Proposed Highway – unknown class
- 81 = Proposed Town Highway Class 1
- 82 = Proposed Town Highway Class 2
- 83 = Proposed Town Highway Class 3
- 84 = Proposed State Highway
- 85 = Proposed US Highway
- 86 = Proposed Interstate Highway
- 87 = Proposed Interstate Highway – ramp
- 88 = Proposed non-Interstate Highway – ramp
- 89 = Proposed private road
- 91 = New – class unknown
- 92 = Military – no public access
- 93 = Public – class unknown
- 95 = Class under review

96 = Discontinued road  
97 = Discontinued – now private  
98 = Not a road  
99 = Unknown

### 23 – NUTS

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 'N'

**Domain:** N/A

**Length:** 1

**Description:** Sections of highway deemed "Not Up To Standard"; in short, sections of highway that do not meet Class 3 standards at the time of inventory and are functionally classified as Class 4, but legally still Class 3. . The standard used for class 3 town highways is defined in Vermont State Statutes in 19 V.S.A. § 302(a)(3)(B), (<https://legislature.vermont.gov/statutes/section/19/003/00302>). See Appendix G for more information.

Contact VTrans for more information.

Field values:

N = The highway is not "Not Up To Standard" (The highway meets Class 3 or better standards).

Y = The highway is "Not Up To Standard" (The highway does NOT meet Class 3 standards).

### 24 – NHS

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 0

**Domain:** N/A

**Precision:** 5

**Description:** National Highway System designation, as defined by FHWA.

NOTE: The Intermodal Connector is a new addition. Several of this type of highway exist within Vermont, primarily connections of the NHS to bus stations, airports and railroad stations.

Field values:

0 = Not on NHS

1 = NHS – Interstate

2 = ISTE A High-Priority Corridor

3 = Non-Interstate STRAHNET

4 = STRAHNET Connector

5 = ISTE A High-Priority Corridor/Non-Interstate STRAHNET

6 = ISTE A High-Priority/STRAHNET Connector

7 = NHS – Principal Arterial

8 = NHS – Intermodal Connector

10 = NHS MAP-21 Principal Connector

### 25 – FUNCL

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 5

**Description:** Functional Class Code. Functional classification codes are based on a federal classification system in use by VTrans. In earlier releases of TransRoad\_RDS, functional classes were distinguished between rural and transportation-defined urban areas (8 in Vermont). This required road arcs to be split at the rural/urban boundaries. The current functional classification codes eliminated separate urban and rural classifications (please note the rural, small urban, and urbanized area designation is kept as a separate item, see the attribute Urban\_Code). The Urban Collectors default to Major Collectors. In Vermont, there has previously not been a road functionally classified as both "urban" and "minor collector." In the upcoming functional classification review prompted by the coding changes, VTrans will evaluate roadways based on the 2013 edition of the Federal Highway Administration's "Highway Functional Classification Concepts, Criteria, and Procedures," likely resulting in roadways functionally classified as minor collectors within the identified urban areas.

The boundaries of the Urbanized Area and the Small Urban Areas (Census Urban Clusters with population >5,000 as specified by the Federal Highway Administration) were adjusted for transportation planning purposes in a collaborative process between VTrans and the appropriate regional planning partners. The adjusted urban area encompasses the entire urban area (of population >5,000) defined by the Census Bureau, in a single, contiguous entity, and is designed to include areas outside municipal boundaries that have urban characteristics with residential, commercial, industrial or national defense land uses consistent with or related to the development patterns of the Census-defined boundary. The adjusted urban area is also inclusive of large traffic generators near the urban area, and is designed so that its physical location can be easily discerned in the field based on physical characteristics such as roads, railroads, utility lines and water features. Lastly, the adjusted urban area was then evaluated for feature irregularities to minimize confusion. Information from the VTrans Highway Safety Data Unit has been incorporated into this dataset.

NOTE: There have been several new additions and alterations which have been made to the functionally classed highways that were not reflected in the previous series of Federal Urban Area Maps or the Functional Class Map of the State of Vermont. These maps were updated in 2016 using the updated Functional Class road centerline data.

Field values:

0 = Not part of Functional Classification System

1 = Interstate

2 = Principal Arterial – other freeways and expressways

3 = Principal Arterial – other

4 = Minor Arterial

5 = Major Collector

6 = Minor Collector

7 = Local

### 26 – TWN\_LR

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 15



**Description:** Town-based linear reference code used to generate the town-based Linear Reference System data layer. The TWN\_LR is related to the ETE\_LR field but also includes the CTCODE. For example, the TWN\_LR value for VT Route 12 in Montpelier is V012-1211 (ETE\_LR = V012, CTCODE = 1211).

As of the May 2018 release, Local Road TWN\_LR codes are now included for arcs with FUNCL = 7 and AOTMILES <> 0 (Generally CL3 or CL2 Town Highways). In 2012, the Federal Highway Administration (FHWA) announced the requirement for State Departments of Transportation to submit a Linear Reference System (LRS) that included all public roads as part of their Highway Performance Monitoring System (HPMS) submittal. Prior to this, the requirement for an LRS applied only to highways that were Federal Aid routes. The new requirement is referred to as the All Road Network of Linear Referenced Data (ARNOLD).  
([https://www.fhwa.dot.gov/policyinformation/hpms/documents/arnold\\_reference\\_manual\\_2014.pdf](https://www.fhwa.dot.gov/policyinformation/hpms/documents/arnold_reference_manual_2014.pdf))

### 27 – ETE\_LR

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 11

**Description:** Previously known as LR\_ETE. It is used to identify "routed" roads, and is assigned by VTrans. This item contains an "end-to-end" LRS identifier used to identify routed roads. The ETE\_LR can be broken down into the following components (or redefined items):

- Route Type

Field values:

A = Alternate Route

B = Business Route

I = Interstate

N = Named State Highway

S = Special Route: a town highway that is a major or minor collector, or is an urban route

U = US Route

V = VT Signed Route

- Route Number

The numeric portion of the highway number (three digits), right-justified in characters 2-4. For Named State Highways, Major Collectors, and Urban Collectors, four-digit codes are used (in characters 2 -5).

- Route # Modifier

Used for a letter or special modifier, if needed. Named State Highways, Major Collectors, and Urban Collectors retain their full four-digit codes in common usage. For these, the Highway Number and Modifier are combined to form a four-digit highway number. For the three separate sections of Alternate US 5, the modifiers (1 to 3) are:

A0051 = Alternate US 5, St. Johnsbury

A0052 = Alternate US 5, Newport

A0053 = Alternate US 5, Derby

Valid Highway # Modifier characters include:

[letter] = highway letter (e.g., the 'A' in Highway 2A)

[digit] = special cases (e.g., Alternate US 5); digit for a Named State Highway, Major, or Urban Collector

[blank] = cases where no modifier is needed and no subsequent components are needed for the ETE\_LR

[dash] = cases where no modifier is needed but other ETE\_LR components follow

- Direction

## VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

---

The direction character is included only if the highway is divided. However, it is NOT used for northbound or eastbound mainline routes. The direction character is used only with northbound or eastbound approaches, connectors, jughandles, ramps, and spurs.

Field values:

' ' = [blank] = undivided route with no subsequent ETE\_LR components  
E = eastbound (for divided routes)  
N = northbound (for divided routes)  
S = southbound (for divided routes)  
W = westbound (for divided routes)

Examples:

I089 = I-89, northbound lane  
I089-S = I-89, southbound lane  
U002 = US-2, undivided portions  
U002-W = US-2, westbound portions (where divided)  
V003-NA020 = VT 3, approach 20 (approaches generally use the same direction as the parent road)

### - Subtype

This field describes sections of road that are not on the main line, yet have defined lengths recognized by the Agency.

Field values:

' ' = [blank] = no subtype  
A = approach  
C = connector  
F = facilities/rest areas, turnouts, access roads  
J = jughandle  
R = ramp  
S = spur

### - Numeric ID

The ID number represents different things according to the subtype. Approaches and jughandles are numbered (initially) in ascending order from the start of the parent route in the primary direction. Numbers will increment by multiples of ten (ex: 10, 20, 30, 40, etc.). Gaps are left between numbers for future construction. For ramps and spurs, the number refers to the exit number for the parent route. A few ramps exit at locations that have no exit number; these have zeros in this field. Where no ID is required in this field, blanks are used.

### - Alpha ID

This letter identifies ramps and spurs, as taken from the route logs (except for two ramps at I-91's Exit 2, which were named A/B and C/D on the route logs. These have been renamed 'E' and 'F', respectively.) Where no ID is required in this field, a blank space is used.

Examples:

U004 = US-4 eastbound, divided highway  
U004-W = US-4 westbound, divided highway  
V100-NA002 = VT-100, Approach #2  
B004-WJ001 = Business Route US-4 westbound, Jughandle #1  
I089-SR009A = I-89 southbound, Exit 9 ramp

## 28 – CTCODE

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 4

**Description:** County-Town code based on values defined by the Vermont Agency of Transportation, VTrans. The CTCODE is comprised of the first two digits representing the County and the last two digits representing the Town in alphabetical order within the County. The counties are numbered sequentially starting with Addison County (01) and ending with Windsor County (14). Each town is then numbered sequentially within each county, producing a unique CTCODE. The county-town code identifies the municipality in which each road falls. The CTCODE is evident on reference markers in the field, which include the CTCODE, route identifier and mile marker.

NOTE: The order of towns like Saint Albans (aka St. Albans) and Saint Johnsbury (aka St. Johnsbury) is based on the unabbreviated names - for example, in Caledonia County the CTCODE order for Saint Johnsbury places it between Ryegate and Sheffield (0310 Ryegate, 0311 Saint Johnsbury, 0312 Sheffield).

NOTE: The CTCODE system was implemented before the Town of Sherburne changed its name to Killington - the name was changed, but the CTCODE was not (its CTCODE remained 1121, between 1120 Rutland Town and 1122 Shrewsbury).

See Appendix D for CTCODE list.

### 29 – UA

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 0

**Domain:** N/A

**Precision:** 5

**Description:** VTrans Urban Area Code. The Urban Area code identifies villages and other urbanized areas within the Minor Civil Divisions specified by the FIPS8 codes. The codes include 'urban compacts' having separate VTrans Town Highway Maps. The one-digit code is used in conjunction with the FIPS8 code to uniquely identify each urban area.

NOTE: Several villages have been merged with towns and the villages no longer exist. For mapping purposes, these villages may have become 'urban compacts' or are no longer mapped separately.

See Appendix E for the codes and Appendix F for the list of political divisions.

### 30 – CTUA

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 6

**Description:** CTCODE with UA Code, unique to all towns and Urban Areas in Vermont. See also Appendices D, E, and F.

### 31 – CERTCODE

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 6

**Description:** Similar to CTUA, but unique only to the Mileage Certificates and towns that are autonomous for Highways. Urban Compacts and Villages not incorporated for highways carry the Town code. See also Appendices D, E, and F.

### 32 – ARCMILES

**Maintained by:** VTrans

**Type:** Double

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Precision:** 38

**Scale:** 8

**Length:** 8

**Description:** Calculated mileage based on Arc attribute [Shape.STLength()] \* 0.0006213712). The ARCMILES item indicates the mileage on each segment of road. ARCMILES is the primary basis for the RDNAME route system measurements. The ARCMILES item is necessary for rebuilding or remeasuring the RDNAME route system. The ARCMILES field is simply the product of the LENGTH \* 0.0006213712. It is not intended to reflect or duplicate actual or official VTrans mileage.

### 33 – AOTMILES

**Maintained by:** VTrans

**Type:** Double

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Precision:** 38

**Scale:** 8

**Length:** 8

**Description:** The AOTMILES field indicates the "official" VTrans mileage on each segment of public highway. This includes all sections that are noted with mileage annotation on the Town Highway Map series. The AOTMILES are only for State Routes and Town Highways that are Class 1, 2, 3 or 4, and Legal Trails. If there is a mileage on the Town Highway Map, AOTMILES should be coded. The VTrans Mapping Unit uses AOTMILES to generate the mileage summaries and listings that are shown on the Town Highway Maps, prompting the need for accurate and complete mileage information. AOTMILES are rounded to the nearest 100th of a mile on Town Highways and 1000th of a mile on State Highways.

### 34 – AOTMILES\_CALC

**Maintained by:** VTrans

**Type:** Double

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Precision:** 38

**Scale:** 8

**Length:** 8

**Description:** Used internally by VTrans to prorate AOTMILES across specific road segments while editing. Not for use outside of the Highway Mapping System.

## 35 – UPDACT

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 1

**Description:** Used for flagging the type of update made to an arc.

Field values:

A = Added arc (i.e., a new arc)

M = Moved arc (by reshaping the arc, moving a node, moving or deleting a vertex, or other action altering the shape of the arc)

S = Split arc (both new arcs are coded 'S')

U = Unsplit arc (originally 2 or more arcs)

NOTE: For S (split) and U (unsplit), the locations of the vertices may be unchanged. The shapes (and combined lengths) of the arcs may remain the same, but nodes may have been added, removed or moved along the arcs.

Moving a pseudo node is sometimes required to modify the location where an attribute changes. For example, a pseudo node will need to be changed in response to a change in the location of a town boundary. All the attributes for the two arcs remain the same; only the location of the pseudo node has changed. This would entail splitting and unsplitting the two arcs, and therefore would be coded as 'S' and 'U'.

Sometimes an arc may be modified more than once, in which case either of the appropriate UPDACT codes can be assigned. For example, an arc might be reshaped and then split. In such a case, the arcs could be coded with either an 'M' (moved) or an 'S' (split). Although it is not critical, it is preferable for the 'M' (moved) code to take precedence over the 'S' and 'U' codes (which don't alter the locations of vertices). Likewise, 'A' (added arc) takes precedence over the other codes, so that if an added arc is later split, the UPDACT code should remain 'A'.

1. A
2. M
3. S
4. U

It is not necessary to record changes to attributes.

## 36 – LOCMETH

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 5

**Description:** Method used to locate/digitize a road segment (arc). Many Class 4 roads, legal trails, and other roads are difficult to locate with confidence on the orthophotos. For such roads, a road clearly visible on the orthophoto may have been digitized and assigned a value equal to 2 due to the uncertainty of it was the correct road. Code 4 was not in use at the beginning of the original digitizing contract. For northern

parts of the state [approximately north of northing STP meters 216000], roads not appearing on the orthophotos may have been given a value equal to 2. Use of the digital orthophotos is improving the accuracy of the road centerlines and any roads not clearly visible on the paper orthophotos may be moved to match the digital orthophotos. If this process is performed, the LOCMETH will be altered to reflect the new location method. (Please refer to SRCORG for the organization making the location alteration or addition.)

Field values:

- 1 = Visible on and digitized from a 1:5000 orthophoto (or better, as documented in the update record) with good degree of certainty as to location and correct RTNO (now known as RTNUMBER) attribute.
- 2 = Road not clearly visible on the orthophoto, but it appears that it probably was there at the time the photo was taken. Location estimated from the AOT maps, adjoining roads, and land features.
- 3 = Not clearly visible on the orthophoto; location estimated from State Forest maps.
- 4 = No indication of the road on the orthophoto; apparently a new road built since the orthophoto was taken. Location estimated from VTrans maps.
- 5 = Road centerlines drafted onto orthophotos from engineering drawings and the like.
- 6 = Invisible on the orthophoto, but located based on town or other local knowledge of the area.
- 7 = Digitized centerline of the parcel (tax map) road right-of-way.
- 8 = Screen digitized from drafting by town officials onto maps of approximately 1:15000 to 1:20000 scale.
- 9 = Coordinates captured via a GPS device utilizing "dead reckoning" with typical horizontal accuracy within five meters.

### 37 – SRCORG

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 5

**Description:** Organization/project which created/updated a road segment (arc). This attribute identifies the organization or project which digitized an arc. When a road arc is digitized, moved, or reshaped, the SRCORG code should be updated. The SRCORG codes will serve as a record of "who did it". VTrans currently updates the SRCORG field with a code of 26 for each altered arc. This includes arcs moved to match the orthophotos, splits due to new roads, or unsplit due to same attribution. LOCMETH and UPDACT can also be viewed to give pedigree or tracking of the latest changes to an arc.

Field values:

- 1 = VCGI, original data (assigned Sept 1993)
- 2 = VCGI, updated location
- 10 = Addison County Regional Planning Commission
- 11 = Bennington County Regional Commission
- 12 = Central Vermont Regional Planning Commission
- 13 = Chittenden County Regional Planning Commission
- 14 = Northwest Regional Planning Commission
- 15 = Lamoille County Planning Commission
- 16 = Northeast Vermont Development Association
- 17 = Rutland Regional Planning Commission
- 18 = Southern Windsor Regional Planning Commission (or its contractor)
- 19 = Two Rivers-Ottawaquechee Regional Planning Commission
- 20 = Upper Valley-Lake Sunapee Regional Planning Commission
- 21 = Windham Regional Commission
- 22 = microData

- 23 = Incorporated from municipal updates
- 24 = E911 GIS database development project (1996)
- 25 = IVS Highway Mapping System Project
- 26 = VTrans Highway Mapping System updates

### 38 – SCENICHWY

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 0

**Domain:** N/A

**Precision:** 5

**Description:** Highways officially designated as "Scenic Highways" by VTrans or municipalities. Previously known as SCENIC. The ability to designate a Scenic Highway is defined in Vermont Statute and documented on the Mileage Certificates. The VTrans Mapping Section maintains the official listing of Scenic Highways within the State of Vermont.

NOTE: There have been some sections of Town Highway in Norwich that have been designated as Scenic Highway, but are not coded due to the Selectboard's request not to map or distribute information regarding the highway's locations. Due to this request, the coding for SCENIC is incomplete in the Town of Norwich.

Field values:

- 0 = Not designated as Scenic Highway
- 1 = Designated as Scenic Highway by local municipality
- 2 = Designated as Scenic Highway by VTrans

### 39 – SCENICBYWAY

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 0

**Domain:** N/A

**Precision:** 5

**Description:** Designated Scenic Byways.

Field values:

- 0 = Not a scenic byway
- 100 = Connecticut River Scenic Byway
- 200 = Lake Champlain Byway
- 300 = Molly Stark Trail: A Byway Through the Green Mountains
- 400 = Mad River Byway
- 500 = Stone Valley Byway
- 600 = Green Mountain Byway
- 700 = The Crossroad of Vermont
- 800 = Scenic Route 100 Byway
- 900 = The Shires of Vermont Byway
- 1000 = Northeast Kingdom Byway

### 40 – FORMER\_RTNAME

**Maintained by:** VTrans

**Type:** String  
**Required:** False  
**Editable:** True  
**Nullable:** True  
**Default:** N/A  
**Domain:** N/A  
**Length:** 12

**Description:** Former Town Highway Number or Route Number for an arc. This is used primarily on Class 2 transfers, reclassifications of town highways to or from legal trails, or discontinuance of highways.

### 41 – PROVISIONALYEAR

**Maintained by:** VTrans  
**Type:** Short Integer  
**Required:** False  
**Editable:** True  
**Nullable:** True  
**Default:** 0  
**Domain:** N/A  
**Precision:** 5

**Description:** Year a provisional highway is added to the VTrans Town Highway Map, based on information supplied by the town as part of the Certificate of Highway Mileage process. According to Vermont Statute, 19 V.S.A. § 302. Classification of town highways (a)(3)(C), a highway not meeting the minimum standards for a class 3 town highway may be reclassified as a provisional class 3 highway if within five years of the determination, it will meet all class 3 highway standards.

Null values are allowed in this field.

### 42 – ANCIENROADYEAR

**Maintained by:** VTrans  
**Type:** Short Integer  
**Required:** False  
**Editable:** True  
**Nullable:** True  
**Default:** 0  
**Domain:** N/A  
**Precision:** 5

**Description:** Year a road that was considered an ancient road was added or most recently modified based on a change prompted by the Certificate of Highway Mileage process. This relates to Act 178 of 2006 and Act 158 of 2008 which sunset on July 1, 2015.

### 43 – TRUCKROUTE

**Maintained by:** VTrans  
**Type:** Short Integer  
**Required:** False  
**Editable:** True  
**Nullable:** True  
**Default:** N/A  
**Domain:** N/A  
**Precision:** 5

**Description:** Designated Truck Routes. These designations identified which routes allowed up to 72-foot long trucks with no permits required. These designations are now obsolete, but remain in the data for historical purposes. Please consult the Vermont Department of Motor Vehicles for current rules, routes, and permitting for commercial trucking.



Field values:

- 0 = Not a truck route
- 100 = National Network – Limited Access (no overall length limit)
- 200 = Brattleboro VT-9 between I-91 and New Hampshire
- 300 = Truck Network, 72-foot limit (no permit)
- 400 = US-4, Permit Required
- 500 = Urban Avoidance Route, Part of Truck Network, 72-foot limit (no permit)
- 600 = Network – Limited Access (no overall length limit)

## 44 – SPEEDLIMIT

**Maintained by:** VTrans

**Type:** Double

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Precision:** 38

**Scale:** 8

**Length:** 8

**Description:** Speed limit. Currently a place holder for future use.

## 45 – ROADCLOSED

**Maintained by:** E911

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** Road\_Closed

**Length:** 15

**Description:** Road Closed status. Currently a placeholder for future use; incompletely populated in this release.

Field values:

- Closed = Road closed
- Closed\_AVO = Road closed – passage restricted to authorized vehicles only
- Closed\_LTO = Road closed – passage restricted to local traffic only
- Closed\_W = Road closed for winter
- Normal\_SR = Normal service requested
- Open = Road open
- Open\_CD = Road open with construction delays
- Open\_R = Road open with restrictions

## 46 – ISVISIBLE

**Maintained by:** VTrans

**Type:** Long Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 1

**Domain:** N/A

**Precision:** 10

**Description:** Flag used by the Highway Mapping System for cartographic purposes.

Field values:

0 = Not visible

1 = Visible

### 47 – CERTYEAR

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 0

**Domain:** N/A

**Precision:** 5

**Description:** Year an arc was altered due to a change reflected on the Certificate of Highway Mileage.

### 48 – GlobalID

**Maintained by:** Esri

**Type:** Global ID

**Required:** True

**Editable:** False

**Nullable:** False

**Description:** Globally Unique Identifier or GUID; not defined in this release.

### 49 – FIPS8

**Maintained by:** VTrans

**Type:** Long Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 10

**Description:** Municipality (town, city, gore, grant) FIPS code. The FIPS8 code identifies the municipality in which each road falls, as shown on the VTrans Town Highway Maps. The FIPS8 code is a modified version of FIPS6 (as listed in the Geographic Area Codes Standard of the VGIS Handbook). FIPS8 includes the FIPS state code (for example: 50 for Vermont) + FIPS6. VTrans makes adjustments to the FIPS8 coding based on the best available information at its disposal. VTrans maintains its own version of the town boundaries, called townindex and townindex\_arc. These data layers are sent to VCGI for review and inclusion of any pertinent changes into BNDHASH.

### 50 – RTNUMBER\_N

**Maintained by:** VTrans

**Type:** Double

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 0

**Precision:** 38

**Scale:** 8

**Description:** Similar to RTNUMBER, but in numeric format. Previously known as RTNO\_N. It is used to have public highway listings display in numeric order instead of text order - for example, a listing based on

RTNUMBER would be ordered as 1, 10, 11, 2, 20, 21, while a listing based on RTNUMBER\_N would be ordered as 1, 2, 10, 11, 20, 21. The letter suffix in routes is assigned a decimal value.

Examples:

100A = 100.10  
100B = 100.20  
100C = 100.30  
US-ALT5 = 5.9  
ALT VT-100 = 100.9

### 51 – RDNAME

**Maintained by:** VTrans

**Type:** Long Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 10

**Description:** Road name code. Road names are stored as an integer code, referencing look-up table RDS.RDNAMEs. An integer code is used to minimize the space required in the road centerline attribute table. Each named road will have a unique RDNAME value and should reflect the "official" road name from E911, but there may have been some roads that either did not match in automated evaluation, or were missed. Users should generally turn to the E911\RDS data layer when they need "official" road name information and use the Trans\_Road\_RDS as a secondary name source. The current equivalent of RDNAME in E911RDS is GEONAMEID. Because GEONAMEID is incompletely populated in this release, VTrans continues its use of RDNAME until the VTrans and E911 road centerline data sets are merged. A value of 99999999 indicates that the RDNAME entered by VTrans is more correct than the E911 PRIMARYNAME for the arc at the time the arc was added or modified.

### 52 – RDFLNAME

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 30

**Description:** Full road name. VTrans has put an effort forward to correct the TransRoad\_RDS data layer to reflect the "official" road names from E911, but there may have been some roads that either did not match in automated evaluation, or were missed. The E911 data should still be used as the "official" source and the Trans\_Road\_RDS as a secondary name source.

NOTE: There currently isn't a reliable mechanism for maintenance of this item. Users should generally turn to the EmergencyE911\_RDS data layer when they need "official" road name information. The current equivalent of RDFLNAME in E911RDS is PRIMARYNAME, but because PRIMARYNAME is incompletely populated in this release, VTrans will continue its use of RDFLNAME until the VTrans and E911 road centerline data sets are merged.

### 52 – ISVISIBLE\_UC

**Maintained by:** VTrans

**Type:** Long Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** 0

**Domain:** N/A

**Precision:** 10

**Description:** Flag used by the VTrans Highway Mapping System for cartographic purposes.

Field values:

0 = Not visible

1 = Visible

## 54 – FUNCL\_OLD

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 5

**Description:** Old Functional Class Code. These functional classification codes were used in the FUNCL field in data releases prior to 2015 and are based on a federal classification system in use by VTrans. Functional classes distinguish between rural and transportation-defined urban areas (8 in Vermont).

Therefore, proper assignment of this attribute requires that road arcs be split at the rural/urban boundaries.

NOTE: See FUNCL for the current Functional Classification codes.

Field values:

0 = Not part of Functional Classification System

1 = Principal arterial – Interstate

2 = Rural principal arterial

4 = Rural principal arterial – other (not other freeway); not a standard federal code

6 = Rural minor arterial

7 = Rural major collector

8 = Rural minor collector

9 = Rural local

11 = Urban principal arterial – Interstate

12 = Urban principal arterial – other freeway

14 = Urban principal arterial – other

16 = Urban minor arterial

17 = Urban collector

19 = Urban local

## 55 – Urban\_Code

**Maintained by:** VTrans

**Type:** Long Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 10

**Description:** Census urban code.

Field values:

11755 = Five-digit code to uniquely identify the Census 2010 Urbanized Area (population greater than or equal to 50,000) of Burlington, VT, adjusted for transportation planning purposes by VTrans in conjunction with regional planning partners.

99998 = Small Urban area to identify the Census Urban Clusters with a population greater than or equal to 5,000 and less than 50,000, adjusted for transportation planning purposes by VTrans in conjunction with regional planning partners.

99999 = Rural areas; all areas outside the adjusted Urbanized Area and Small Urban Area boundaries, for transportation planning purposes.

### 56 – FAID

**Maintained by:** VTrans

**Type:** Double

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Precision:** 38

**Scale:** 0

**Description:** Calculated field based on FIPS8 and ARCID. The first eight digits represent the FIPS8 value and the last four digits represent the ARCID value.

### 57 – FED\_AID

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 15

**Description:** The Federal Aid Number for specific highway sections that are part of the Federal Aid Highway System or functionally classed as minor collectors. This number is used by VTrans in reporting on federal aid routes.

Field values:

010-099 Arterial (rural and urban)

100-499 Rural Major Collector

500-999 Rural Minor Collector

1000-9002 Urban Collectors and Urban Minor Arterials

9420 Montpelier Junction State Highway (Major Collector)

9992 Morristown -- Alt VT-100 (Rural Minor Arterial)

9996 Newport City -- Alt-5 (Rural Minor Arterial)

The “1000-9002 Urban Collectors and Urban Minor Arterials” are organized as follows:

1000-1063 Bennington

1200-1208 North Bennington Village

1402-1408 Old Bennington Village

1608-1625 Shaftsbury

2000-2048 Brattleboro

3000-3064 Rutland City

3113 Hartford - White River Junction

3200-3222 Rutland Town

3400-3409 West Rutland

3602-3604 Mendon  
3200 Proctor  
3810-3825 Proctor  
5000-5072 Burlington City  
5100-5113 Winooski City  
5202-5228 South Burlington City  
5300-5312 Essex Junction Village  
5300 Essex Town  
5402-5414 Essex Town  
5504-5514 Williston  
5600-5621 Colchester  
5702-5722 Shelburne  
5000 Milton  
5802-5816 Milton  
5900-5940 Middlebury  
6000-6032 Barre City  
6101-6119 Barre Town  
6200-6208 Berlin  
6300-6303 East Montpelier  
6400-6434 Montpelier City  
7000-7034 St. Johnsbury  
8000-8034 St. Albans City  
8200-8216 St. Albans Town  
9000-9002 Newport City

### 58 – Facility\_Type

**Maintained by:** VTrans

**Type:** Short

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 5

**Description:** Facility\_Type has been added to allow for better summary of mileage for the Federal Highway Administration's Highway Performance Monitoring System (HPMS). This field represents the operational characteristics of a highway segment, based on the definitions in the HPMS Field Manual. A copy of this manual can be found on-line at the following link:

[http://www.fhwa.dot.gov/policyinformation/hpms/fieldmanual/HPMS\\_2014.pdf](http://www.fhwa.dot.gov/policyinformation/hpms/fieldmanual/HPMS_2014.pdf); see also

<http://www.fhwa.dot.gov/policyinformation/hpms/fieldmanual/chapter4b.cfm>.

Field values:

- 1 = One-Way Roadway – Roadway that operates with traffic moving in a single direction during non-peak period hours.
- 2 = Two-Way Roadway – Roadway that operates with traffic moving in both directions during non-peak period hours.
- 4 = Ramp – Non-mainline junction or connector facility contained within a grade-separated interchange.
- 5 = Non-Mainline – All non-mainline facilities excluding ramps.
- 6 = Non-Inventory Direction – Individual road/roads of a multi-road facility that is/are not used for determining the primary length for the facility.
- 7 = Planned/Unbuilt – Planned roadway that has yet to be constructed.

## 59 – Shape

**Maintained by:** Esri  
**Type:** Geometry  
**Required:** True  
**Editable:** False  
**Nullable:** True  
**Type:** Line  
**Description:** Feature geometry

## 60 – PENT

**Maintained by:** VTrans  
**Type:** String  
**Required:** False  
**Editable:** True  
**Nullable:** True  
**Default:** N/A  
**Domain:** N/A  
**Length:** 1  
**Description:** A highway or trail that is enclosed by the owner of the land during any part of the year, by erecting stiles, unlocked gates, and bars in the places designated, through permission from the governing body of the municipality and recorded in the town clerk’s office. Field added January 2018.  
Field values:  
Null – Not coded  
N – Not designated as Pent  
Y – Designated as Pent

## 61 – TOWNGEOID

**Maintained by:** VTrans  
**Type:** String  
**Required:** False  
**Editable:** True  
**Nullable:** True  
**Default:** N/A  
**Domain:** N/A  
**Length:** 10  
**Description:** Town identifying code as defined and enumerated in the Vermont Center for Geographic Information (VCGI) “VT Geographic Area Codes Standard – State, County, Town, Village, and RPC Codes.” Field added January 2018.

[http://vcgi.vermont.gov/sites/vcgi/files/VT\\_GIS\\_Geographic\\_Area\\_Codes\\_Standard.pdf](http://vcgi.vermont.gov/sites/vcgi/files/VT_GIS_Geographic_Area_Codes_Standard.pdf)

## 62 – StartNodeID

**Maintained by:** VTrans  
**Type:** Long Integer  
**Required:** False  
**Editable:** True  
**Nullable:** True  
**Default:** N/A  
**Domain:** N/A  
**Precision:** 10  
**Description:** Integer referencing the point feature from the VTrans “Nodes” feature class that uniquely represents the location of the first vertex of the arc’s geometry. Wherever the ends of two or more arcs

intersect, those arcs will each have a StartNodeID value and/or EndNodeID value in common, depending on the direction of digitization. Loop features have StartNodeID value = EndNodeID value.

### 63 – EndNodeID

**Maintained by:** VTrans

**Type:** Long Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 10

**Description:** Integer referencing the point feature from the VTrans “Nodes” feature class that uniquely represents the location of the last vertex of the arc’s geometry. Wherever the ends of two or more arcs intersect, those arcs will each have a StartNodeID value and/or EndNodeID value in common, depending on the direction of digitization. Loop features have StartNodeID value = EndNodeID value.

### 64 – Ownership

**Maintained by:** VTrans

**Type:** Short Integer

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Precision:** 5

**Description:** Type of Governmental Ownership as defined in FHWA Highway Performance Monitoring System Field Manual field 6 -

<https://www.fhwa.dot.gov/policyinformation/hpms/fieldmanual/page05.cfm#toc249159691> Field added April 2018.

Field values:

- 1 - State Highway Agency
- 2 - County Highway Agency
- 3 - Town or Township Highway Agency
- 4 - City or Municipal Highway Agency
- 11 - State Park, Forest, or Reservation Agency
- 12 - Local Park, Forest, or Reservation Agency
- 21 - Other State Agency
- 25 - Other Local Agency
- 26 - Private (other than Railroad)
- 27 - Railroad
- 31 - State Toll Authority
- 32 - Local Toll Authority
- 40 - Other Public Instrumentality (e.g. Airport, School, University)
- 50 - Indian Tribe Nation
- 60 - Other Federal Agency
- 62 - Bureau of Indian Affairs
- 63 - Bureau of Fish and Wildlife
- 64 - U.S. Forest Service
- 66 - National Park Service
- 67 - Tennessee Valley Authority
- 68 - Bureau of Land Management
- 69 - Bureau of Reclamation
- 70 - Corps of Engineers



72 - Air Force  
73 - Navy/Marines  
74 - Army  
80 - Other  
99 - Unknown

### 65 – created\_user

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** False

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 255

**Description:** This field records the ArcSDE geodatabase user name of the user who created the arc.

The field was originally named CREATIONUSER and was one of four fields added for editor tracking on 2016-11-18. On 2018-09-25, The field name was changed to created\_user because Esri changed the default names it uses in editor tracking.

### 66 – created\_date

**Maintained by:** VTrans

**Type:** Date

**Required:** False

**Editable:** False

**Nullable:** True

**Default:** N/A

**Description:** This field records the date and time the arc was created. The time is recorded in Coordinated Universal Time (UTC).

The field was originally named DATECREATED and was one of four fields added for editor tracking on 2016-11-18. On 2018-09-25, the field name was changed to created\_date because Esri changed the default names it uses in editor tracking.

### 67 – last\_edited\_user

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** False

**Nullable:** True

**Default:** N/A

**Domain:** N/A

**Length:** 255

**Description:** This field records the ArcSDE geodatabase user name of the user who last modified the record in any way.

The field was originally named LASTUSER and was one of four fields added for editor tracking on 2016-11-18. On 2018-09-25, The field name was changed to last\_edited\_user because Esri changed the default names it uses in editor tracking.

### 68 – last\_edited\_date

**Maintained by:** VTrans

**Type:** Date

**Required:** False

**Editable:** False

**Nullable:** True

**Default:** N/A

**Description:** This field records the date and time the record was modified in any way. The time is recorded in Coordinated Universal Time (UTC).

The field was originally named DATEMODIFIED and was one of four fields added for editor tracking on 2016-11-18. On 2018-09-25, the field name was changed to last\_edited\_date because Esri changed the default names it uses in editor tracking.

### 69 – UPDATENOTES

**Maintained by:** VTrans

**Type:** String

**Required:** False

**Editable:** True

**Nullable:** True

**Default:** ''

**Domain:** N/A

**Length:** 75

**Description:** Notes about an update to the road segment.

### 70 – Shape.STLength()

**Maintained by:** Esri

**Type:** Geometry

**Required:** True

**Editable:** False

**Nullable:** True

**Geometry Type:** Line

**Description:** Feature geometry. Automatically calculated length measurement of the arc in meters.

# VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

## APPENDIX B

### FIELD ORDER – DEFAULT VALUES - DOMAINS

**FIELD ORDER** – numeric indexing for each attribute corresponds to the order in which that field appears in the dataset’s attribute table.

Quick reference for all attributes

| Index | Field name      | Maintaining agency | Type      | Required | Editable | Nullable | Default | Domain |
|-------|-----------------|--------------------|-----------|----------|----------|----------|---------|--------|
| 1     | OBJECTID        | Esri               | Object ID | Y        | N        | N/A      | N/A     | N/A    |
| 2     | SEGMENTID       | E911               | Long      | N        | Y        | Y        | N       | N      |
| 3     | ARCID           | VTrans             | Long      | N        | Y        | Y        | N       | N      |
| 4     | PD              | E911               | String    | N        | Y        | Y        | N       | N      |
| 5     | PT              | E911               | String    | N        | Y        | Y        | N       | N      |
| 6     | SN              | E911               | String    | N        | Y        | Y        | N       | N      |
| 7     | ST              | E911               | String    | N        | Y        | Y        | N       | N      |
| 8     | SD              | E911               | String    | N        | Y        | Y        | N       | N      |
| 9     | GEONAMEID       | E911               | Long      | N        | Y        | Y        | N       | N      |
| 10    | PRIMARYNAME     | E911               | String    | N        | Y        | Y        | N       | N      |
| 11    | ALIAS1          | E911               | String    | N        | Y        | Y        | N       | N      |
| 12    | ALIAS2          | E911               | String    | N        | Y        | Y        | N       | N      |
| 13    | ALIAS3          | E911               | String    | N        | Y        | Y        | N       | N      |
| 14    | ALIAS4          | E911               | String    | N        | Y        | Y        | N       | N      |
| 15    | ALIAS5          | E911               | String    | N        | Y        | Y        | N       | N      |
| 16    | SURFACETYPE     | VTrans             | Short     | N        | Y        | Y        | N       | Y      |
| 17    | ONEWAY          | VTrans             | String    | N        | Y        | Y        | Y       | Y      |
| 18    | RTNAME          | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 19    | RTNUMBER        | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 20    | HWYSIGN         | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 21    | RPCCLASS        | VTrans             | Short     | N        | Y        | Y        | N       | N      |
| 22    | AOTCLASS        | VTrans             | Short     | N        | Y        | Y        | Y       | Y      |
| 23    | NUTS            | VTrans             | String    | N        | Y        | Y        | Y       | N      |
| 24    | NHS             | VTrans             | Short     | N        | Y        | Y        | Y       | N      |
| 25    | FUNCL           | VTrans             | Short     | N        | Y        | Y        | N       | N      |
| 26    | TWN_LR          | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 27    | ETE_LR          | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 28    | CTCODE          | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 29    | UA              | VTrans             | Short     | N        | Y        | Y        | Y       | N      |
| 30    | CTUA            | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 31    | CERTCODE        | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 32    | ARCMILES        | VTrans             | Double    | N        | Y        | Y        | N       | N/A    |
| 33    | AOTMILES        | VTrans             | Double    | N        | Y        | Y        | N       | N/A    |
| 34    | AOTMILES_CALC   | VTrans             | Double    | N        | Y        | Y        | N       | N/A    |
| 35    | UPDACT          | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 36    | LOCMETH         | VTrans             | Short     | N        | Y        | Y        | N       | N      |
| 37    | SRCORG          | VTrans             | Short     | N        | Y        | Y        | N       | N      |
| 38    | SCENICHWY       | VTrans             | Short     | N        | Y        | Y        | Y       | N      |
| 39    | SCENICBYWAY     | VTrans             | Short     | N        | Y        | Y        | Y       | N      |
| 40    | FORMER_RTNAME   | VTrans             | String    | N        | Y        | Y        | N       | N      |
| 41    | PROVISIONALYEAR | VTrans             | Short     | N        | Y        | Y        | Y       | N      |

## VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

---

|    |                  |        |           |   |   |   |     |     |
|----|------------------|--------|-----------|---|---|---|-----|-----|
| 42 | ANCIENTROADYEAR  | VTrans | Short     | N | Y | Y | Y   | N   |
| 43 | TRUCKROUTE       | VTrans | Short     | N | Y | Y | N   | N   |
| 44 | SPEEDLIMIT       | VTrans | Double    | N | Y | Y | N   | N   |
| 45 | ROADCLOSED       | VTrans | String    | N | Y | Y | N   | Y   |
| 46 | ISVISIBLE        | VTrans | Long      | N | Y | Y | Y   | N   |
| 47 | CERTYEAR         | VTrans | Short     | N | Y | Y | Y   | N   |
| 48 | GlobalID         | Esri   | Global ID | Y | N | N | N/A | N/A |
| 49 | FIPS8            | VTrans | Long      | N | Y | Y | N   | N   |
| 50 | RTNUMBER_N       | VTrans | Double    | N | Y | Y | Y   | N   |
| 51 | RDNAME           | VTrans | Long      | N | Y | Y | N   | N   |
| 52 | RDFLNAME         | VTrans | String    | N | Y | Y | N   | N   |
| 53 | ISVISIBLE_UC     | VTrans | Long      | N | Y | Y | Y   | N   |
| 54 | FUNCL_OLD        | VTrans | Short     | N | Y | Y | N   | N   |
| 55 | Urban_Code       | VTrans | Long      | N | Y | Y | N   | N   |
| 56 | FAID             | VTrans | Double    | N | Y | Y | N   | N   |
| 57 | FED_AID          | VTrans | String    | N | Y | Y | N   | N   |
| 58 | Facility_Type    | VTrans | Short     | N | Y | Y | N   | N   |
| 59 | Shape            | VTrans | Geometry  | Y | N | N | N   | N   |
| 60 | PENT             | VTrans | String    | N | Y | Y | N   | N   |
| 61 | TOWNGEOID        | VTrans | String    | N | Y | Y | N   | N   |
| 62 | StartNodeID      | VTrans | Long      | N | Y | Y | N   | N   |
| 63 | EndNodeID        | VTrans | Long      | N | Y | Y | N   | N   |
| 64 | Ownership        | VTrans | Short     | N | Y | Y | N   | N   |
| 65 | created_user     | VTrans | String    | N | N | Y | N   | N   |
| 66 | created_date     | VTrans | Date      | N | N | Y | N   | N   |
| 67 | last_edited_user | VTrans | String    | N | N | Y | N   | N   |
| 68 | last_edited_date | VTrans | Date      | N | N | Y | N   | N   |
| 69 | UPDATENOTES      | VTrans | String    | N | Y | Y | Y   | N   |
| 70 | Shape.STLength() | Esri   | Geometry  | Y | N | Y | N/A | N   |

**ATTRIBUTES WITH DEFAULT VALUES**

| Index | Field name      | Default value   |
|-------|-----------------|-----------------|
| 17    | ONEWAY          | N (No)          |
| 22    | AOTCLASS        | 9 (Private)     |
| 23    | NUTS            | N (is not NUTS) |
| 24    | NHS             | 0 (not on NHS)  |
| 29    | UA              | 0               |
| 38    | SCENICHWY       | 0               |
| 39    | SCENICBYWAY     | 0               |
| 41    | PROVISIONALYEAR | 0               |
| 42    | ANCIENTROADYEAR | 0               |
| 46    | ISVISIBLE       | 1               |
| 47    | CERTYEAR        | 0               |
| 50    | RTNUMBER_N      | 0               |
| 53    | ISVISIBLE_UC    | 0               |
| 69    | UPDATENOTES     | - (hyphen)      |

**ATTRIBUTES WITH UNOFFICIAL DEFAULT VALUES**

According to the hardcoded field definitions, the following fields are allowed to have null values, but in actual practice, the VTrans Mapping Section does not allow null values for these fields. The selection of records using SQL is made more complicated and unreliable when null values are present. In most cases below, a hyphen or 0 is used to represent an approximation of <null> or no value.

| Index | Field name   | Default value |
|-------|--------------|---------------|
| 16    | SURFACETYPE  | 9 (Unknown)   |
| 18    | RTNAME       | - (hyphen)    |
| 19    | RTNUMBER     | - (hyphen)    |
| 20    | HWYSIGN      | - (hyphen)    |
| 21    | RPCCLASS     | 0 (zero)      |
| 22    | AOTCLASS     | 0 (zero)      |
| 26    | TWN_LR       | - (hyphen)    |
| 27    | ETE_LR       | - (hyphen)    |
| 50    | RTNUMBER_N   | 0 (zero)      |
| 51    | RDNAME       | 0 (zero)      |
| 52    | RDFLNAME     | - (hyphen)    |
| 53    | ISVISIBLE_UC | N or 0 (zero) |
| 69    | UPDATENOTES  | - (hyphen)    |

**ATTRIBUTES WITH DOMAINS**

| Index | Field Name  | Domain Name |
|-------|-------------|-------------|
| 16    | SURFACETYPE | SurfaceType |
| 17    | ONEWAY      | Oneway      |
| 22    | AOTCLASS    | AOTClass    |
| 45    | ROADCLOSED  | Road_Closed |

**APPENDIX C**

**AGENCY ASSIGNMENT OF ATTRIBUTES**

**ATTRIBUTES MAINTAINED BY E911**

| <b>Index</b> | <b>Field name</b> | <b>Maintaining agency</b> |
|--------------|-------------------|---------------------------|
| 2            | SEGMENTID         | E911                      |
| 4            | PD                | E911                      |
| 5            | PT                | E911                      |
| 6            | SN                | E911                      |
| 7            | ST                | E911                      |
| 8            | SD                | E911                      |
| 9            | GEONAMEID         | E911                      |
| 10           | PRIMARYNAME       | E911                      |
| 11           | ALIAS1            | E911                      |
| 12           | ALIAS2            | E911                      |
| 13           | ALIAS3            | E911                      |
| 14           | ALIAS4            | E911                      |
| 15           | ALIAS5            | E911                      |
| 48           | GlobalID          | E911                      |

**ATTRIBUTES MAINTAINED BY VTRANS**

| <b>Index</b> | <b>Field name</b> | <b>Maintaining agency</b> |
|--------------|-------------------|---------------------------|
| 3            | ARCID             | VTrans                    |
| 16           | SURFACETYPE       | VTrans                    |
| 17           | ONEWAY            | VTrans                    |
| 18           | RTNAME            | VTrans                    |
| 19           | RTNUMBER          | VTrans                    |
| 20           | HWYSIGN           | VTrans                    |
| 21           | RPCCLASS          | VTrans                    |
| 22           | AOTCLASS          | VTrans                    |
| 23           | NUTS              | VTrans                    |
| 24           | NHS               | VTrans                    |
| 25           | FUNCL             | VTrans                    |
| 26           | TWN_LR            | VTrans                    |
| 27           | ETE_LR            | VTrans                    |
| 28           | CTCODE            | VTrans                    |
| 29           | UA                | VTrans                    |
| 30           | CTUA              | VTrans                    |
| 31           | CERTCODE          | VTrans                    |
| 32           | ARCMILES          | VTrans                    |
| 33           | AOTMILES          | VTrans                    |
| 34           | AOTMILES_CALC     | VTrans                    |
| 35           | UPDACT            | VTrans                    |
| 36           | LOCMETH           | VTrans                    |
| 37           | SRCORG            | VTrans                    |
| 38           | SCENICHWY         | VTrans                    |
| 39           | SCENICBYWAY       | VTrans                    |
| 40           | FORMER_RTNAME     | VTrans                    |
| 41           | PROVISIONALYEAR   | VTrans                    |
| 42           | ANCIENTROADYEAR   | VTrans                    |
| 43           | TRUCKROUTE        | VTrans                    |
| 44           | SPEEDLIMIT        | VTrans                    |
| 45           | ROADCLOSED        | VTrans                    |
| 46           | ISVISIBLE         | VTrans                    |
| 47           | CERTYEAR          | VTrans                    |
| 49           | FIPS8             | VTrans                    |
| 50           | RTNUMBER_N        | VTrans                    |
| 51           | RDNAME            | VTrans                    |
| 52           | RDFLNAME          | VTrans                    |
| 53           | ISVISIBLE_UC      | VTrans                    |
| 54           | FUNCL_OLD         | VTrans                    |
| 55           | Urban_Code        | VTrans                    |
| 56           | FAID              | VTrans                    |
| 57           | FED_AID           | VTrans                    |
| 58           | Facility_Type     | VTrans                    |
| 59           | Shape             | VTrans                    |

## VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

---

|    |                  |        |
|----|------------------|--------|
| 60 | PENT             | VTrans |
| 61 | TOWNGEOID        | VTrans |
| 62 | StartNodeID      | VTrans |
| 62 | EndNodeID        | VTrans |
| 64 | Ownership        | VTrans |
| 65 | created_user     | VTrans |
| 66 | created_date     | VTrans |
| 67 | last_edited_user | VTrans |
| 68 | last_edited_date | VTrans |
| 69 | UPDATENOTES      | VTrans |
| 70 | Shape.STLeqth()  | VTrans |

# VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

## APPENDIX D

### CTCODE LIST (by county)

#### CTCODE TOWN

##### ADDISON

0101 Addison  
0102 Bridport  
0103 Bristol  
0104 Cornwall  
0105 Ferrisburgh  
0106 Goshen  
0107 Granville  
0108 Hancock  
0109 Leicester  
0110 Lincoln  
0111 Middlebury  
0112 Monkton  
0113 New Haven  
0114 Orwell  
0115 Panton  
0116 Ripton  
0117 Salisbury  
0118 Shoreham  
0119 Starksboro  
0120 Vergennes City  
0121 Waltham  
0122 Weybridge  
0123 Whiting

##### BENNINGTON

0201 Arlington  
0202 Bennington  
0203 Dorset  
0204 Glastenbury  
0205 Landgrove  
0206 Manchester  
0207 Peru  
0208 Pownal  
0209 Readsboro  
0210 Rupert  
0211 Sandgate  
0212 Searsburg  
0213 Shaftsbury  
0214 Stamford  
0215 Sunderland  
0216 Winhall  
0217 Woodford

##### CALEDONIA

0301 Barnet  
0302 Burke  
0303 Danville  
0304 Groton  
0305 Hardwick  
0306 Kirby  
0307 Lyndon  
0308 Newark  
0309 Peacham  
0310 Ryegate  
0311 St. Johnsbury  
0312 Sheffield  
0313 Stannard  
0314 Sutton  
0315 Walden  
0316 Waterford  
0317 Wheelock

##### CHITTENDEN

0401 Bolton  
0402 Buels Gore  
0403 Burlington City  
0404 Charlotte  
0405 Colchester  
0406 Essex  
0407 Hinesburg  
0408 Huntington  
0409 Jericho  
0410 Milton  
0411 Richmond  
0412 St. George  
0413 Shelburne  
0414 South Burlington  
City  
0415 Underhill  
0416 Westford  
0417 Williston  
0418 Winooski City

##### ESSEX

0501 Averill  
0502 Averys Gore  
0503 Bloomfield  
0504 Brighton  
0505 Brunswick  
0506 Canaan  
0507 Concord  
0508 East Haven  
0509 Ferdinand  
0510 Granby  
0511 Guildhall  
0512 Lemington  
0513 Lewis  
0514 Lunenburg  
0515 Maidstone  
0516 Norton  
0517 Victory  
0518 Warners Grant  
0519 Warren Gore

##### FRANKLIN

0601 Bakersfield  
0602 Berkshire  
0603 Enosburgh  
0604 Fairfax  
0605 Fairfield  
0606 Fletcher  
0607 Franklin  
0608 Georgia  
0609 Highgate  
0610 Montgomery  
0611 Richford  
0612 St. Albans City  
0613 St. Albans  
0614 Sheldon  
0615 Swanton

##### GRAND ISLE

0701 Alburgh  
0702 Grand Isle  
0703 Isle La Motte  
0704 North Hero  
0705 South Hero

##### LAMIOLE

0801 Belvidere  
0802 Cambridge  
0803 Eden  
0804 Elmore  
0805 Hyde Park  
0806 Johnson  
0807 Morristown  
0808 Stowe  
0809 Waterville  
0810 Wolcott

##### ORANGE

0901 Bradford  
0902 Braintree  
0903 Brookfield  
0904 Chelsea  
0905 Corinth  
0906 Fairlee  
0907 Newbury  
0908 Orange  
0909 Randolph  
0910 Strafford  
0911 Thetford  
0912 Topsham  
0913 Tunbridge  
0914 Vershire  
0915 Washington  
0916 West Fairlee  
0917 Williamstown

NOTE: The order of towns such as Saint Albans (aka St. Albans) and Saint Johnsbury (aka St. Johnsbury) is based on the unabbreviated names - for example, in Caledonia County, the CTCODE order for Saint Johnsbury places it between Ryegate and Sheffield (0310 Ryegate, 0311 Saint Johnsbury, 0312 Sheffield).



# VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

---

## ORLEANS

1001 Albany  
1002 Barton  
1003 Brownington  
1004 Charleston  
1005 Coventry  
1006 Craftsbury  
1007 Derby  
1008 Glover  
1009 Greensboro  
1010 Holland  
1011 Irasburg  
1012 Jay  
1013 Lowell  
1014 Morgan  
1015 Newport City  
1016 Newport  
1017 Troy  
1018 Westfield  
1019 Westmore

## WASHINGTON

1201 Barre City  
1202 Barre  
1203 Berlin  
1204 Cabot  
1205 Calais  
1206 Duxbury  
1207 East Montpelier  
1208 Fayston  
1209 Marshfield  
1210 Middlesex  
1211 Montpelier City  
1212 Moretown  
1213 Northfield  
1214 Plainfield  
1215 Roxbury  
1216 Waitsfield  
1217 Warren  
1218 Waterbury  
1219 Woodbury  
1220 Worcester

## WINDSOR

1401 Andover  
1402 Baltimore  
1403 Barnard  
1404 Bethel  
1405 Bridgewater  
1406 Cavendish  
1407 Chester  
1408 Hartford  
1409 Hartland  
1410 Ludlow  
1411 Norwich  
1412 Plymouth  
1413 Pomfret  
1414 Reading  
1415 Rochester  
1416 Royalton  
1417 Sharon  
1418 Springfield  
1419 Stockbridge  
1420 Weathersfield  
1421 Weston  
1422 West Windsor  
1423 Windsor  
1424 Woodstock

## RUTLAND

1101 Benson  
1102 Brandon  
1103 Castleton  
1104 Chittenden  
1105 Clarendon  
1106 Danby  
1107 Fair Haven  
1108 Hubbardton  
1109 Ira  
1110 Mendon  
1111 Middletown Springs  
1112 Mount Holly  
1113 Mount Tabor  
1114 Pawlet  
1115 Pittsfield  
1116 Pittsford  
1117 Poultney  
1118 Proctor  
1119 Rutland City  
1120 Rutland  
1121 Killington  
(formerly Sherburne)  
1122 Shrewsbury  
1123 Sudbury  
1124 Tinmouth  
1125 Wallingford  
1126 Wells  
1127 West Haven  
1128 West Rutland

## WINDHAM

1301 Athens  
1302 Brattleboro  
1303 Brookline  
1304 Dover  
1305 Dummerston  
1306 Grafton  
1307 Guilford  
1308 Halifax  
1309 Jamaica  
1310 Londonderry  
1311 Marlboro  
1312 Newfane  
1313 Putney  
1314 Rockingham  
1315 Somerset  
1316 Stratton  
1317 Townshend  
1318 Vernon  
1319 Wardsboro  
1320 Westminster  
1321 Whitingham  
1322 Wilmington  
1323 Windham

NOTE: The CTCODE system was implemented before the town of Sherburne changed its name to Killington - the name was changed, but the CTCODE was not (its CTCODE remained 1121, between 1120 Rutland Town and 1122 Shrewsbury).

# VTRANS ROAD CENTERLINE SPATIAL DATA USER GUIDE

## APPENDIX E

### UA CODES

The 1-digit code is used in conjunction with the CTCODE code to uniquely identify each urban area.

Listed in order of CTCODE, the UA codes include:

| CTCODE | UA | TOWN                                  | CTCODE | UA | TOWN                                |
|--------|----|---------------------------------------|--------|----|-------------------------------------|
| 0103   | 1  | Bristol Urban Compact                 | 1001   | 1  | Albany Village                      |
| 0111   | 1  | Middlebury Urban Compact              | 1002   | 1* | Barton Village                      |
| 0201   | 1  | Arlington Urban Compact               | 1002   | 2* | Orleans Village                     |
| 0202   | 1* | North Bennington Village              | 1007   | 1  | Derby Center Village                |
| 0202   | 2* | Old Bennington Village                | 1007   | 2* | Derby Line Village                  |
| 0202   | 3  | Bennington Urban Compact              | 1017   | 1* | North Troy Village                  |
| 0206   | 1* | Manchester Village                    | 1102   | 1  | Brandon Urban Compact               |
| 0206   | 2  | Manchester Center Depot Urban Compact | 1107   | 1  | Fair Haven Urban Compact            |
|        |    |                                       | 1117   | 1* | Poultney Village                    |
| 0302   | 1  | West Burke Village                    | 1118   | 1  | Proctor Urban Compact               |
| 0304   | 1  | Groton Village                        | 1125   | 1  | Wallingford Urban Compact           |
| 0305   | 1  | Hardwick Urban Compact                | 1128   | 1  | West Rutland Urban Compact          |
| 0307   | 1* | Lyndonville Village                   | 1209   | 1  | Marshfield Village                  |
| 0310   | 1  | South Ryegate Village                 | 1218   | 1  | Waterbury Village                   |
| 0311   | 1  | St. Johnsbury Urban Compact           | 1302   | 1  | Brattleboro Urban Compact           |
| 0406   | 1* | Essex Junction Village                | 1302   | 2  | West Brattleboro Urban Compact      |
| 0406   | 2  | Essex Center Urban Compact            | 1312   | 1  | Newfane Village                     |
| 0409   | 1  | Jericho Village                       | 1314   | 1  | Bellows Falls Village               |
| 0410   | 1  | Milton Urban Compact                  | 1314   | 2  | Saxtons River Village               |
| 0504   | 1  | Island Pond Urban Compact             | 1317   | 1  | Townshend Village                   |
| 0603   | 1* | Enosburg Falls Village                | 1320   | 2  | Westminster Village                 |
| 0611   | 1  | Richford Urban Compact                | 1321   | 1  | Jacksonville Village                |
| 0615   | 1* | Swanton Village                       | 1407   | 1  | Chester-Chester Depot Urban Compact |
| 0701   | 1  | Alburgh Village                       |        |    |                                     |
| 0802   | 1  | Cambridge Village                     | 1408   | 1  | White River Jct. Urban Compact      |
| 0802   | 2  | Jeffersonville Village                | 1408   | 2  | Wilder Urban Compact                |
| 0805   | 1  | Hyde Park Village                     | 1410   | 1* | Ludlow Village                      |
| 0806   | 1  | Johnson Village                       | 1418   | 1  | Springfield Urban Compact           |
| 0807   | 1  | Morrisville Village                   | 1418   | 2  | North Springfield Urban Compact     |
| 0907   | 1  | Newbury Village                       | 1420   | 1  | Perkinsville Village                |
| 0907   | 2* | Wells River Village                   | 1423   | 1  | Windsor Urban Compact               |
| 0909   | 1  | Randolph Urban Compact                | 1424   | 1* | Woodstock Village                   |

\* These villages keep the listed UA code as part of their CERTCODE. The UA code for the other entities become 0 for their CERTCODE.

#### Example

| ENTITY                   | CTCODE | UA | CTUA   | CERTCODE |
|--------------------------|--------|----|--------|----------|
| Bennington (town)        | 0202   | 0  | 0202-0 | 0202-0   |
| Bennington Urban Compact | 0202   | 3  | 0202-3 | 0202-0   |
| North Bennington Village | 0202   | 1  | 0202-1 | 0202-1   |
| Old Bennington           | 0202   | 2  | 0202-2 | 0202-3   |

**APPENDIX F**

**VERMONT POLITICAL DIVISIONS**

| <u>CATEGORIES</u>                 | <u>COUNT</u> |
|-----------------------------------|--------------|
| Cities . . . . .                  | 9            |
| Towns . . . . .                   | 242          |
| Organized . . . . .               | 237          |
| Unorganized . . . . .             | 5            |
| Incorporated Villages . . . . .   | 40           |
| For Highways . . . . .            | 15           |
| Not for Highways . . . . .        | 22           |
| Gores . . . . .                   | 4            |
| <br>                              |              |
| <u>DELIMITED AREAS</u>            |              |
| Urban Compacts . . . . .          | 24           |
| Federal-Aid Urban Areas . . . . . | 9            |

| <u>CITIES</u>    |
|------------------|
| Barre            |
| Burlington       |
| Montpelier       |
| Newport          |
| Rutland          |
| South Burlington |
| St. Albans       |
| Vergennes        |
| Winooski         |

| <u>FEDERAL AID URBAN AREA</u><br>(population 5,000 or more) |
|---|
| Barre-Montpelier  |
| Bennington  |
| Brattleboro   |
| Burlington  |
| Middlebury  |
| Rutland   |
| St. Albans  |
| St. Johnsbury   |
| White River Junction  |

| <u>URBAN COMPACTS</u><br>(mileage is included in main town highway map) |
|---|
| Arlington-East Arlington  |
| Bennington  |
| Brandon   |
| Brattleboro-West Brattleboro  |
| Bristol   |
| Chester-Chester Depot   |
| Essex Center  |
| Fair Haven  |
| Hardwick  |
| Island Pond   |
| Manchester Center Depot   |
| Middlebury  |
| Milton  |
| North Springfield   |
| Proctor   |
| Randolph  |
| Richford  |
| Springfield   |
| St. Johnsbury   |
| Wallingford   |
| West Rutland  |
| White River Junction  |
| Wilder  |
| Windsor   |

| <u>VILLAGES INCORPORATED FOR HIGHWAYS</u><br>(mileage separate from town) |
|---|
| Barton  |
| Derby Line  |
| Enosburg Falls  |
| Essex Junction  |
| Ludlow  |
| Lyndonville   |
| Manchester  |
| North Bennington  |
| North Troy  |
| Old Bennington  |
| Orleans   |
| Poultney  |
| Swanton   |
| Wells River   |
| Woodstock   |

| <u>VILLAGES NOT INCORPORATED FOR HIGHWAYS</u><br>(mileage included with town) |
|---|
| Albany  |
| Alburgh   |
| Bellow Falls  |
| Cambridge   |
| Derby Center  |
| Groton  |
| Hyde Park   |
| Jacksonville  |
| Jeffersonville  |
| Jericho   |
| Johnson   |
| Marshfield  |
| Morrisville   |
| Newbury   |
| Newfane   |
| Perkinsville  |
| Saxtons River   |
| South Ryegate   |
| Townshend   |
| Waterbury   |
| West Burke  |
| Westminster   |

| <u>UNORGANIZED TOWNS</u> |
|--------------------------|
| Averill                  |
| Ferdinand                |
| Glastenbury              |
| Lewis                    |
| Somerset                 |

| <u>GORES</u>  |
|---------------|
| Averys Gore   |
| Buels Gore    |
| Warners Grant |
| Warren Gore   |

## APPENDIX G

### TOWN HIGHWAY DEFINITIONS AND CLASSIFICATION

Excerpts from The Vermont Statutes Online

Title 19 : Highways

Chapter 003 : Town Highways

(Cite as: 19 V.S.A. § 301 and 19 V.S.A. § 302)

Online links:

<https://legislature.vermont.gov/statutes/section/19/003/00301>

<https://legislature.vermont.gov/statutes/section/19/003/00302>

#### § 301. Definitions

As used in this chapter:

(1) "Discontinued highway" means a previously designated class 1, 2, 3, or 4 town highway as to which, through the process of discontinuance, all rights have been reconveyed to the adjoining landowners.

(2) "Legislative body" includes board of selectmen, aldermen, and village trustees.

(3) "Selectmen" includes village trustees and aldermen.

(4) "Pent road" is any town highway which, by written allowance of the selectmen, is enclosed and occupied by the adjoining landowner with unlocked stiles, gates, and bars in such places as the selectmen designate.

(5) "Throughway" means a highway specially designated giving traffic traveling on the throughway the right-of-way at all intersections.

(6) "Town" includes incorporated villages and cities.

(7) "Town highways" are class 1, 2, 3, and 4 highways:

(A) that the towns have authority to exclusively or cooperatively maintain; or

(B) that are maintained by the towns except for scheduled surface maintenance performed by the Agency pursuant to section 306a of this title.

(8) "Trail" means a public right-of-way which is not a highway and which:

(A) previously was a designated town highway having the same width as the designated town highway, or a lesser width if so designated; or

(B) a new public right-of-way laid out as a trail by the selectmen for the purpose of providing access to abutting properties or for recreational use. Nothing in this section shall be deemed to independently authorize the condemnation of land for recreational purposes or to affect the

authority of selectmen to reasonably regulate the uses of recreational trails. (Added 1985, No. 269 (Adj. Sess.), § 1; amended 1991, No. 47, § 1; 2009, No. 50, § 89.)

### § 302. Classification of town highways

(a) For the purposes of this section and receiving state aid, all town highways shall be categorized into one or another of the following classes:

(1) Class 1 town highways are those town highways which form the extension of a state highway route and which carry a state highway route number. The Agency shall determine which highways are to be class 1 highways.

(2) Class 2 town highways are those town highways selected as the most important highways in each town. As far as practicable they shall be selected with the purposes of securing trunk lines of improved highways from town to town and to places which by their nature have more than normal amount of traffic. The selectmen, with the approval of the agency, shall determine which highways are to be class 2 highways.

(3) Class 3 town highways:

(A) Class 3 town highways are all traveled town highways other than class 1 or 2 highways. The selectmen, after conference with a representative of the agency shall determine which highways are class 3 town highways.

(B) The minimum standards for class 3 highways are a highway negotiable under normal conditions all seasons of the year by a standard manufactured pleasure car. This would include but not be limited to sufficient surface and base, adequate drainage, and sufficient width capable to provide winter maintenance, except that based on safety considerations for the traveling public and municipal employees, the selectboard shall, by rule adopted under 24 V.S.A. chapter 59, and after following the process for providing notice and hearing in section 709 of this title, have authority to determine whether a class 3 highway, or section of highway, should be plowed and made negotiable during the winter. However, a property owner aggrieved by a decision of the selectboard may appeal to the transportation board pursuant to subdivision 5(d)(9) of this title.

(C) A highway not meeting these standards may be reclassified as a provisional class 3 highway if within five years of the determination, it will meet all class 3 highway standards.

(4) Class 4 town highways are all town highways that are not class 1, 2, or 3 town highways or unidentified corridors. The selectboard shall determine which highways are class 4 town highways.

(5) Trails shall not be considered highways and the town shall not be responsible for any maintenance including culverts and bridges. *[Identified as AOTCLASS 7 Legal Trail in the VTrans Road Centerline dataset.]*

(6) Unidentified corridors.

(7) Reclassification of unidentified corridors.

*[No unidentified corridors were recorded with VTrans during the period July 1, 2010 - July 1, 2015 when they could have existed as defined in statute.]*


## APPENDIX H

### RTNAME vs HWYSIGN

The highway signs for state maintained routes are green and white (RTNAME = HWYSIGN).



The highway signs for town maintained state routes are black and white (RTNAME  $\neq$  HWYSIGN).



HWYSIGN vs. RTNAME example – VT073 in Orwell

The portion east of VT-22A is a true state route and has green/white signing in the field.

The portion west of VT-22A is a Class 2 town highway and has black-white signing in the field.

[end of document]