

Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE BARNET NSH-9020



Bridge 1A: Stringer/multi-beam or girder - 1976 Structure No. 200091071S03012

Bridge 1: Stringer/multi-beam or girder - 1976 Structure No. 200091071N03012

Structure Type: WELDED PLATE GIRDER Features Intersected: I 91 OVER BARNET SH

Structure Type: WELDED PLATE GIRDER


Features Intersected: I 91 OVER BARNET SH

Length: 117' Facility Carried: I 91 ML

Length: 117' Facility Carried: I 91 ML

NSH-9020 Barnet State Highway

STRUCTURE DESCRIPTIONS



■ Fatal □ Property Damage Only 0216 5 - Major Collector

Injury Unknown Crash Type

Traffic Counters

1 - Interstate 3 - Principal
System Arterial
2 - Other 4 - Minor

Bituminous Concrete
Bituminous Macadam

Surface Treated
Gravel

0.806 of 0.806

DISTRICT

0.806 BARNET - N90200301

Page Total Mileage: 0.806 mi

ROUTE




Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE NSH-9025 **BENNINGTON**

Page Total Mileage: 0.236 mi



NSH-9025 Bennington North State Highway


1 of 1

TWN mileage:

0.0 to 0.236

0.0 to 0.236

BENNINGTON



Page Total Mileage: 0.236 mi

HCL No. 201 - 300 (21 - 30)



Base Map

Bituminous Seal Gravel

Route Log and Progress Chart

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Bennington Federal Urban Area


Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

BENNINGTON

DRAFT

DISTRICT TOWN ROUTE NSH-9025 **BENNINGTON**

Page Total Mileage: 0.236 mi



NSH-9025 Bennington North State Highway

NSH-9025


0.0 to 0.236

1 of 1

TWN mileage:

0.0 to 0.236

BENNINGTON



Page Total Mileage: 0.236 mi

DISTRICT TOWN ROUTE DRAFT Route Log and Progress Chart Please Note: Errors and Omissions May Exist. **BERLIN** NSH-9030 **NSH-9030** Contact the VTrans Mapping Section with questions or concerns. **Berlin** Base Map **State Highway** MONTPELIER Barre-Montpelier zFederal Urban Area 1 in = 1,000 feet Stick Diagram STRUCTURE DESCRIPTIONS Intersecting State Routes (excl. Other Intersecting Highways, Ramps, +++++ Railroad Crossings Primary Structures Stringer/multi-beam or girder - 1974 Structure No. 206200000112032 Secondary Structures Divided State Highway Length: 153' Width: 27.0' State Highway Divided Town Highway Under Clearance: 14.5' Facility Carried: VT 00903 SPUR ---- Town Highway Structure Type: WELD PLT CURVED GIRD Streams (Hydraulic Structure) Features Intersected: BRLN SH OVER VT 62 Town Boundary Surface: Bituminous - - - · Village/UC Boundaries Maintenance/Ownership: State --- District Boundaries o - o - State/Town Highway Change --- Divided Highway Limits ---- Ghost Section Boundary ----- Federal Urban Area Limits 5956 6178 6410-Scale: 1 INCH = 1,000 FEET Travellane Roadway **Road Widths** Lane Count 6" Reclaimed Base Two 2 1/2" Plant Mix 24" Crushed Stone Subbase Curves Grades **Guardrails Rumblestrips** 1984: Unknown **Historic Projects** 1974: Unknown 1551. 511 W 0250(0) 1984: HMA 2523 1945: SA 1940: SP SA 407 **Maintenance Garage** Speed Zone **Functional Class** (National Highway System Partial **Limited Access Highway Traffic Counters** Regional Corridor Regional Corridor **Customer Service Level** 7800 3100 3100 7500 3000 7300 **AADT Counts** 3000 7000 2018 **Crash Locations** 2016

Mileage by Functional Class By Sheet

Page Total Mileage: 2.280 mi

Mileage by Town By Sheet

2.28 of 2.28

Page Total Mileage: 2.28 mi

DISTRICT

TOWN

BERLIN

ROUTE

NSH-9030

ETE mileage:

0.0 to 2.28

Date: 11/25/19

1 of 1

TWN mileage:

0.0 to 2.28

BERLIN - N90301203 Ghost Section - (VT-62, MM 1.382 to 1.433)

1 - Interstate
System
3 - Principal
Arterial

2 - Other 4 - Minor Freeways and Arterial

Crash Locations

Injury Unknown Crash Type

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections)

Traffic Counters

■ Fatal □ Property Damage Only | 6200 4 - Minor Arterial

Historic Projects

Retreatment Bituminous Macadam

Skinny Mix Concrete

Bituminous Seal Gravel

Bituminous Concrete
Bituminous Macadam

Surface Treated
Gravel


Cold Plane and
Bituminous Concrete

Concrete

Bituminous Macadam

Plant Mix

Reclaimed Base and
Bituminous Concrete





DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE BRATTLEBORO NSH-9090

Page Total Mileage: 0.135 mi



NSH-9090 **Brattleboro**

NSH-9090


0.0 to 0.135

1 of 1

TWN mileage:

0.0 to 0.135

BRATTLEBORO



Page Total Mileage: 0.135 mi

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel

Traffic Counters

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30



Base Map

Bituminous Seal Gravel

Route Log and Progress Chart

BRATTLEBORO

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE NSH-9090 **BRATTLEBORO**

Page Total Mileage: 0.135 mi



NSH-9090 Brattleboro State Highway


1 of 1

TWN mileage:

0.0 to 0.135

0.0 to 0.135

BRATTLEBORO



Page Total Mileage: 0.135 mi

HCL No. 201 - 300 (21 - 30



HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE CASTLETON NSH-9150

Page Total Mileage: 0.398 mi



NSH-9150 Castleton


ETE mileage:

0.0 to 0.398

TWN mileage:


0.0 to 0.398

CASTLETON



Page Total Mileage: 0.398 mi

ःः Bituminous Seal **L** Gravel



Page Total Mileage: 0.914 mi

Skinny Mix Concrete

Bituminous Seal Gravel

Traffic Counters

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

Base Map Z

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel

Route Log and Progress Chart

Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE COVENTRY NSH-9180

Page Total Mileage: 2.543 mi



NSH-9180 Coventry


1 of 1

TWN mileage:

0.0 to 2.543

0.0 to 2.543

COVENTRY



Page Total Mileage: 2.543 mi

Sections & (Intersections)

HCL No. 201 - 300 (21 - 30)



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE NSH-9180 **NEWPORT CITY**

Page Total Mileage: 0.087 mi




NEWPORT CITY

TWN mileage:

0.0 to 0.087

2.543 to 2.63

NSH-9180 Coventry



Page Total Mileage: 0.087 mi

HCL No. 201 - 300 (21 - 30



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE FAIR HAVEN NSH-9210

Page Total Mileage: 0.598 mi



NSH-9210 Fair Haven **State Highway**

NSH-9210

ETE mileage:

0.0 to 0.598

1 of 1

TWN mileage:

0.0 to 0.598

FAIR HAVEN



Page Total Mileage: 0.598 mi

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel

Traffic Counters

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30



High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT	TOWN	ROUTE
7	FAIRLEE	NSH-9240

Page Total Mileage: 0.197 mi



NSH-9240 Fairlee State Highway

NSH-9240

ETE mileage:


0.0 to 0.197

1 of 1

TWN mileage:

0.0 to 0.197

FAIRLEE



Page Total Mileage: 0.197 mi

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel



HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE NSH-9270 **FERRISBURGH**

Page Total Mileage: 0.136 mi



NSH-9270 Ferrisburgh State Highway


1 of 1

TWN mileage:

0.0 to 0.136

0.663 to 0.799

FERRISBURGH



Page Total Mileage: 0.136 mi

Bituminous Seal Gravel



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT


DISTRICT TOWN ROUTE NSH-9270 **VERGENNES**

Page Total Mileage: 0.663 mi



NSH-9270 Ferrisburgh

0.0 to 0.663



Page Total Mileage: 0.663 mi



Sections & (Intersections) HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

ISTRICT	TOWN	ROUTE		
7	MAIDSTONE	NSH-9330		

Page Total Mileage: 0.602 mi



NSH-9330 Maidstone State Highway

1 of 1


TWN mileage:

0.0 to 0.602

MAIDSTONE

ETE mileage:

0.0 to 0.602



Page Total Mileage: 0.602 mi

Skinny Mix Concrete

Bituminous Seal Gravel



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT	TOWN	ROUTE		
5	MIDDLESEX	NSH-9360		

Page Total Mileage: 0.17 mi



NSH-9360 Middlesex State Highway

NSH-9360

ETE mileage:


0.0 to 0.17

1 of 1

TWN mileage:

0.0 to 0.17

MIDDLESEX



Page Total Mileage: 0.170 mi

Skinny Mix Concrete

Bituminous Seal Gravel

Traffic Counters

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

Page Total Mileage: 0.890 mi


DRAFT

DISTRICT TOWN ROUTE MONTPELIER NSH-9390

Page Total Mileage: 0.89 mi



NSH-9390 Montpelier **State Highway**



■ Injury □ Unknown Crash Type

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections)

Traffic Counters

Stringer/multi-beam or girder - 1960 Structure No. 200089041N12112 Length: 155' Facility Carried: I 89 ML Structure Type: STEEL BEAM Features Intersected: I 89 OVER MONT. S.H.

4 - Minor Arterial

Retreatment Bituminous Macadam

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel

Cold Plane and
Bituminous Concrete
Concrete
Concrete
Bituminous Concrete
Bituminous Concrete



High Crash Locations (HCL's)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections) HCL No. 201 - 300 (21 - 30)

Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT	TOWN	ROUTE		
5	MONTPELIER	NSH-9390		

Page Total Mileage: 0.727 mi



NSH-9390 Montpelier

1 of 1


TWN mileage:

0.0 to 0.727

MONTPELIER

ETE mileage:

0.0 to 0.727



Page Total Mileage: 0.727 mi

Bituminous Seal Gravel



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE MONTPELIER NSH-9420


0.757 of 0.757

Page Total Mileage: 0.757 mi

DISTRICT


MONTPELIER - N94201211

Page Total Mileage: 0.757 mi



NSH-9420 Montpelier Jct. State Highway

STRUCTURE DESCRIPTIONS



■ Fatal □ Property Damage Only | 9420 5 - Major Collector

Injury Unknown Crash Type

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Traffic Counters

1 - Interstate 3 - Principal Arterial 2 - Other 4 - Minor

4 - Minor Arterial

Bituminous Concrete
Bituminous Macadam

Surface Treated
Gravel

Retreatment
Resurface
Bituminous Macadam
Cold Plane and
Bituminous Concrete
Bituminous Concrete
Cold Plane and
Bituminous Concrete
Concrete

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT	TOWN	ROUTE		
7	NEWBURY	NSH-9430		

Page Total Mileage: 0.482 mi




NSH-9430

TWN mileage:

0.0 to 0.482

0.0 to 0.482



Page Total Mileage: 0.482 mi

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Bituminous Seal Gravel



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE NSH-9480 **NORTON**

Page Total Mileage: 0.573 mi



NORTON


ETE mileage:

0.0 to 0.573

TWN mileage:


0.0 to 0.573

NSH-9480 **Norton**



Page Total Mileage: 0.573 mi

HCL No. 201 - 300 (21 - 30)



Page Total Mileage: 1.150 mi

Page Total Mileage: 1.15 mi



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE PUTNEY NSH-9600

Page Total Mileage: 0.289 mi



NSH-9600 Putney State Highway

NSH-9600


0.0 to 0.289

1 of 1

TWN mileage:

0.0 to 0.289

PUTNEY



Page Total Mileage: 0.289 mi

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel

Traffic Counters

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)



HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE NSH-9630 **HARTFORD**

Page Total Mileage: 0.123 mi



NSH-9630 Quechee

1 of 1


TWN mileage:

0.0 to 0.123

ETE mileage:

0.0 to 0.123

HARTFORD



Page Total Mileage: 0.123 mi

Skinny Mix Concrete

Bituminous Seal Gravel



Base Map

Bituminous Seal Gravel

Route Log and Progress Chart

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE NSH-9630 **HARTFORD**

Page Total Mileage: 0.123 mi



NSH-9630 Quechee **State Highway**


1 of 1

TWN mileage:

0.0 to 0.123

0.0 to 0.123

HARTFORD



Page Total Mileage: 0.123 mi

HCL No. 201 - 300 (21 - 30)



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE ST. ALBANS CITY NSH-9720

Page Total Mileage: 0.059 mi




ST. ALBANS CITY

TWN mileage:

0.0 to 0.059

0.0 to 0.059

NSH-9720 St. Albans



Page Total Mileage: 0.059 mi

HCL No. 201 - 300 (21 - 30



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE ST. ALBANS TOWN NSH-9720

Page Total Mileage: 0.99 mi



NSH-9720 St. Albans

NSH-9720

ETE mileage:


0.059 to 1.049

1 of 1

TWN mileage:

0.0 to 0.99

ST. ALBANS TOWN



Page Total Mileage: 0.990 mi

Skinny Mix Concrete

Bituminous Seal Gravel

Traffic Counters

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)



Base Map

Route Log and Progress Chart

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE ST. ALBANS TOWN NSH-9720


Page Total Mileage: 0.377 mi



ST. ALBANS TOWN

TWN mileage: 0.613 to 0.99

NSH-9720 St. Albans **State Highway**



Page Total Mileage: 0.377 mi



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

1.019 ST. JOHNSBURY - N97300311

Page Total Mileage: 1.019 mi

1.019 of 1.019


Page Total Mileage: 1.019 mi

DISTRICT

DISTRICT TOWN ROUTE ST. JOHNSBURY NSH-9730



NSH-9730 St. Johnsbury **State Highway**



■ Fatal □ Property Damage Only 041-1 4 - Minor Arterial

Injury Unknown Crash Type

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Traffic Counters

Stringer/multi-beam or girder - 1986 Structure No. 200041000103112 Length: 391' Width: 45.4' Under Clearance: 22.75' Facility Carried: VT 00973 CONN Structure Type: 3 SPN CONT WELD GIRD Features Intersected: CONN RIV RR TH27 PASS R Surface: Bituminous Maintenance/Ownership: State

Stringer/multi-beam or girder - 1975 Structure No. 200041003A03112 Length: 110' Width: 38.0' Under Clearance: 18.0' Facility Carried: VT 00973 CONN Structure Type: WELDED PLATE GIRDER Features Intersected: VT973 CONN. OVER I 91NB Surface: Bituminous Maintenance/Ownership: State

Bridge 3B: Stringer/multi-beam or girder - 1975 Structure No. 200091090S03112 Length: 82' Facility Carried: I 91 ML Structure Type: ROLLED BEAM Features Intersected: I 91SB OVER VT973 - CONN

3 - Principal Arterial

Bituminous Concrete
Bituminous Macadam

Surface Treated
Gravel

Retreatment
Resurface
Bituminous Macadam
Cold Plane and
Bituminous Concrete
Bituminous Concrete
Concrete

Concrete

Gravel

Plant Mix
Reclaimed Base and
Bituminous Concrete

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel



High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30

1 - 100 (1 - 10) 301 - 400 (31 - 40)


Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE WESTMINSTER NSH-9840



NSH-9840 Westminster



Page Total Mileage: 0.770 mi

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel

Page Total Mileage: 0.77 mi

WESTMINSTER



High Crash Locations (HCL's)

1 - 100 (1 - 10)

201 - 300 (21 - 30

301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE HARTFORD NSH-9870

Page Total Mileage: 0.744 mi



NSH-9870 Wilder **State Highway**


1 of 1

TWN mileage:

0.0 to 0.744

0.0 to 0.744

HARTFORD



Page Total Mileage: 0.744 mi

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel



HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE WINHALL NSH-9900

Page Total Mileage: 0.402 mi



NSH-9900 Winhall **State Highway**

1 of 1


TWN mileage:

0.0 to 0.402

ETE mileage:

0.0 to 0.402

WINHALL



Page Total Mileage: 0.402 mi

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel

DISTRICT TOWN ROUTE DRAFT Route Log and Progress Chart Please Note: Errors and Omissions May Exist. **JERICHO MNA-0046** Contact the VTrans Mapping Section with questions or concerns. **MNA-0046** Base Map JERICHO UNDERHILL 2/ 1 in = 0.5 milesStick Diagram STRUCTURE DESCRIPTIONS Intersecting State Routes (excl. ramps/approaches) Other Intersecting Highways, Ramps, +-+-+ Railroad Crossings Primary Structures Bridge <mark>15</mark>: Tee Beam - 1927 Secondary Structures Structure No. 200209001504092 Divided State Highway Length: 39' Width: 31.9' State Highway Facility Carried: TR 04 FAS 209 Structure Type: CONCRETE T-BEAM Divided Town Highway ——— Town Highway Features Intersected: MILL BROOK Streams (Hydraulic Structure) Surface: Bituminous Town Boundary Maintenance/Ownership: Town – – - Village/UC Boundaries --- District Boundaries Bridge <mark>17</mark>: Tee Beam - 1952 o - o - State/Town Highway Change Structure No. 200326001704092 --- Divided Highway Limits Length: 54' ---- Ghost Section Boundary Width: 24.0' ----- Federal Urban Area Limits Facility Carried: TR 01 FAS 326 Structure Type: CONCRETE T-BEAM Scale: 1 INCH = 1,000 FEET Features Intersected: LEE RIVER Surface: Bituminous Maintenance/Ownership: Town Travellane 24 Roadway Road Widths Lane Count Subbase Curves Grades **Guardrails Rumblestrips Historic Projects Maintenance Garage** Speed Zone **Functional Class** (National Highway System **Limited Access Highway Traffic Counters Customer Service Level** 2500 3900 2733 **AADT Counts** 3200 **Crash Locations** 2016



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE RICHMOND MNA-0046




ETE mileage: 0.0 to 0.8

TWN mileage:

0.0 to 0.8

RICHMOND



Page Total Mileage: 0.800 mi

HCL No. 201 - 300 (21 - 30)

VITANS Working to Get You There Vermont Agency of Transportation	Route Log and	Progress Chart	Please Note: Errors and Omissions N Contact the VTrans Mapping Section with questions or o		TOWN ROUTE INNINGTON Maj-0103		
			Somact the Virans mapping dection with questions of the	Jonice III 3.		Maj	j-0103
Base Map			Bennington Federal Urban Area		2)	5 7	
POWNAL	BENNINGTON	·					
1 in = 500 feet							
Stick Diagram Town Center	- ngion FAU -					STRUCTURE DESCRIPTION	
Intersecting State Routes (excl. ramps/approaches) Other Intersecting Highways, Ramps, Approaches HHHHH Railroad Crossings	Beni	€				STRUCTURE DESCRIPTION	
Primary Structures Secondary Structures Divided State Highway State Highway Divided Town Highway Town Highway Streams (Hydraulic Structure)	South Stream	MORGAN ST (TH-6)				Bridge 3: Stringer/multi-beam or girder - 1941 Structure No. 200103000302022 Length: 59' Width: 22.2' Facility Carried: TR 03 FAS 103 Structure Type: ROLLED BEAM Features Intersected: SOUTH STREAM Surface: Bituminous	
Town Boundary Village/UC Boundaries District Boundaries State/Town Highway Change Divided Highway Limits Ghost Section Boundary Federal Urban Area Limits Scale: 1 INCH = 1,000 FEET		— 8237				Maintenance/Ownership: Town	
0 Travellane ◀	20	2					
Road Widths Lane Count Base Subbase	20 2						
Curves							
Grades							
Guardrails							
Rumblestrips							
etertetetetetetetetetetetetetetetetetet	1981: Unknown	Jnknown 1972: Unknown					
\ 1951: SA	/2: Unknown 1972: Unknown 1973: Unknown 1973: Unknown 1973: Unknown 1973: Unknown 1973: Unknown 1973: Unknown 1974: Unkn	1947: SA 1946: SA					
Maintenance Garage							
Speed Zone							
Functional Class	5						
National Highway System							
Limited Access Highway							
Traffic Counters	P	Р В245					
Customer Service Level							
2018 2017 2016 2015 2014	1200 1200 1300 1400 1500	1200 1200 1200 1300					
2018	HCL Section No. 10						
Historic Projects Unknown Bituminous Concrete Bituminous Macadam Gravel	Functional Class 1 - Interstate System Arterial Collector Collector Right Curves Curves Road Widths (ft) Right		ige by Functional Class By Sheet Collector 2.320 BENNINGTO	Mileage by Town By Sheet ON - \$01030202	2.32 of 2.32 DISTRIC	TOWN Date: 11/25/19	ROUTE
Resurface Bituminous Mix Skinny Mix Cold Plane and Bituminous Concrete Concrete Concrete Plant Mix Reclaimed Base and Bituminous Concrete	2 - Other Freeways and Expressways Speed Zones Speed Zo	Injury Unknown Crash Type High Crash Locations (HCL's) Sections & (Intersections) HCL No. 201 - 300 (21 - 30) 1 - 100 (1 - 10) 301 - 400 (31 - 40)			1	BENNINGTON 1 of 1 TWN mileage: 0.0 to 2.32	Maj-0103 ETE mileage: 8.14 to 10.46

Page Total Mileage: 2.320 mi

SPEED SPEED

Indicated plans available - http://vtransmap01.aot.state.vt.us/rp/dpr/Dlwebstore/

For More Information Contact - Vermont Agency of Transportation, Policy, Planning and Intermodal Development Division - Mapping Section, 1 National Life Drive, Montpelier, VT 05633-5001 Telephone: 802-828-2600.

101 - 200 (11 - 20) 401 - 800 (41 - 113)

TWN mileage: 0.0 to 2.32

Page Total Mileage: 2.32 mi


ETE mileage: 8.14 to 10.46



DRAFT Please Note: Errors and Omissions May Exist.


DISTRICT TOWN ROUTE

Page Total Mileage: 8.14 mi



0.0 to 8.14

0.0 to 8.14



Page Total Mileage: 8.140 mi

1 - 100 (1 - 10) 301 - 400 (31 - 40)



DRAFT Please Note: Errors and Omissions May Exist.


DISTRICT TOWN ROUTE Maj-0104 **DOVER**

Page Total Mileage: 1.38 mi



0.0 to 1.38

0.0 to 1.38



Page Total Mileage: 1.380 mi

1 - 100 (1 - 10) 301 - 400 (31 - 40)



DRAFT Please Note: Errors and Omissions May Exist. **READSBORO** Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE Maj-0105

Page Total Mileage: 1.6 mi



1 of 1


TWN mileage:

0.0 to 1.6

READSBORO

ETE mileage:

1.27 to 2.87



Page Total Mileage: 1.600 mi

Sections & (Intersections) HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Skinny Mix Concrete

DISTRICT TOWN ROUTE DRAFT Route Log and Progress Chart Please Note: Errors and Omissions May Exist. Maj-0105 WHITINGHAM Contact the VTrans Mapping Section with questions or concerns. Maj-0105 READSBORO_ Base Map $z \sum$ 1 in = 1,000 feet Stick Diagram STRUCTURE DESCRIPTIONS Intersecting State Routes (excl. ramps/approaches) Other Intersecting Highways, Ramps, +++++ Railroad Crossings Primary Structures Stringer/multi-beam or girder - 1978 Structure No. 200105000213212 Secondary Structures Divided State Highway Length: 59' Width: 28.7' State Highway Facility Carried: TR 02 FAS 105 Structure Type: ROLLED BEAM Divided Town Highway ——— Town Highway Features Intersected: N BR DEERFIELD RIVER Streams (Hydraulic Structure) Surface: Bituminous Town Boundary Maintenance/Ownership: Town – – - Village/UC Boundaries --- District Boundaries o - o - State/Town Highway Change ---- Divided Highway Limits ---- Ghost Section Boundary ----- Federal Urban Area Limits Scale: 1 INCH = 1,000 FEET Travellane Roadway Road Widths Lane Count Subbase Curves Grades Guardrails **Rumblestrips Historic Projects** 1941: SP **Maintenance Garage** Speed Zone **Functional Class** (National Highway System **Limited Access Highway Traffic Counters Customer Service Level** 340 190 340 313 **AADT Counts** 287 2018

Mileage by Functional Class By Sheet

Mileage by Town By Sheet

1.27 of 1.27

Page Total Mileage: 1.27 mi

DISTRICT

TOWN

WHITINGHAM

ROUTE

Maj-0105

ETE mileage:

0.0 to 1.27

Date: 11/25/19

1 of 1

TWN mileage:

0.0 to 1.27

1.270 WHITINGHAM - S01051321

Page Total Mileage: 1.270 mi

3 - Principal
Arterial

4 - Minor Arterial

Crash Locations

Injury Unknown Crash Type

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections)

Traffic Counters

■ Fatal □ Property Damage Only 0105 5 - Major Collector

Crash Locations 2016

Retreatment Bituminous Macadam

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel

2014

Bituminous Concrete
Bituminous Macadam

Surface Treated
Gravel

Cold Plane and
Bituminous Concrete

Concrete

Bituminous Macadam

Plant Mix

Reclaimed Base and
Bituminous Concrete

Historic Projects

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE Maj-0106 **DOVER**

Page Total Mileage: 4.37 mi



1 of 1


TWN mileage:

0.0 to 4.37

DOVER

ETE mileage:

0.92 to 5.29



Page Total Mileage: 4.370 mi

Skinny Mix Concrete

Bituminous Seal Gravel

Sections & (Intersections)

HCL No. 201 - 300 (21 - 30)


1 - 100 (1 - 10) 301 - 400 (31 - 40)




DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE DUMMERSTON Maj-0106

Page Total Mileage: 0.06 mi





Page Total Mileage: 0.060 mi

DISTRICT TOWN ROUTE DRAFT Route Log and Progress Chart Please Note: Errors and Omissions May Exist. **NEWFANE** Maj-0106 Contact the VTrans Mapping Section with questions or concerns. Maj-0106 Base Map NEWFANE DUMMERSTON 1 in = 0.6 milesStick Diagram South Newfane Brookside STRUCTURE DESCRIPTIONS Intersecting State Routes (excl. Other Intersecting Highways, Ramps, ++++++ Railroad Crossings Primary Structures Secondary Structures Stringer/multi-beam or girder - 1939 Structure No. 200106013N13122 Divided State Highway Length: 99' State Highway Width: 23.8' Divided Town Highway Facility Carried: TR 02 FAS 106 Structure Type: ROLLED BEAM ——— Town Highway Features Intersected: ADAMS BROOK Streams (Hydraulic Structure) Surface: Bituminous Town Boundary Maintenance/Ownership: Town - - - · Village/UC Boundaries --- District Boundaries Bridge <mark>15</mark>: Stringer/multi-beam or girder - 1939 o - o - State/Town Highway Change Structure No. 200106001513122 --- Divided Highway Limits Length: 238' ---- Ghost Section Boundary ----- Federal Urban Area Limits Facility Carried: TR 02 FAS 106 Structure Type: 3 SPAN ROLLED BEAM 8184 Scale: 1 INCH = 1,000 FEET Features Intersected: ROCK RIVER Surface: Concrete Maintenance/Ownership: Town Bridge 14: Stringer/multi-beam or girder - 2012 Travellane Roadway Structure No. 200106001413122 Road Widths Lane Count Length: 122' Width: 26.5' Facility Carried: TR 02 FAS 106 Structure Type: WELDED PLATE GIRDER Subbase Features Intersected: MARLBORO BRANCH Surface: Bituminous 69.9 Curves Maintenance/Ownership: Town Bridge 17: Truss - thru - 1870 Grades Structure No. 200106001713122 Length: 120' Height: 11.83' **Guardrails** Width: 12.0' Weight Limit: 10 Facility Carried: TR 02 FAS 106 Structure Type: TOWN LATTICE COV BR **Rumblestrips** Features Intersected: ROCK RIVER Covered: 1 Surface: Timber Maintenance/Ownership: Town Bridge 16: Stringer/multi-beam or girder - 1954 Structure No. 200106001613122 Length: 74' Width: 25.8' Facility Carried: TR 01 FAS 106 Structure Type: ROLLED BEAM Historic Projects Features Intersected: BAKER BROOK Surface: Bituminous Maintenance/Ownership: Town Culvert - 1900 Structure No. 200106001213122 Length: 100' Width: 17.6' 1954: SA Facility Carried: TR 02 FAS 106 Structure Type: CONCRETE ARCH Features Intersected: ROCK RIVER **Maintenance Garage** Maintenance/Ownership: Town Speed Zone **Functional Class** (National Highway System Limited Access Highway **Traffic Counters Customer Service Level** 1500 1200 1200 1500 1167 **AADT Counts** 1133 1433

DISTRICT TOWN ROUTE DRAFT Route Log and Progress Chart Please Note: Errors and Omissions May Exist. **WILMINGTON** Maj-0106 Contact the VTrans Mapping Section with questions or concerns. Maj-0106 Base Map DOVER WILMINGTON 1 in = 500 feet Stick Diagram STRUCTURE DESCRIPTIONS Intersecting State Routes (excl. ramps/approaches) Other Intersecting Highways, Ramps, +++++ Railroad Crossings Primary Structures Bridge <mark>13W</mark>: Tee Beam - 1939 Secondary Structures Structure No. 200106013W13222 Divided State Highway Length: 53' Width: 24.0' State Highway Facility Carried: TR 02 FAS 106 Divided Town Highway ——— Town Highway Structure Type: CONCRETE T-BEAM Features Intersected: OVERFLOW BR. DEERFIELD R Streams (Hydraulic Structure) Town Boundary Maintenance/Ownership: Town – – - Village/UC Boundaries --- District Boundaries Bridge <mark>19</mark>: Tee Beam - 1938 o - o - State/Town Highway Change --- Divided Highway Limits Structure No. 200106001913222 Length: 117' ---- Ghost Section Boundary Width: 24.9' ----- Federal Urban Area Limits Facility Carried: TR 02 FAS 106 Structure Type: 2 SPAN CONCRETE T-BM Scale: 1 INCH = 1,000 FEET Features Intersected: DEERFIELD RIVER Surface: Bituminous Maintenance/Ownership: Town Travellane Roadway Road Widths Lane Count 15" - 18" Gravel Subbase Curves Grades **Guardrails Rumblestrips Historic Projects Maintenance Garage** Speed Zone **Functional Class** (National Highway System **Limited Access Highway Traffic Counters Customer Service Level** 1100 1100 1067 **AADT Counts** 1033 2018 **Crash Locations** 2016 Mileage by Functional Class By Sheet **Historic Projects Functional Class Crash Locations** Mileage by Town By Sheet 1 - Interstate 3 - Principal System Arterial 4 - Minor ■ Fatal □ Property Damage Only 0106 5 - Major Collector Bituminous Concrete
Bituminous Macadam

Surface Treated
Gravel **TOWN** 0.920 WILMINGTON - S01061322 0.92 of 0.92 **ROUTE DISTRICT** Date: 11/25/19 Injury Unknown Crash Type Retreatment Bituminous Macadam 4 - Minor Arterial

Page Total Mileage: 0.920 mi

Maj-0106

ETE mileage:

0.0 to 0.92

1 of 1

TWN mileage:

0.0 to 0.92

WILMINGTON

Page Total Mileage: 0.92 mi

Traffic Counters

High Crash Locations (HCL's)


HCL No. 201 - 300 (21 - 30)


1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections)

Cold Plane and
Bituminous Concrete
Concrete
Concrete
Bituminous Concrete
Bituminous Concrete

Skinny Mix Concrete








DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE SHAFTSBURY

Page Total Mileage: 2.22 mi



0.0 to 2.22



Page Total Mileage: 2.220 mi

1 - 100 (1 - 10) 301 - 400 (31 - 40)



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE ARLINGTON Maj-0114

Page Total Mileage: 1.48 mi



Maj-0114

1 of 1


TWN mileage:

0.0 to 1.48

ARLINGTON

ETE mileage:

0.0 to 1.48



Page Total Mileage: 1.480 mi

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel



High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)


1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections)

DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE SUNDERLAND Maj-0114

Page Total Mileage: 9.0 mi



1 of 2


TWN mileage:

0.0 to 9.0

SUNDERLAND

ETE mileage:

1.48 to 10.48



Page Total Mileage: 9.000 mi

(percent) grade up

■ Bituminous Mix

Skinny Mix Concrete

DISTRICT TOWN ROUTE DRAFT Route Log and Progress Chart Please Note: Errors and Omissions May Exist. **SUNDERLAND** Maj-0114 Contact the VTrans Mapping Section with questions or concerns. Maj-0114 Base Map SUNDERLAND 1 in = 0.8 miles Stick Diagram STRUCTURE DESCRIPTIONS Intersecting State Routes (excl. Other Intersecting Highways, Ramps, +++++ Railroad Crossings Primary Structures Secondary Structures Divided State Highway State Highway Divided Town Highway ---- Town Highway Streams (Hydraulic Structure) Town Boundary – – - Village/UC Boundaries --- District Boundaries o - o - State/Town Highway Change --- Divided Highway Limits ---- Ghost Section Boundary ----- Federal Urban Area Limits Scale: 1 INCH = 1,000 FEET Travellane 17 Roadway Road Widths Lane Count Subbase 45 24 66 30 16 ____ 14 30 Curves Grades **Guardrails Rumblestrips Historic Projects** 1984: FH 6-1(1)S 1984: FH 6-1(1)S 1984: FH 6-1(1)S 1970: SA **Maintenance Garage** Speed Zone **Functional Class** (National Highway System Limited Access Highway **Traffic Counters Customer Service Level AADT Counts Crash Locations** 2016

Mileage by Functional Class By Sheet

Mileage by Town By Sheet

0.8 of 9.8

Page Total Mileage: 0.8 mi

DISTRICT

0.800 SUNDERLAND - S01140215

Page Total Mileage: 0.800 mi

TOWN

SUNDERLAND

ROUTE

Maj-0114

ETE mileage:

10.48 to 11.28

Date: 11/25/19

2 of 2

TWN mileage:

9.0 to 9.8

Crash Locations

Injury Unknown Crash Type

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Traffic Counters

■ Fatal □ Property Damage Only 0114 5 - Major Collector

1 - Interstate
System
2 - Other
Freeways and
Transport

Historic Projects

Skinny Mix Concrete

Unknown
Retreatment
Resurface
Bituminous Macadam
Resurface
Bituminous Mix
Skinny Mix

Bituminous Concrete
Bituminous Concrete
Bituminous Concrete
Bituminous Concrete
Bituminous Concrete
Bituminous Concrete

DISTRICT TOWN ROUTE DRAFT Route Log and Progress Chart Please Note: Errors and Omissions May Exist. **STRATTON** Maj-0114 Contact the VTrans Mapping Section with questions or concerns. Maj-0114 Base Map SUNDERLAND 1 in = 0.5 milesStick Diagram STRUCTURE DESCRIPTIONS Intersecting State Routes (excl. Other Intersecting Highways, Ramps, +-+-++ Railroad Crossings Primary Structures Culvert 6: Culvert - 1955 Secondary Structures Structure No. 200114000613162 Divided State Highway Length: 27' Width: 24.0' State Highway Facility Carried: TR 01 FAS 114 FH6 Divided Town Highway Structure Type: R.C. FRAME ---- Town Highway Features Intersected: BLACK BROOK Streams (Hydraulic Structure) Maintenance/Ownership: Town Town Boundary - - - · Village/UC Boundaries --- District Boundaries Culvert - 1955 o - o - State/Town Highway Change Structure No. 200114000813162 Length: 26' Width: 22.0' --- Divided Highway Limits ---- Ghost Section Boundary Facility Carried: TR 01 FAS 114 FH6 ----- Federal Urban Area Limits Structure Type: R.C. FRAME Features Intersected: E BR DEERFIELD RIVER Scale: 1 INCH = 1,000 FEET Maintenance/Ownership: Town Culvert 7: Culvert - 1955 Structure No. 200114000713162 Travellane Length: 24' Roadway Width: 24.4' Road Widths Lane Count Facility Carried: TR 01 FAS 114 Structure Type: R.C. FRAME Features Intersected: WARDSBORO BROOK Subbase Surface: Bituminous Maintenance/Ownership: Town Curves Grades **Guardrails Rumblestrips Historic Projects** 0: Unknown 1971: SA 1969: SA 1968: SA 0: Unknown **Maintenance Garage** Speed Zone **Functional Class** National Highway System **Limited Access Highway Traffic Counters Customer Service Level**

AADT Counts

Crash Locations 2016

2018




Sections & (Intersections) HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns. **DISTRICT TOWN ROUTE WARDSBORO** Maj-0114

Page Total Mileage: 1.21 mi



WARDSBORO


Maj-0114

ETE mileage:

18.75 to 19.96

TWN mileage:

0.0 to 1.21



Page Total Mileage: 1.210 mi

Skinny Mix Concrete

VTranswork	ing to Get You There	Route Log and Progress Chart	DRAFT		ROUTE		
Vermont	t Agency of Transportation		Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.	1 DOVER	Maj-0115		Maj-0115
Base Map	WILMINGTON	TOUTE TO THE TOUTE TOUTE TO THE TOUTE TOUTE TO THE TOUTE TOUTE TO THE TOUTE TOUTE TOUTE TO THE TOUTE TOUTE TO THE TOUTE TOUTE TO THE TOUTE TO THE TOUTE TO THE TO					•
1 in = 1,000 feet	WILMINGTON	DOVER	2				
Stick Diagram Town Center Intersection State Boutes (seel		\\		100			
Intersecting State Routes (excl. ramps/approaches) Other Intersecting Highways, Ramps, Approaches Hailroad Crossings	gen and the second seco					STRUCTURE D	ESCRIPTIONS
Primary Structures Secondary Structures Divided State Highway State Highway	HERMITAGE RD (TH.	ALPINE LOOP (TH-47	CARINTHIA RD (TH-8) DISC DISC NACCESS RD (TH-86)	BARTLETT LN (TH-52			
Divided Town Highway Town Highway Streams (Hydraulic Structure) Town Boundary Village/UC Boundaries	LT6 (LT-6)	NNERY'RD (TH-3)	North Branch Deerfield River	ANDS RD (TH-53)			
District Boundaries State/Town Highway Change Divided Highway Limits Ghost Section Boundary Federal Urban Area Limits	02	58 86 60 PM	60 E 00 81 A4 A8	19325 LOWER HIGHL			
Scale: 1 INCH = 1,000 FEET 0			3 17566 17318 17318	700			
Road Widths Road Widths Lane Count Base Subbase	25 28		24 30 28 24 28 2 24 30 28 24 28 2	24 22 22 22			
Curves							
Grades							
Guardrails							
Rumblestrips							
Historic Projects							
Maintenance Garage							
Speed Zone							
Functional Class		5					
National Highway System							
Limited Access Highway							
Traffic Counters		О X240	X056				
Customer Service Level							
2018	870 880		920 1500 930 1500	→			
AADT Counts 2016	893 907		907 1400 883 1300	•			
2014	920		860	>			
2018 2017 Crash Locations 2016	HCL Section No. 16		HCL Section No. 28				

Mileage by Functional Class By Sheet

Mileage by Town By Sheet

3.88 of 3.88

Page Total Mileage: 3.88 mi

DISTRICT

3.880 DOVER - S01151304

Traffic Counters

Crash Locations

■ Fatal □ Property Damage Only □ Injury □ Unknown Crash Type 0115 5 - Major Collector

2015 2014

Functional Class

1 - Interstate
System
2 - Other
Freeways and Expressways

3 - Principal
Arterial
5 - Major
Collector
6 - Minor
Collector

Historic Projects




DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE WILMINGTON Maj-0115

Page Total Mileage: 2.73 mi



0.0 to 2.73



Page Total Mileage: 2.730 mi

1 - 100 (1 - 10) 301 - 400 (31 - 40)



Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE MANCHESTER Maj-0116

Page Total Mileage: 0.4 mi




MANCHESTER

Maj-0116

ETE mileage: 0.0 to 0.4

TWN mileage:

0.0 to 0.4



Page Total Mileage: 0.400 mi

Bituminous Seal Gravel

HCL No. 201 - 300 (21 - 30)


1 - 100 (1 - 10) 301 - 400 (31 - 40)




DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE ROCKINGHAM Maj-0117

Page Total Mileage: 0.908 mi



0.0 to 0.908




Page Total Mileage: 0.908 mi

DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE WINHALL Maj-0118


Page Total Mileage: 3.563 mi



TWN mileage:

0.0 to 3.563

2.58 to 6.143



Page Total Mileage: 3.563 mi

1 - 100 (1 - 10) 301 - 400 (31 - 40)


ःः Bituminous Seal **L** Gravel



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE STRATTON Maj-0118

Page Total Mileage: 2.58 mi



STRATTON

ETE mileage: 0.0 to 2.58

TWN mileage:

0.0 to 2.58



Page Total Mileage: 2.580 mi

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Skinny Mix Concrete

ःः Bituminous Seal **L** Gravel

Fig. 1. Section 1. Sec						_		DRAFT	DISTRICT	TOWN	ROUTE	[[]]		
STRICTURE DESCRIPTIONS STRICT	VIrans	Working to Get You There Vermont Agency of Transportation)	Route Log a	nd Progress Cha			missions May Exist.	1	MANCHESTER	Maj-0119			0440
STUCTURE DESCRIPTIONS	Z				•			MANCHESTER (3)	3	DORS	ET		Maj-	U119
Ministra Projects Grant Control Contr	Town Center Intersecting State Routes (excl. ramps/approaches) Other Intersecting Highways, Ramps, Approaches Railroad Crossings Primary Structures Secondary Structures Divided State Highway State Highway Divided Town Highway Town Highway	H-1)	X	POWDERHORN RD (TH-55)		H-16)						STRUCTURE	DESCRIPTIONS	
Control	Travellane Roadway	e 28 21 26 y 28 21 26 y	222 WAYS LN (TH- WAYS LN (TH- 4541 BRIGHTWOOD RD (TH-	1 0220	2		3	——————————————————————————————————————						
Modelstanced Garage Speed Zone Factional Class (Notional Highway System (Inditional Coss Highway Traffic Counters (Customers Service Level AAPT Counts AAPT Counts Service Coss Service Coss	Curves Grades Guardrails	e												
Speed Zone Functional Class (National Righway System Limited Access Righway Traffic Counters Customer Service Level AAPT Counts Graft Indications 264 APT Counts Graft Indications 265 Traffic Route Indication	Historic Projects													
Functional Class (National Highway System (Limited Access Highway (L	Maintenance Garage													
National Highway System Limited Access Highway Traffic Counters Customer Service Level ADT Counts 2d1														
Customer Service Level AADT Counts 500 AADT Counts 500 500 500 500 500 500 500 5		n			-5									
Traffic Counters Customer Service Level ADT Counts 2006 1007 ADT 1007 100														
AADT Courts 2015 565					О В033									
AADT Counts 3136	Customer Service Level	1												
Crash Locations 2016 2015 2016 2015 2016 2016 2017 2014 2016 2017 2014 2017 2016 2017 2017 2018 2018 2018 2018 2018 2018 2018 2018	AADT Counts 2016 2015	7 < 6 < 5 <	1800 1800 1800	>< >< >< >< ><		1800 1800 1800								
Unknown Bituminous Concrete Retreatment Bituminous Macadam Sufface Treated Gravel Resourface Cold Plane and Bituminous Concrete Bituminous Soal Concrete Indicated plans available - http://wtransmap01.act.state.vt.us/pdpt/Dlwebstore/ District Town Property Damage Only Unknown Crash Type Major Collector S, 440 min Property Damage Only Unknown Crash Type High Crash Locations (HCL's) Sections & (Intersections) Hick No. 201-300 (21-30) 101-200 (11-20) 401-800 (41-13) Page Total Mileage: 3.440 min Property Damage Only Unknown Crash Type High Crash Locations (HCL's) Sections & (Intersections) Hick No. 201-300 (21-30) 101-200 (11-20) 401-800 (41-13) Page Total Mileage: 3.440 min Property Damage Only Unknown Crash Type High Crash Locations (HCL's) Sections & (Intersections) Hick No. 201-300 (21-30) 101-200 (11-20) 401-800 (41-13) 401-800 (41-80)	Crash Locations 2017 2016 2015 2014	7] 6 5] 4		Curves	Widths Creak Landiana				/ Town By Shoot					
For More Information Contact - Vermont Agency of Transportation, Policy, Planning and Intermodal Development Division - Mapping Section, 1 National Life Drive. Monthelier, VI. 05633-5001 Lelephone: 802-828-2600	Unknown Retreatment Resurface Bituminous Mix Skinny Mix Bituminous Concret Cold Plane and Bituminous Concret Gravel Indicated plans available - http://vtransmap01.a	crete adam Gravel Plant Mix crete Reclaimed Base and Bituminous Concrete 1.aot.state.vt.us/rp/dpr/Dlwebstore/	1 - Interstate System Arterial 2 - Other Freeways and Expressways Speed Zones SPEED SPEE	Grades Grades (coun (percent) grade down	Fatal Property Damage Only Injury Unknown Crash Type Counters High Crash Locations (HCL's) Sections & (Intersections) HCL No. 201 - 300 (21 - 30) 1 - 100 (1 - 10) 301 - 400 (31 - 40) 101 - 200 (11 - 20) 401 - 800 (41 - 113)	0119 5 - Major Collector	3.440	MANCHESTER - S01190206			DISTRICT 1		1 of 1 TWN mileage:	ROUTE Maj-0119 ETE mileage: 0.0 to 3.44



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE Maj-0120 **LANDGROVE**

Page Total Mileage: 3.85 mi



1 of 1


TWN mileage:

0.0 to 3.85

LANDGROVE

ETE mileage:

3.57 to 7.42



Page Total Mileage: 3.850 mi

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)


Skinny Mix Concrete



DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE PERU

Page Total Mileage: 3.57 mi




ETE mileage:

0.0 to 3.57

TWN mileage:

0.0 to 3.57

PERU



Page Total Mileage: 3.570 mi

Bituminous Seal Gravel

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)



High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE Maj-0120 WESTON

Page Total Mileage: 1.48 mi



Maj-0120

1 of 1


TWN mileage:

0.0 to 1.48

WESTON

ETE mileage:

7.42 to 8.9



Page Total Mileage: 1.480 mi

Skinny Mix Concrete




DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE ARLINGTON Maj-0121

Page Total Mileage: 1.25 mi



0.0 to 1.25



Page Total Mileage: 1.250 mi


1 - 100 (1 - 10) 301 - 400 (31 - 40)



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE SANDGATE Maj-0121

Page Total Mileage: 1.85 mi



Maj-0121


ETE mileage:

1.25 to 3.1

TWN mileage:

0.0 to 1.85

SANDGATE



Page Total Mileage: 1.850 mi

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Skinny Mix Concrete

Sections & (Intersections)


HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE RUPERT Maj-0122

Page Total Mileage: 5.83 mi





1 of 1


TWN mileage:

0.0 to 5.83

RUPERT

ETE mileage:

0.0 to 5.83



Page Total Mileage: 5.830 mi

Skinny Mix Concrete



DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE Maj-0123 **JAMAICA**


Page Total Mileage: 0.44 mi



TWN mileage:

0.0 to 0.44

2.67 to 3.11



Page Total Mileage: 0.440 mi


1 - 100 (1 - 10) 301 - 400 (31 - 40)



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE LONDONDERRY Maj-0123

Page Total Mileage: 0.34 mi






TWN mileage:

0.0 to 0.34


9.9 to 10.24



Page Total Mileage: 0.340 mi

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DISTRICT TOWN ROUTE DRAFT Route Log and Progress Chart Please Note: Errors and Omissions May Exist. **TOWNSHEND** Maj-0123 Contact the VTrans Mapping Section with questions or concerns. Base Map JAMAICA z >WINDHAM 1 in = 1,000 feet Stick Diagram Intersecting State Routes (excl. Other Intersecting Highways, Ramps, +++++ Railroad Crossings Primary Structures Secondary Structures Divided State Highway State Highway Divided Town Highway ——— Town Highway Streams (Hydraulic Structure) Town Boundary – – - Village/UC Boundaries --- District Boundaries o - o - State/Town Highway Change --- Divided Highway Limits ---- Ghost Section Boundary ----- Federal Urban Area Limits Scale: 1 INCH = 1,000 FEET Travellane Roadway Road Widths Lane Count Subbase Curves Grades



■ Injury □ Unknown Crash Type

High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

Page Total Mileage: 2.670 mi

Page Total Mileage: 2.67 mi

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections)

Traffic Counters

25 30 35 40 45 50 55 60 65

For More Information Contact - Vermont Agency of Transportation, Policy, Planning and Intermodal Development Division - Mapping Section, 1 National Life Drive, Montpelier, VT 05633-5001 Telephone: 802-828-2600.

Skinny Mix Concrete

Bituminous Seal Gravel



STRUCTURE DESCRIPTIONS

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE Maj-0123 **WINDHAM**

Page Total Mileage: 6.79 mi





1 of 1


TWN mileage:

0.0 to 6.79

WINDHAM

ETE mileage:

3.11 to 9.9



Page Total Mileage: 6.790 mi

Sections & (Intersections) HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)




Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE ATHENS Maj-0125

Page Total Mileage: 4.99 mi






ETE mileage:

4.94 to 9.93

TWN mileage:

0.0 to 4.99

ATHENS



Page Total Mileage: 4.990 mi

Bituminous Seal Gravel

Sections & (Intersections) HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

8.680 GRAFTON - S01251306


Page Total Mileage: 8.680 mi


8.68 of 8.68


Page Total Mileage: 8.68 mi

DISTRICT

DISTRICT TOWN ROUTE GRAFTON Maj-0125







■ Fatal □ Property Damage Only 0125 5 - Major Collector

■ Injury □ Unknown Crash Type

High Crash Locations (HCL's)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections) HCL No. 201 - 300 (21 - 30)

Traffic Counters

STRUCTURE DESCRIPTIONS

Stringer/multi-beam or girder - 1997 Structure No. 200125001813062 Length: 125' Width: 26.8' Facility Carried: TR 01 FAS 125 Structure Type: WELDED CURVED GIRDER Features Intersected: SAXTONS RIVER Surface: Bituminous Maintenance/Ownership: Town

Bridge <mark>19</mark>: Stringer/multi-beam or girder - 1939 Structure No. 200125001913062 Length: 166' Width: 24.2' Facility Carried: TR 01 FAS 125 Structure Type: 2 SPN ROLLED BM Features Intersected: SAXTONS RIVER Surface: Bituminous Maintenance/Ownership: Town

Bridge <mark>20</mark>: Stringer/multi-beam or girder - 1937 Structure No. 200125002013062 Length: 191' Width: 30.0' Facility Carried: TR 01 FAS 125 Structure Type: 3 SPAN ROLLED BEAM Features Intersected: SAXTONS RIVER Surface: Bituminous Maintenance/Ownership: Town

ROUTE TOWN Date: 11/25/19 Maj-0125 1 of 1 ETE mileage: GRAFTON TWN mileage: 9.93 to 18.61 0.0 to 8.68

Arterial

4 - Minor Arterial

Bituminous Concrete
Bituminous Macadam

Surface Treated
Gravel

Cold Plane and
Bituminous Concrete
Concrete
Concrete
Concrete
Concrete


Retreatment Bituminous Macadam



DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE TOWNSHEND Maj-0125

Page Total Mileage: 4.94 mi






ETE mileage:

0.0 to 4.94

TWN mileage:

0.0 to 4.94

TOWNSHEND



Page Total Mileage: 4.940 mi

Bituminous Seal Gravel

Sections & (Intersections) HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)



Sections & (Intersections) HCL No. 201 - 300 (21 - 30)


1 - 100 (1 - 10) 301 - 400 (31 - 40)

Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE CHESTER Maj-0125

Page Total Mileage: 2.61 mi





1 of 1


TWN mileage:

0.0 to 2.61

CHESTER

ETE mileage:

18.61 to 21.22



Page Total Mileage: 2.610 mi



High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns. **DISTRICT TOWN ROUTE GRAFTON** Maj-0126

Page Total Mileage: 5.7 mi





Maj-0126

ETE mileage:


2.41 to 8.11

1 of 2

TWN mileage:

0.0 to 5.7

GRAFTON



Page Total Mileage: 5.700 mi

Skinny Mix Concrete




High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns. **DISTRICT TOWN ROUTE** Maj-0126 **GRAFTON**

Page Total Mileage: 0.19 mi





2 of 2


TWN mileage:

5.7 to 5.89

GRAFTON

ETE mileage:

8.11 to 8.3



Page Total Mileage: 0.190 mi

Skinny Mix Concrete



High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)

1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections)

Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DRAFT

DISTRICT TOWN ROUTE ROCKINGHAM Maj-0126

Page Total Mileage: 5.629 mi





1 of 1


TWN mileage:

0.0 to 5.629

ROCKINGHAM

ETE mileage:

8.3 to 13.49 15.32 to 15.759



Page Total Mileage: 5.629 mi

Skinny Mix Concrete



High Crash Locations (HCL's)

HCL No. 201 - 300 (21 - 30)


1 - 100 (1 - 10) 301 - 400 (31 - 40)

Sections & (Intersections)

DRAFT Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.

DISTRICT TOWN ROUTE WESTMINSTER Maj-0126

Page Total Mileage: 1.83 mi





1 of 1


TWN mileage:

0.0 to 1.83

WESTMINSTER

ETE mileage:

13.49 to 15.32



Page Total Mileage: 1.830 mi

Skinny Mix Concrete

		•		
VITANS Working to Get You There Vermont Agency of Transportation	Route Log and Progress Cha	art	DISTRICT TOWN ROUTE	
Vermont Agency of Transportation		Please Note: Errors and Omissions May Exist. Contact the VTrans Mapping Section with questions or concerns.	2 WINDHAM Maj-0126	John John Committee of the Committee of
Base Map N 1 in = 1,000 feet		® WINDHAM	GRAFTON	121
Stick Diagram Town Center Intersecting State Routes (excl. ramps/approaches) Other Intersecting Highways, Ramps, Approaches Railroad Crossings		WINDHAM		STRUCTURE DESCRIPTIONS
Primary Structures Secondary Structures Divided State Highway State Highway Divided Town Highway Town Highway Streams (Hydraulic Structure) Taken Power force	Saxtons River Saxtons River Saxtons River	Saxtons River Saxtons River		Bridge 14: Tee Beam - 1940 Structure No. 200126001413232 Length: 32' Width: 20.3' Facility Carried: TR 02 FAS 126 Structure Type: CONCRETE T-BEAM Features Intersected: SAXTONS RIVER Maintenance/Ownership: Town
Town Boundary Village/UC Boundaries District Boundaries State/Town Highway Change Divided Highway Limits Ghost Section Boundary Federal Urban Area Limits Scale: 1 INCH = 1,000 FEET	- 6583 - 8501	- 11510 - 12091		Bridge 15W: Tee Beam - 1940 Structure No. 200126015W13232 Length: 49' Width: 21.6' Facility Carried: TR 02 FAS 126 Structure Type: CONCRETE T-BEAM Features Intersected: SAXTONS RIVER
Road Widths Travellane Roadway Lane Count Base	1 24 24 24 2			Surface: Bituminous Maintenance/Ownership: Town Bridge 11W: Slab - 1978 Structure No. 200126011W13232 Length: 37' Width: 24.1' Facility Carried: TR 02 FAS 126
Subbase				Facility Carried: TR 02 FAS 126 Structure Type: CONCRETE SLAB Features Intersected: SAXTONS RIVER Surface: Bituminous
Curves				Maintenance/Ownership: Town Bridge 16W: Stringer/multi-beam or girder - 1940
Guardrails				Stringer/multi-beam or girder - 1940 Structure No. 200126016W13232 Length: 74' Width: 20.7' Facility Carried: TR 02 FAS 126
Rumblestrips				Structure Type: ROLLED BEAM Features Intersected: SAXTONS RIVER Surface: Bituminous Maintenance/Ownership: Town
Historic Projects	0: Unknown			
Maintenance Garage				
Speed Zone				
Functional Class	5			
National Highway System				
Limited Access Highway				
Traffic Counters				
Customer Service Level				
2018	140			

Page Total Mileage: 2.410 mi

137

133

TOWN ROUTE Date: 11/25/19 Maj-0126 1 of 1 ETE mileage: 0.0 to 2.41 **WINDHAM** TWN mileage: 0.0 to 2.41

DISTRICT

Page Total Mileage: 2.41 mi

Indicated plans available - http://vtransmap01.aot.state.vt.us/rp/dpr/Dlwebstore/

For More Information Contact - Vermont Agency of Transportation, Policy, Planning and Intermodal Development Division - Mapping Section, 1 National Life Drive, Montpelier, VT 05633-5001 Telephone: 802-828-2600. 101 - 200 (11 - 20) 401 - 800 (41 - 113)

120

107

AADT Counts 2016

2014 ←

2018

DISTRICT TOWN ROUTE DRAFT Route Log and Progress Chart Please Note: Errors and Omissions May Exist. **CLARENDON** Maj-0127 Contact the VTrans Mapping Section with questions or concerns. Maj-0127 Base Map RUTLAND TOWN CLARENDON z Rutland Federal 1 in = 1,000 feet Stick Diagram Clarendon STRUCTURE DESCRIPTIONS Intersecting State Routes (excl. Other Intersecting Highways, Ramps, +-+-++ Railroad Crossings Primary Structures Secondary Structures Structure No. 200127000711052 Cold River Divided State Highway Length: 27' Width: 30.2' State Highway Divided Town Highway Facility Carried: TR 01 FAS 127 ——— Town Highway Structure Type: CONC TBM WID W/ SLAB Features Intersected: BROOK >>>> Streams (Hydraulic Structure) Surface: Bituminous Town Boundary Maintenance/Ownership: Town - - - Village/UC Boundaries --- District Boundaries Bridge <mark>8</mark>: Tee Beam - 1928 o - o - State/Town Highway Change --- Divided Highway Limits Structure No. 200127000811052 Length: 33' ---- Ghost Section Boundary ----- Federal Urban Area Limits Facility Carried: TR 01 FAS 127 Structure Type: CONC TBM WID W/ SLAB Scale: 1 INCH = 1,000 FEET Features Intersected: BROOK Surface: Bituminous **(2**) Maintenance/Ownership: Town Bridge <mark>14</mark>: Stringer/multi-beam or girder - 2006 Travellane Roadway Structure No. 200127001411052 Road Widths Lane Count Length: 87' Width: 29.5' Facility Carried: TR 01 FAS 127 Structure Type: ROLLED BEAM Subbase Features Intersected: COLD RIVER Surface: Bituminous Curves Maintenance/Ownership: Town Grades **Guardrails Rumblestrips Historic Projects Maintenance Garage** Speed Zone **Functional Class** National Highway System **Limited Access Highway Traffic Counters Customer Service Level**

1100

920

1040

AADT Counts



DRAFT Please Note: Errors and Omissions May Exist.

DISTRICT TOWN ROUTE



