



R9-5




R9-6




COLORS: THE TOP OF THIS SIGN IS BLACK BACKGROUND WITH WHITE TEXT


R3-17



R3-16




R3-16A




R7-9A

COLORS: LEGEND, CIRCLE, DIAGONAL - RED BACKGROUND - WHITE LETTER P, BORDER - BLACK




R13-7A

COLORS: LEGEND - BLACK BACKGROUND - WHITE (REFLECTIVE) CIRC. P - GREEN (REFLECTIVE)




R9-3A

COLORS: CIRCLE AND DIAGONAL - RED SYMBOL AND BORDER - BLACK BACKGROUND - WHITE




VR-565




R5-6

COLORS: CIRCLE AND DIAGONAL - RED SYMBOL AND BORDER - BLACK BACKGROUND - WHITE



R9-7



R5-3



R4-4

*REDUCE LETTER SPACING 20%
**OPTICALLY CENTER ARROW ON VERTICAL CENTERLINE

GENERAL

1. SEE STANDARD E-144 FOR ARROWHEAD DETAILS. SEE STANDARD E-152 FOR PEDESTRIAN DETAIL. SEE STANDARD E-153 FOR SNOWMOBILE DETAIL. SEE FHWA STANDARD HIGHWAY SIGN BOOK FOR BIKE DETAILS.

COLORS

THE REGULATORY SIGNS SHOWN ON THIS SHEET SHALL HAVE A REFLECTORIZED WHITE BACKGROUND WITH BLACK TEXT AND BORDER UNLESS OTHERWISE NOTED. THE COLORS SHALL CONFORM WITH THE COLORS ADOPTED BY AASHTO AND APPROVED BY THE FHWA.

MATERIALS

THE SIGN BASE MATERIALS USED FOR REGULATORY SIGNS SHOWN ON THIS SHEET MAY BE ANY OF THE FOLLOWING MINIMUM THICKNESSES NOTED:

	12 X 18	24 X 24	36 X 30
FLAT SHEET ALUMINUM	0.050"	0.080"	0.100"
HIGH DENSITY OVERLAIN PLYWOOD	1/2"	1/2"	5/8"

FLAT SHEET ALUMINUM
HIGH DENSITY OVERLAIN PLYWOOD

THE REFLECTIVE MATERIAL SHALL BE ASTM TYPE III WHITE REFLECTIVE SHEETING APPLIED TO THE ENTIRE BACKGROUND OF THE SIGN. THE BLACK, RED OR GREEN PORTIONS OF THE SIGNS MAY BE LETTERING FILM OR SILK SCREENED.

SPECIFICATIONS

REGULATORY SIGNS SHALL MEET THE VERMONT STANDARD SPECIFICATIONS FOR TRAFFIC SIGNS AS DESCRIBED IN THE VDOT STANDARD SPECIFICATIONS FOR CONSTRUCTION.

TEXT DESIGN

LETTERS, DIGITS, ARROWS, SPACING AND TEXT DIMENSIONS SHALL CONFORM TO THE LATEST VERSION OF FHWA'S "STANDARD ALPHABETS FOR HIGHWAY SIGNS AND PAVEMENT MARKINGS". DETAILS SHALL CONFORM WITH THOSE DESCRIBED IN THE PUBLICATION "STANDARD HIGHWAY SIGNS" AS SPECIFIED IN THE VDOTCD.

NOTE: ALL DIMENSIONS ARE IN INCHES EXCEPT WHERE NOTED.


OTHER STDS. E-144, E-152, E-153
REQUIRED:

REVISIONS AND CORRECTIONS
DEC. 30, 2002 - DATE OF ORIGINAL ISSUE
May 30, 2003 - Superseded

APPROVED

DIRECTOR OF PROJECT DEVELOPMENT
TRAFFIC OPERATIONS ENGINEER
FEDERAL HIGHWAY ADMINISTRATION

REGULATORY SIGN
DETAILS



STANDARD
E-143B