



- NOTES:**
1. PROPOSED GRADE TO MATCH EXISTING GRADE.
 2. FORM A 3/4" CHAMFERED CONTRACTION JOINT AROUND THE PERIMETER OF THE STRUT WHERE IT MEETS THE COLUMNS. THE CONTRACTION JOINT SHALL BE FILLED WITH A JOINT SEALER APPROVED BY THE ENGINEER.
 3. USE BARS 5P605, 5P606 AND 5P501 ON REINFORCING SCHEDULE FOR SHEAR LUG REINFORCEMENT
 4. CONSTRUCTION JOINT SHALL BE FORMED WITH A 1.5FT X 1.5FT X 1 1/2" DEEP BLOCKOUT, CENTERED ON THE JOINT.

BECK & BELLUCCI, INC.	TYLIN INTERNATIONAL	PROJECT NAME: BRATTLEBORO	FILE NAME: ZB-100-BR6-307.dgn	PLOT DATE: 5/15/2013
		PROJECT NUMBER: IM 091-(K50)	PROJECT LEADER: Phillip E. Kendall P.E.	DRAWN BY: S. A. Morgan
		DESIGNED BY: Megan Nell, P.E.	CHECKED BY: J. England, P.E.	
		BR 6N - PIER GEOMETRY & DETAILS		SHEET ZB-100-BR6-307