



OVERHANG LENGTHS, MEASURED NORMAL TO THE CENTERLINE OF ADJACENT GIRDER

DISTANCE	10TH POINT DISTANCE ALONG GIRDER, MEASURE FROM CENTERLINE ABUTMENT #1											10TH POINT DISTANCE ALONG GIRDER, MEASURE FROM CENTERLINE PIER #1									
	0 FT.	24 FT.	48 FT.	72 FT.	96 FT.	120 FT.	144 FT.	168 FT.	192 FT.	216 FT.	240 FT.	14.8 FT.	29.6 FT.	44.4 FT.	59.2 FT.	74 FT.	88.8 FT.	103.6 FT.	118.4 FT.	133.2 FT.	148 FT.
LEFT OVERHANG	1'-6 13/16"	2'-1 11/16"	4'-0 15/16"	4'-10 1/2"	5'-4 3/8"	5'-6 5/8"	5'-5 1/4"	5'-0 3/16"	4'-3 3/16"	3'-3 1/16"	1'-11"	2'-6 1/8"	2'-11 13/16"	3'-4 1/8"	3'-7 1/16"	3'-8 5/8"	3'-8 3/4"	3'-7 1/2"	3'-4 7/8"	3'-0 13/16"	2'-7 3/8"
RIGHT OVERHANG	5'-1 11/16"	4'-6 1/4"	3'-4"	2'-6 3/16"	2'-0 3/8"	1'-9 7/8"	1'-11 1/8"	2'-4 1/8"	3'-0 7/8"	4'-1 3/8"	5'-5 1/16"	4'-10 1/2"	4'-4 7/8"	4'-0 11/16"	3'-9 15/16"	3'-8 1/8"	3'-8 11/16"	3'-10 3/16"	4'-1 1/8"	4'-5 1/16"	4'-11 1/4"

THEORETICAL BOTTOM OF SLAB ELEVATIONS BEFORE DECK IS CAST

DISTANCE	10TH POINT DISTANCE ALONG GIRDER, MEASURE FROM CENTERLINE ABUTMENT #1																				
	0 FT.	12 FT.	24 FT.	36 FT.	48 FT.	60 FT.	72 FT.	84 FT.	96 FT.	108 FT.	120 FT.	132 FT.	144 FT.	156 FT.	168 FT.	180 FT.	192 FT.	204 FT.	216 FT.	228 FT.	240 FT.
GIRDER 5	417.32	417.08	416.83	416.56	416.28	415.99	415.67	415.34	414.99	414.62	414.23	413.82	413.39	412.95	412.49	412.03	411.58	411.13	410.69	410.27	409.87
GIRDER 6	416.48	416.23	415.97	415.70	415.41	415.11	414.79	414.45	414.10	413.72	413.33	412.92	412.49	412.04	411.59	411.13	410.68	410.23	409.79	409.38	408.99
GIRDER 7	415.64	415.38	415.12	414.84	414.54	414.23	413.91	413.56	413.20	412.82	412.42	412.01	411.58	411.13	410.68	410.23	409.78	409.33	408.90	408.49	408.10
GIRDER 8	414.80	414.54	414.26	413.97	413.67	413.35	413.02	412.67	412.30	411.91	411.51	411.10	410.67	410.22	409.77	409.32	408.87	408.43	408.00	407.60	407.21

GS - TABLES REVISED BY TY LIN, 10-8-2012 DUE TO OVERHANG FORM LOADING ON SPAN 1 BEFORE SHOOTING BLOCKING HEIGHTS. NEW ELEVATIONS ARE 0'-3/8" HIGHER IN SPAN 1, 0'-1/8" CHANGE IN SPAN 2.

THEORETICAL BOTTOM OF SLAB ELEVATIONS BEFORE DECK IS CAST

DISTANCE	10TH POINT DISTANCE ALONG GIRDER, MEASURE FROM CENTERLINE PIER #1																			
	7.4 FT.	14.8 FT.	22.2 FT.	29.6 FT.	37 FT.	44.4 FT.	51.8 FT.	59.2	66.6	74 FT.	81.4 FT.	88.8 FT.	96.2 FT.	103.6 FT.	111 FT.	118.4 FT.	125.8 FT.	133.2 FT.	140.60 FT.	148 FT.
GIRDER 5	409.59	409.31	409.04	408.79	408.54	408.30	408.07	407.84	407.61	407.39	407.18	406.96	406.75	406.54	406.33	406.11	405.90	405.68	405.46	405.24
GIRDER 6	408.70	408.43	408.16	407.91	407.66	407.42	407.18	406.96	406.73	406.51	406.29	406.08	405.86	405.65	405.44	405.22	405.00	404.78	404.56	404.33
GIRDER 7	407.81	407.54	407.28	407.02	406.77	406.54	406.30	406.07	405.85	405.63	405.41	405.19	404.98	404.76	404.54	404.32	404.10	403.87	403.65	403.42
GIRDER 8	406.93	406.65	406.39	406.14	405.89	405.65	405.42	405.19	404.96	404.74	404.52	404.30	404.08	403.86	403.64	403.42	403.20	402.97	402.74	402.51

AS BUILT RECORD PLANS

BECK & BELLUCCI, INC. TYLIN INTERNATIONAL

PROJECT NAME: BRATTLEBORO
 PROJECT NUMBER: IM 091-(K50)
 FILE NAME: ZB-100-BR6-413.dgn PLOT DATE: 5/15/2013
 PROJECT LEADER: Phillip E. Kendall P.E. DRAWN BY: S. A. Morgan
 DESIGNED BY: Josh Olund P.E. CHECKED BY: J. E. Krajewski
 BRIDGE 6N SUPERSTRUCTURE LAYOUT PLAN SHEET ZB-100-BR6-413