



1. THE FOUR SURFACE SENSORS AND ONE SUBSURFACE SENSOR WILL NEED TO BE REPLACED DUE TO THE PAVING OPERATIONS.
2. THE CONTRACTOR SHALL COORDINATE WITH THE RESIDENT ENGINEER AND VTRANS R.W.I.S. VENDOR PRIOR TO THE START OF CONSTRUCTION FOR ACCESS REQUIREMENTS FOR DISCONNECTION AND REPLACEMENT OF THE SENSORS THAT WILL BE REMOVED DURING COLD PLANING.
3. THE REPLACEMENT OF THE SENSORS WILL BE PERFORMED BY THE AGENCY'S R.W.I.S. EQUIPMENT VENDOR.
4. SEE THE SPECIAL PROVISIONS FOR ADDITIONAL INFORMATION AND REQUIREMENTS.

646.622 & 646.426 TEMPORARY (PAINT) AND DURABLE (RECESSED) 6in WHITE LINE
 STA 4170+67 TO 4614+56 SOLID RT
 STA 4170+67 TO 4614+56 DASHED C.L.

621.20 STEEL BEAM GUARD RAIL, GALVANIZED
 SEE ITEM DETAIL SHEET FOR LOCATIONS

621.80 REMOVAL AND DISPOSAL OF GUARD RAIL
 SEE ITEM DETAIL SHEET FOR LOCATIONS

621.60 ANCHOR FOR GUARD RAIL
 SEE ITEM DETAIL SHEET FOR LOCATIONS

621.50 MANUFACTURED TERMINAL SECTION, FLARED
 SEE ITEM DETAIL SHEET FOR LOCATIONS

646.632 & 646.436 TEMPORARY (PAINT) AND DURABLE (RECESSED) 6in YELLOW LINE
 STA 4170+67 TO 4614+56 SOLID LT

621.76 REPLACE GUARD RAIL POST ASSEMBLY
 SEE ITEM DETAIL SHEET FOR LOCATIONS

621.77 REPLACE GUARD RAIL BEAM UNIT
 SEE ITEM DETAIL SHEET FOR LOCATIONS

604.412 REHABILITATION OF D.I., C.B., OR M.H.
 STA 4173+32 RT
 STA 4606+30 RT
 STA 4610+56 RT
 STA I+60 LT, INTERCHANGE I2-RAMP D (THROAT D.I.)

<h2>PAVING PROJECT LAYOUT (NORTHBOUND)</h2>	DESIGNED BY	BCE/PJM	DATE	6-07
	DRAWN BY	C.E.A., INC.	DATE	6-07
	DESIGN FILE NO.	p01a030.dgn		
	PRF FILE	p01a030i1	DATE PLOTTED	#####DATE
	PROJ. NAME	RICHMOND-SO. BURLINGTON		
PROJ. NO.	IM089-2(39)			
SHEET	60	OF	91	SHEETS