



- NOTES:**
- FOR PIER CAP AND PEDESTAL DETAILS, SEE PIER DETAILS - SHEET 3.
 - FOR PILE LAYOUT, SEE PIER 2 FOOTING PLAN & SECTION SHEET.
 - FOR PIER 2 FOOTING REINFORCING DETAILS, SEE PIER 2 REINFORCEMENT SHEET.
 - FOR EMBANKMENT RESTORATION INFORMATION, SEE NOTE 1 ON PIER 2 FOOTING PLAN AND SECTION SHEET.
 - THE CONSTRUCTION JOINT BETWEEN FOOTING PEDESTALS AND BASE OF COLUMNS SHALL BE INTENTIONALLY ROUGHENED TO 1/4" - 1/2" DEPTH. FOR DETAILS OF TYPICAL HORIZONTAL CONSTRUCTION JOINT, SEE ABUTMENT DETAILS - SHEET 2.

ITEMS USED ON THIS SHEET	
ITEM NO.	DESCRIPTION
204.25	STRUCTURE EXCAVATION
204.30	GRANULAR BACKFILL FOR STRUCTURES
208.40	COFFERDAM
501.34	CONCRETE, HIGH PERFORMANCE CLASS B
505.19	STEEL PILING, HPI4x102
514.10	WATER REPELLENT, SILANE
529.15	REMOVAL OF STRUCTURE
613.13	STONE FILL, TYPE IV
649.31	GEOTEXTILE UNDER STONE FILL
651.15	SEED
651.25	HAY MULCH
651.35	TOPSOIL

PEDESTAL ELEVATIONS		
GIRDER	EL. "BACK"	EL. "AHEAD"
1	475.35	475.36
2	475.70	475.72
3	475.91	475.92
4	475.85	475.87
5	475.67	475.68

PROJECT NAME: WINDSOR
 PROJECT NUMBER: IM 091-1(64)
 FILE NAME: z10o188Pier2ES.dgn
 PROJECT LEADER: J. WILSON
 DESIGNED BY: S. BOYINGTON
 PIER 2 ELEVATION & SECTION
 PLOT DATE: 7/30/2015
 DRAWN BY: S. GUNN
 CHECKED BY: S. HALLORAN
 SHEET 106 OF 156