



LEGEND
 NF = NEAR FACE
 FF = FAR FACE
 EF = EACH FACE

ITEM NO.	DESCRIPTION
501.33	CONCRETE, HIGH PERFORMANCE CLASS A
501.34	CONCRETE, HIGH PERFORMANCE CLASS B
507.15	REINFORCING STEEL
507.17	EPOXY COATED REINFORCING STEEL
900.635	STAINLESS STEEL REINFORCING
900.640	BRIDGE RAILING, F-SHAPE CONCRETE

- NOTES:**
- REINFORCEMENT ABOVE FOOTINGS SHALL BE EPOXY COATED. REINFORCEMENT IN FOOTING SHALL BE UNCOATED. REINFORCEMENT PLACED IN FOOTING AND EXTENDING ABOVE TOP OF FOOTING SHALL BE EPOXY COATED. REINFORCEMENT IN AND INTO F-SHAPE BARRIER SHALL BE SOLID STAINLESS.
 - FOR F-SHAPE BARRIER AND BAR EXTENSION INTO BARRIER REINFORCING DETAILS, SEE ABUTMENT DETAILS - SHEET 2.
 - FOR SECTION B-B AND SECTION C-C PILASTER REINFORCING DETAILS, SEE ABUTMENT DETAILS - SHEET 3.
 - FOR ADDITIONAL DETAILS OF BARRIER TRANSITION AT END OF WINGWALLS, SEE SUPERSTRUCTURE PLANS.

PROJECT NAME: WINDSOR
 PROJECT NUMBER: IM 091-1(64)
 FILE NAME: z10o188Abut3RW.dgn
 PROJECT LEADER: J. WILSON
 DESIGNED BY: S. BOYINGTON
 ABUT. 3 WINGWALL REINFORCEMENT
 PLOT DATE: 7/30/2015
 DRAWN BY: S. GUNN
 CHECKED BY: S. HALLORAN
 SHEET 124 OF 156