

## Compressor technology that sets the standard

Doosan Portable Power offers the right level of technology, from years of proven direct engine control to our innovative microcontroller and more. We listen to our customers and design our product to meet those demands. We utilize mechanical control of the inlet and oil temperature valve for maximum durability that performs in the harshest conditions. The backlit gauges on the panel are intuitively placed, the layout of the cool-box design allows quick service and the paint quality, weld strength and reliability are just some of the things that enhance your product experience. The running gear system is designed with life extending features that provide security mile after mile. No wonder Doosan Portable Power sets the standard by which others are measured.



### Performance features (WCAT)

- 110% fluid containment base (except XHP750)
- 1-year/2,000-hour warranty package
- 2-year/4,000-hour airend warranty is standard, extended to 5-year/10,000-hour warranty when genuine filters, fluids and parts from an authorized Doosan Portable Power dealer are used at the prescribed maintenance intervals
- 500-hour engine oil service/1,000-hour airend oil service warranty
- Automatic safety shutdowns for high discharge air temp, low engine oil pressure, high engine coolant temp and low fuel level
- Central drains included (drains for XHP750 are optional)
- Construction-grade pedestal jack stand
- Easy access for service maintenance of coolers and filters
- Fuel/water separator as primary filtration
- Galvanneal sheet metal enclosure
- Heavy-duty A-frame detachable drawbar with adjustable pintle eye
- Microprocessor-controlled engine with optimal compressor performance and diagnostics

## The highest density commercialized portable compressors available

### XHP open frame models

- XHP1170FCAT
- XXHP1270/XHP1500FCAT

### Available options (factory-installed WCAT)

- Aftercoolers plus water separator with 20 degree F approach temperature (25 degree F on XHP750)
- Automatic engine oil replenishment system
- Automatic start/stop controller with remote start
- Battery trickle charger sealed for drill environment durability
- Cold-start kit includes heaters for engine block, engine oil pan and batteries
- Emergency stop
- IQ System® consists of aftercooler plus particulate and coalescing filters with a patented condensate disposal system for cleaner, Instrument Quality air (low ambient system included with aftercooler blowdown, airflow control and orifice heaters for operation at any temperature)
- Less running gear includes isolation mounts for truck or trailer or permanent pad installation

