



DATE: 2/9/10  
 fs

- NOTES:
- MAT'L SHALL BE M270-GR50W
  - HOLES SHALL BE  $\frac{1}{16}$ "  $\phi$
  - BOLTS SHALL BE  $\frac{7}{8}$ "  $\phi$
  - ABUT DIAPHRAGM SHALL BE PAINTED AND HAVE A325 TYPE 1 (GALV) BOLTS
  - INT. & PIER DIAPHRAGM SHALL BE UNPAINTED AND HAVE A325 TYPE 3 BOLTS

**\*\* NOTE \*\***  
 THE PURPOSE OF THIS DRAWING IS TO COORDINATE GEOMETRIC CONTROL INFORMATION AND CONNECTION SPACING. THIS DWG IS SUBMITTED FOR INFORMATION ONLY & IS NOT INTENDED FOR SHOP FABRICATION. DETAIL DWGS WILL SHOW ALL WELDING AND DIMENSIONS REQ'D FOR FABRICATION.

REV.	DATE	REMARKS	DWN	CHK	APVL	SHOP
0						JAN 29 2010
MATERIAL:		SURFACE PREP. & PAINT:	HOLES:		SHOP BOLTS:	
			AS NOTED		AS NOTED	
DESCRIPTION: TYPICAL LAYOUTS						
CASCO BAY STEEL STRUCTURES, INC.						
75 SPRING HILL ROAD			SACO, MAINE 04072			
PHONE (207) 282-7360			FAX. (207) 282-1179			
STRUCTURE:		U.S. 5 over I-91		DRAWN:		DATE:
		Bridge No. 19A		SOB		01/04
		Putney		CHKD:		DATE:
		County of Windham		PCP		01/07
LOCATION:		Putney		JOB NO.		DWG NO.
PROJ NO.		IM 091-1(31)		438		TDI
CUSTOMER:		VT ROT				REV. $\Delta$