



STATION	ELEVATION
88	1648.9
88	1648.49
+50	1647.9
+76	1647.36
89	1647.03
+50	1646.5
+50	1646.0
+50	1645.5
+50	1645.0
+50	1644.5
+50	1644.0
+50	1643.5
+50	1643.0
+50	1642.5
+50	1642.0
+50	1641.5
+50	1641.0
+50	1640.5
+50	1640.0
+50	1639.5
+50	1639.0
+50	1638.5
+50	1638.0
+50	1637.5
+50	1637.0
+50	1636.5
+50	1636.0
+50	1635.5
+50	1635.0
+50	1634.5
+50	1634.0
+50	1633.5
+50	1633.0
+50	1632.5
+50	1632.0
+50	1631.5
+50	1631.0
+50	1630.5
+50	1630.0
+50	1629.5
+50	1629.0
+50	1628.5
+50	1628.0
+50	1627.5
+50	1627.0
+50	1626.5
+50	1626.0
+50	1625.5
+50	1625.0
+50	1624.5
+50	1624.0
+50	1623.5
+50	1623.0
+50	1622.5
+50	1622.0
+50	1621.5
+50	1621.0
+50	1620.5
+50	1620.0
+50	1619.5
+50	1619.0
+50	1618.5
+50	1618.0
+50	1617.5
+50	1617.0
+50	1616.5
+50	1616.0
+50	1615.5
+50	1615.0
+50	1614.5
+50	1614.0
+50	1613.5
+50	1613.0
+50	1612.5
+50	1612.0
+50	1611.5
+50	1611.0
+50	1610.5
+50	1610.0

NOTE - THE ELEVATIONS SHOWN ARE SURFACE GRADES. THE ELEVATION OF THE BASE TO BE BUILT IS 0.54 FT. LOWER.

100.00  
250' V.C.  
1627.95

99+00 to 103+00  
10' Sub-base of Gravel

B.M. #	DESCRIPTION	STA.	EL.
B.M. # 47	SPIKE IN TRUNK 12" POPLAR	133' LT. STA. 91+16	EL. 1670.19
B.M. # 48	SPOT ON CONC. ABUTMENT	11' LT. STA. 96+63	EL. 1638.14
B.M. # 49	SPIKE IN ROOT 14" MAPLE	5' LT. STA. 100+21	EL. 1626.77

Series FRP No. 1111  
Sheet 4 of 16

Series FRP No. 216  
Sheet 10 of 12