



CABLE GUARD RAIL				
STA.	STA.	FT.	LT.	ANCHORS
13+53	13+77	24	1	
14+93	14+65	28	1	
13+67	13+01	24	1	
14+33	10+53	200	1	
BRIDGE RAIL		64	64	
288		112		
Total		400	14	4

GRAVEL SURFACE COURSE						
STA.	STA.	22"	20"	Transition		
12+00	12+33.6	33.6		20' / 112'		
12+33.6	13+53	53.4				
13+53	13+67		17			
13+67	13+84		17			
13+84	14+14			BRIDGE		
14+14	14+48		16.6			
14+48	16+53.8	189				
16+53.8	17+17	63.6		20' / 112'		
17+17	19+60	182.9				
Totals		282.5	112	203	335	140' / 112'

Parcel kind of Date of Grantor Grantee Recorded
 Instrument Instrument Book Page Date
 A O.C.D. 5-19-36 Clarence Holden St. of H. 19 300 5-23-36

R.W.A. VT. DOCKET
 1020-0 1336 1 14



- INDEX OF SHEETS
- 1-2 - PLAN & PROFILE
 - 3 - ABUT. NO. 1 & 2 DETAILS
 - 4 - SUPERSTRUCTURE DETAILS
 - 5 - 3" x 8" 24" x 25" - 80' 60" SPAN MODIFIED FOR 1/2" PER FOOT BANK, 2" WOODING, 30" SKEW, 12" CURVE
 - 6 - 5" x 8" CABLE RAIL
 - 7 - 5" x 8" BARRICADES, LIGHTS, ETC.
 - 8 - 5" x 8" TYPICAL DETAILS, DETAILS S 101, 3 IN 3, S 105, 3 IN 3, S 112, GENERAL NOTES
 - 9 - STANDARD STRUCTURES 5" x 30" - CABLE RAIL
 - 10-14 - CROSS SECTIONS


SUMMARY OF QUANTITIES

ITEM No.	DESCRIPTION	QUANTITY
10	SOLID ROCK EXCAVATION	10 CU YD
10-11	CON. EXCAV. INCL. BARRON	870 CU YD
12	SUB-BASE OF GRAVEL	360 CU YD
14	CHANNEL EXCAVATION	300 CU YD
15	STRUCTURE	122 CU YD
20	GRAVEL SURFACE COURSE	387 CU YD
31A	CONCRETE CLASS 19"	76 CU YD
31B	" " 19"	18 CU YD
31C	STEEL SUPERSTRUCTURE	653 (61.300)
35	TEMPERARY BRIDGE	1 L.SUM
55	REMOVE FROM SUPER. & MAINT. TANK	1 L.SUM
62	EXP. EXP. FOR BENT FOOT	97 SQ. FT.
67A	CABLE GUARD RAIL	400 LIN. FT.
67B	ANCHORS FOR CABLE GUARD RAIL	4 EACH
71B	GRAVEL COARSE GUTTER	10 SQ. YD.
34	REINFORCING STEEL	15877 LBS.

BOILING #1

TYPE	PRESENT	PROPOSED
Boulder		I BEAM 60" I BEAM
Sand		18'205' CORD
Coarse Gravel		8.0'
Gravel		242.25'
Ledge or Boulder		303.1'
		34.2
		6.4
		22.0'

CORRECT
 APPROVED: APR 15, 1938
 CHIEF ENGINEER



DIST. # 4 PLANS