


# TYPICAL SECTIONS



2 1/2" BITUMINOUS CONCRETE PAVEMENT, ITEM 406.25 ( $\pm 1/4"$ )  
(PLACE IN TWO LIFTS: 1" TYPE III, 1 1/2" TYPE II)

4" PLANT MIXED BASE COURSE, ITEM 303.25 ( $\pm 1/2"$ )



24" SUBBASE OF GRAVEL, ITEM 301.15 ( $\pm 1"$ )

SHOULDERS: 1" BITUMINOUS CONCRETE PAVEMENT, ITEM 406.25 ( $\pm 1/4"$ )

0"-12" GRANULAR BORROW, ITEM 203.32 IN FILL ( $\pm 1"$ ) } AS INDICATED ON PLANS OR AS DIRECTED BY THE ENGINEER  
0"-24" SAND BORROW, ITEM 203.31 IN CUT ( $\pm 1"$ ) }

PERMISSIBLE TOLERANCES IN PARENTHESES APPLY TO THICKNESS ONLY.


NOTE: FOR GENERAL NOTES, PARABOLIC DETAIL, SHOULDER PAVING DETAIL, SEE SHEET \_\_\_\_\_ OF \_\_\_\_\_.



12" GRAVEL SURFACE COURSE, ITEM 401.10 ( $\pm 1"$ )

0"-12" GRANULAR BORROW, ITEM 203.32 IN FILL ( $\pm 1"$ ) } AS INDICATED ON PLANS OR AS DIRECTED BY ENGINEER

0"-24" SAND BORROW, ITEM 203.31 IN CUT ( $\pm 1"$ ) }



SCALE: 1/4" = 1' FEET

MAY 19 1997

SURVEYED BY	DATE
DRAWN BY <u>CEL/GAS</u>	DATE <u>09-88</u>
TRACED BY <u>PEM</u>	DATE <u>07-88</u>
TOWN <u>TROY, VERMONT</u>	
PROJECT <u>ROUTE 101</u>	
PROJ. NO. <u>RS NO. 0311(1)</u>	
SHEET <u>7</u> OF 50	