



### TYPICAL SECTIONS NORTH OF BRIDGE

MATERIAL ITEM	THICKNESS	TOLERANCE
PAVEMENT	± 1/4"	
BASE COURSE	± 1/2"	
SUBBASE	± 1"	
GRANULAR BORROW	± 1"	
SAND BORROW	± 1"	

3" BITUMINOUS CONCRETE PAVEMENT, PLACED IN TWO LAYERS: 1 3/4" BINDER TYPE II  
1 1/4" TOP TYPE III  
4" BITUMINOUS CONCRETE PAVEMENT, TYPE I PLACED IN ONE LAYER  
24" SUBBASE OF DENSE GRADED CRUSHED STONE  
18" SAND BORROW (FROST FREE MATERIAL)



PARABOLIC DETAIL  
NOT TO SCALE



5'-0" x 5" PORTLAND CEM. CONC. SIDEWALK  
STA. 12+70 LT. → STA. 15+40 RIVER ROAD

SEEDING FORMULA, ITEM 651.10 (AS DIRECTED BY THE ENGINEER)  
URBAN AREAS


% WT.	LBS/A.	NAME	PUR%	GERM%
37.50	30	CREeping RED FESCUE	98	85
31.25	25	KENTUCKY BLUEGRASS	85	75
31.25	25	PERENIAL RYE GRASS	95	90
100.00	80			

THE SEED MIXTURE SHALL NOT HAVE A WEED CONTENT EXCEEDING 0.40% BY WEIGHT AND SHALL BE FREE OF ALL NOXIOUS WEED SEED.  
HAY MULCH, ITEM 651.25 TO BE PLACED ON ALL EARTH SLOPES AT THE RATE OF TWO TONS PER ACRE.  
FERTILIZER, ITEM 651.15 SHALL BE MIXED AS FOLLOWS:  
NITROGEN 10%  
PHOSPHORUS 20%  
POTASH 10%  
FERTILIZER SHALL BE DELIVERED IN BAGS NOT TO EXCEED 100LBS EACH AND IS TO BE APPLIED AT THE RATE OF 500 LBS PER ACRE.  
AGRICULTURAL LIMESTONE, ITEM 651.20, TO BE APPLIED TO ALL EARTH SLOPES AT THE RATE OF TWO TONS PER ACRE OR AS DIRECTED BY THE ENGINEER.

AUG 13 1994

DATUM

VERTICAL	NGVD	1929
HORIZONTAL	N/A	



SURVEYED BY	NYE	DATE	FEB 85
DRAWN BY	J. REDMOND	DATE	9-85
TRACED BY		DATE	
WATERBURY-DUXBURY-MORETOWN			
PROJ. BR	NG 013-4(10)		
R.O.W. SHEET 3 OF 13			