

Construct Satisfactory Approach - Begin Project BR5 0113(15)


ML Curve Data
 Δ 29° 02' 00" Lt.
 D 7° 00'
 R 818.51
 T 211.93
 L 414.76
 E 25.97
 Back 3307+11.1 Lt.

GENERAL NOTES
 DEVEL ARE TO BE CONSTRUCTED WITH A MINIMUM WIDTH OF 14 FEET AND SHALL HAVE FLARE WIDTH OF 20' UNLESS INDICATED OTHERWISE ON THESE PLANS OR DIRECTED BY THE ENGINEER.
 ALL EXISTING PAVEMENTS WITHIN 2 FEET OF THE CURBLINE SHALL BE REMOVED UNDER ITEM 203.5 (COMMON EXCAVATION). ALL PAVEMENTS BELOW 2 FEET OF THE SUBGRADE SHALL BE SCAFFOLD AND BROKEN UP WITH A MAXIMUM ALLOWABLE WIDTH OF 6 INCHES (AND UNDER ITEM 212.20).
 ALL EXISTING GUARD POSTS SHALL BE REMOVED SUBJECT TO ITEM 203.15 (COMMON EXCAVATION) SEE SPECIAL PROVISIONS.

ADDITIONAL GENERAL NOTES
 LOCATION OF EXISTING WATER MAINS AND APPURTENANCES BASED ON EXISTING RECORDS AND DATA. LOCATIONS ARE NOT WARRANTED TO BE EXACT, NOR IS IT WARRANTED THAT ALL EXISTING WATER MAINS AND APPURTENANCES ARE SHOWN.
 LOCATION OF EXISTING AND NEW WATER MAINS AND APPURTENANCES PROVIDED BY D.C.R.B., INC., P.O. BOX 514, LEBANON, NEW HAMPSHIRE 03766 - JUNE, 1985
 CONTRACTOR TO MAINTAIN A MINIMUM OF 5'-6" COVER OVER TOP OF WATER MAIN TO PROPOSED GRADE.
 ALL WATER MAIN FITTINGS MUST BE RETAINED BY THRUST BLOCKS EXCEPT WHERE NOTED.
 SHUTDOWN OF EXISTING WATER MAIN TO BE ACCOMPLISHED BY VILLAGE OF BELLOWS FALLS WATER DEPT. SHUTDOWN WILL BE LIMITED TO NON-SCHOOL HOURS ONLY AND SHALL BE KEPT TO A MINIMUM.

- INTERCONNECTION**
- 12" X 12" TEE, MJ
 - 12" PIPE, 3' LONG
 - 12" BUTTERFLY VALVE, MJ W/BOX
 - 12" PIPE, ONE FULL LENGTH
 - 12" PLUG
 - 12" PIPE, 3' LONG
 - 12" BUTTERFLY VALVE, MJ W/BOX
 - 12" PIPE, AS NEEDED
 - 12" X 12" TEE, MJ
 - 12" PIPE, 3' LONG
 - 12" BUTTERFLY VALVE, MJ W/BOX
 - 12" PIPE, AS NEEDED
 - CONTRACTOR TO MAKE CONNECTION TO EXISTING 12" MAIN USING SOLID SLEEVE
 - 12" PIPE, 3' LONG
 - 12" BUTTERFLY VALVE, MJ W/BOX
 - 12" PIPE, AS NEEDED
 - CONTRACTOR TO MAKE CONNECTION TO EXISTING 12" MAIN USING SOLID SLEEVE

DATUM:
 VERTICAL: NVD 1929
 HORIZONTAL: N/A



NOTE
 The Owner reserves the right to delete any or all of the above utility relocation work and perform the relocation work with their own forces. The contractor should confirm material and quantities prior to ordering.

SCALE: 1" = 20' FEET

DESIGNED BY: TOULAN DATE 11-82
 DRAWN BY: TOULAN DATE 11-82
 TRACED BY: TOULAN DATE 11-82
 WESTMINSTER-ROCKINGHAM
 PROJ. BR5 NO. 0113(15)
 SHEET 54 OF 262