

MATERIAL ITEM	THICKNESS	TOLERANCE
PAVEMENT(TOTAL DEPTH ALL LAYERS)	± 5	
SUBBASE	± 30	
SAND BORROW	± 30	


TYPICAL SECTIONS

- 40 BITUMINOUS CONCRETE PAVEMENT (TYPE III) (PG 58-34)
- 50 BITUMINOUS CONCRETE PAVEMENT (TYPE II) (PG 58-34)
- 65 BITUMINOUS CONCRETE PAVEMENT (TYPE I) (PG 58-34)
- 460 SUBBASE OF DENSE GRADED CRUSHED STONE
- 600 SAND BORROW

- SHOULDERS:
- 40 BITUMINOUS CONCRETE PAVEMENT (TYPE III) (PG 58-34)
 - 50 BITUMINOUS CONCRETE PAVEMENT (TYPE II) (PG 58-34)

SEEDING FORMULA RURAL AREAS CONSERVATION MIX

% MASS	kg/ha	NAME	PUR %	GERM %
37.14	26	CREeping RED FESCUE	98	85
37.14	26	TALL FESCUE	95	90
5.71	4	RED TOP	95	90
14.30	10	BIRDSFOOT TREFOIL	98	85
5.71	4	ANNUAL RYE GRASS	95	85
100.00	70			



SEED MIXTURE: SHALL NOT HAVE A WEED CONTENT EXCEEDING 0.40% BY MASS AND SHALL BE FREE OF ALL NOXIOUS WEED SEED.

SEED: TO BE APPLIED PER SEEDING FORMULAS OR AS DIRECTED BY THE ENGINEER.

FERTILIZER: FORMULA 10-20-10 TO BE USED WITH SEED, APPLIED AT THE RATE OF 560 kg/ha. (HYDRO SEEDERS MAY USE 19-19-19 FORMULA)

AGRICULTURAL LIMESTONE: TO BE APPLIED AT THE RATE OF 4500 kg/ha OR AS DIRECTED BY THE ENGINEER.

HAY MULCH: TO BE PLACED ON EARTH SLOPES AT THE RATE OF 4500 kg/ha OR AS DIRECTED BY THE ENGINEER.

TOPSOIL: TO BE USED WITH SEED AS INDICATED ON THE PLANS, OR AS DIRECTED BY THE ENGINEER.



MARKER POSTS: TO BE PLACED AS INDICATED OR AS DIRECTED BY THE ENGINEER.

SLOPE ROUNDING: ALL CUT SLOPES TO BE ROUNDED IN ACCORDANCE WITH STANDARD SHEET B-5.

PAY LIMITS OF SAND BORROW: WHEN USED IN CONJUNCTION WITH UNDERDRAIN - SEE STANDARD SHEET D-2.

AN EMULSIFIED ASPHALT IS TO BE APPLIED AT THE RATE OF 0.7 L/m² BETWEEN SUCCESSIVE COURSES OF PAVEMENT AS DIRECTED BY THE ENGINEER.

FOR SLOPES IN SOLID ROCK EXCAVATION, AND DRILLING AND BLASTING OF SOLID ROCK SUBGRADE, SEE STANDARD SHEET A-60



ALL DIMENSIONS IN MILLIMETERS
EXCEPT AS INDICATED

SURVEYED BY	CLD	DATE	10/94
DRAWN BY	SMC	DATE	11/96
SQUAD LEADER	JAW		
DESIGN FILE NO.	90284		
IPARM FILE	DATE PLOTTED		
PROJ. NAME	JAMAICA		
PROJ. NO.	BRF 013-1(B)		
ROW SHEET	2	OF 23 SHEETS	