

CURVE DATA
 $\Delta = 20^\circ 17' 25''$ LT
 $D = 6^\circ 00'$
 $R = 954.93$
 $T = 170.88$
 $L = 338.17$
 $E = 15.17$

CONSTRUCT SPECIAL DITCH W/STONE FILL TYPE I
 19+00 RT - 19+50 RT
 21+45 LT - 21+75 LT
 23+50 M - 25+00 RT
 ROW

STEEL BEAM GUARDRAIL
 6+75 RT - 30+75 RT
 19+50 LT (RAMP 'M' RT) - 35+50 LT

ANCHOR FOR STEEL BEAM GUARDRAIL
 19+50 LT (RAMP 'M' RT)

REMOVE AND RESET EXISTING CURB
 17+05 LT - 18+80 LT
 19+25 LT - 20+62 LT

REMOVE EXISTING GUARDRAIL
 12+15 RT - 26+00 RT
 RAMP 'M' 19+50 LT - 22+45

COLD PLANING-BIT PAVEMENT
 0+00 - 47+50
 ML POC 21+45.97 =
 CHAN. POT 40+00.00


TREATED TIMBER CURB
 7+00 RT - 19+50 RT
 RAMP 'M' 20+45 LT - ML 24+00

REMOVAL OF EXIST. CURB
 RAMP 'B' 19+80 LT - ML 22+20 LT

- DRAINAGE NOTES
- 25 18+42 - 19+50 RT NEW 18" X 158' RCP CL III
 - 26 19+50 RT NEW 18" X 12' RCP CL III W/RCDI AT INLET AND STONE FILL PAD TYPE I AT OUTLET
 - 27 18+55 LT NEW 18" X 6' CSP (.064) W/RCDI, CONNECT TO EXIST. DI, CAP EXIST. DI, AND PAVED GUTTER
 - 28 19+50 LT RAISE EXIST. DI
 - 29 20+25 - 21+75 LT NEW 18" X 150' RCP CL III; W/PAVED GUTTER AND MES AT INLET
 - 30 20+77 LT - 21+30 LT REMOVE EXIST. PIPE, REMOVE DI'S
 - 31 21+30 LT ABANDON AND PLUG EXIST. PIPE

- DRAINAGE NOTES
- 32 21+46 - 21+75 LT CONSTRUCT SPECIAL DITCH W/STONE FILL TYPE I
 - 33 21+75 LT NEW 18" X 44' RCP CL III W/RCDI AT INLET AND CONCRETE HEADWALL AT OUTLET
 - 34 21+46 RT NEW 60" X 12' CSP (.079) W/HEADWALL AT INLET; REMOVE EXIST. HEADWALL
NEW 60" X 16' CSP (.079) W/HEADWALL AT OUTLET; REMOVE EXIST. HEADWALL
 - 34A 21+20 RT - 21+46 RT CONSTRUCT SPECIAL DITCH W/STONE FILL TYPE II
 - 35 24+00 LT NEW 18" X 16' RCP CL III, W/RCDI AT INLET
 - 36 23+50 - 25+00 RT CONSTRUCT SPECIAL DITCH W/STONE FILL TYPE I

DATUM
 VERTICAL NGVD 1929
 HORIZONTAL N/A



SURVEYED BY Fall DATE 5-91
 DRAWN BY Squade-Jfg DATE 6-91
 SOUND LEADER D.F.Holt
 FILE /usr/zfo2/055050.dwg/89b018
 PARM FILE 89B018.4.I DATE PLOTTED 30-DEC-19
 PROJ. NAME MONTPELIER
 PROJ. NO. FECC-F 028-2(8)S
 SHEET 7 OF 15 SHEETS

FEB 05 1991