



CONSTRUCT SPECIAL DITCH W/EROSION MATTING
27+31 LT - 36+50 LT

STEEL BEAM GUARDRAIL
6+75 RT - 30+75 RT
19+50 LT (RAMP 'M' RT) - 35+50 LT
BREAKAWAY CABLE TERMINAL (BCT)
35+50 LT - 35+75 LT
ANCHOR FOR STEEL BEAM GUARDRAIL
30+75 RT
COLD PLANING-BIT. PAVEMENT
0+00 - 47+50

REMOVE & RESET CURB
31+50 RT - 32+00 RT
REMOVE EXIST. CURB
32+90 LT - 37+90 LT
REMOVE EXIST. GUARDRAIL
28+80 LT - 32+70 LT

PI 33+59.44 =
33+58.32

CURVE DATA
Δ = 13° 00' 00" RT
D = 5° 00' 00"
R = 1145.92
T = 130.56
L = 260.00
E = 7.41

BM #4
CH. SQ. AT TOP OF
L-TYPE HEADWALL
US. ELEV 524.67

DRAINAGE NOTES
① 30+50 LT. - NEW 6" X 350' UNDERDRAIN W/ FB AT 29+50 LT.
② 34+93 LT NEW 18" X 4' CSP (064). W/RCDI AT INLET. CAP EXIST. DI

DATUM
VERTICAL NGVD 1929
HORIZONTAL N/A

0 20 40 60 80 100 120 140
SCALE IN FEET

03-10-95	REVISION 2
05-26-93	REVISION 1
SURVEYED BY	Fall DATE 5-96
DRAWN BY	Squade-jfg DATE 6-96
SQUAD LEADER	D.F.Hole
FILE	/usr/zfg2/055050.dir/89b018
P/ARM FILE	89B018L6.J DATE PLOTTED 30-DEC-1995
PROJ. NAME	MONTPELIER
PROJ. NO.	FEGC-F 028-21815
SHEET	9 OF 15 SHEETS
FEB 05 1998	