

SOIL CLASSIFICATION
 ADAMS AND WINDSOR
 LOAMY SANDS
 0 - 5% SLOPES
 "K FACTOR" 0.17
 LOW EROSION POTENTIAL



SOIL CLASSIFICATION
 ADAMS AND WINDSOR
 LOAMY SANDS
 5 - 12% SLOPES
 "K FACTOR" 0.17
 LOW EROSION POTENTIAL

SOIL CLASSIFICATION
 PERU
 EXTREMELY STONY LOAM
 20 - 60% SLOPES
 "K FACTOR" 0.24
 MODERATE EROSION POTENTIAL

SOIL CLASSIFICATION
 ADAMS AND WINDSOR
 LOAMY SANDS
 0 - 5% SLOPES
 "K FACTOR" 0.17
 LOW EROSION POTENTIAL

NOTES:

1. THESE PLANS SHOW A CONCEPTUAL EROSION CONTROL PLAN, THE CONTRACTOR MUST SUBMIT A TEMPORARY EROSION CONTROL PLAN FOR APPROVAL.
2. TEMPORARY EROSION CONTROL MEASURES ARE CONCEPTUALLY SHOWN. THE CONTRACTOR MAY RELOCATE TEMPORARY MEASURES TO IMPROVE EROSION CONTROL WITH APPROVAL OF THE RESIDENT ENGINEER AND ON SITE COORDINATOR. SILT FENCE SHALL NOT BE INSTALLED ACROSS CONTOURS.
3. THE CONTRACTOR SHALL USE OTHER TEMPORARY EROSION CONTROL MEASURES AS NECESSITATED BY THE SEQUENCE OF CONSTRUCTION OR AS DIRECTED BY THE RESIDENT ENGINEER AND ON SITE COORDINATOR.
4. REFER TO TEMPORARY EROSION CONTROL DETAIL SHEETS FOR ADDITIONAL DETAILS.
5. WHERE LEDGE IS EXPOSED, GRAVEL BAGS MAY BE USED INSTEAD OF FILTER CURTAIN. PAYMENT FOR THIS ITEM SHALL BE INCIDENTAL TO ITEM 649.61 *GEOTEXTILE FOR FILTER CURTAIN.*



LEGEND

	SILT FENCE
	LIMITS OF SOIL DISTURBANCE
	EROSION MATTING
	PROJECT DEMARCATION FENCE
	STONE DROP INLET PROTECTION

653.41 - INLET PROTECTION, TYPE I
 STA 303+17.00 LT
 STA 303+17.00 RT
 STA 304+25.00 LT
 STA 304+25.00 RT

653.55 - PROJECT DEMARCATION FENCE
 STA 302+00.00 LT - 303+21.21 LT
 STA 302+00.00 RT - 302+75.28 RT
 STA 303+14.71 RT - 303+67.90 RT
 STA 303+55.55 LT - 304+67.54 LT
 STA 304+07.31 RT - 305+00.00 RT

EXISTING & PROPOSED WATERLINES ARE FOR REFERENCE ONLY PLEASE REFER TO WATERLINE SHEETS XX-XX



PROJECT NAME: MILTON	PLOT DATE: 29-JAN-2010
PROJECT NUMBER: STP 5800 (2)	DRAWN BY: D. LYMAN
FILE NAME: 92d289\FROW\Fr-92d289ec4.1	CHECKED BY: J. DEVLIN
PROJECT LEADER: J. SCHULTZ	R.O.W. SHEET 17 OF 28
DESIGNED BY: D. LYMAN	
R.O.W. EPSC LAYOUT SHEET 4	