



THREE CABLE GUARD RAIL WITH STEEL POST
 STA. 390+00 TO 391+10 E.B.
 STA. 391+00 TO 405+00 E.B.
 STA. 391+00 TO 405+00 W.B.

B.M. N. 68
 Top Loc. R.R.
 Milla Post 79
 Elev. 519+0

STEEL BEAM GUARD RAIL WITH STEEL F-POSTS
 403+41 - 404+20 W.B. RT.

DRILLING & BLASTING OF SOLID ROCK SURGRADE ITEMS 114 MOD
 STA. 390+00 - 391+55 W.B.
 STA. 392+25 - 397+10
 394+15 - 394+33 W.B.
 394+44 - 394+51 W.B.

MUCK EXCAVATION
 STA. 398+30 TO 402+30

EXCAVATION AND REMOVAL OF ROAD SURFACE ON ROADWAYS ITEM 118A
 STA. 390+00 - 398+50

DEMOLITION AND REMOVAL OF BUILDING ITEM, 586
 STA. 404+30 RT. NO. 26
 STA. 400+00 RT. NO. 24A

REMOVAL & DISPOSAL OF PRESET GUARD RAIL
 391+8 - 392+45 LT.
 398+30 - 398+95 LT.

I 89-2 (4) 43 800

CONSTRUCT OUTLET DITCH

STRUCTURE NO. 5
 SEE SHEETS 14516
 24" x 14" 12" x 362' ACC.GMP
 12" Elbow Cont. of Cutler
 12" Elbow Cont. of Cutler

SEE U.S. 2 RELOCATION SHEETS 67-70

22A ELIAS GREENWOOD
 (A. 4.0 ±) STA. 395+43 - 415+85
 W.D.O.E. 12/26/58
 RECORDED MIDDLESEX BK. 27 PG. 543-4 12/31/58

Underpass 20' x 125'
 Steel I. Beam

CENTRAL VERMONT RAILROAD

EXIST. U.S. ROUTE 2

21D MYRTLE M. THOMPSON
 (A. 0.44 ±) STA. 397+48 - 400+90
 W.D. 12/26/58
 RECORDED MIDDLESEX BK. 27 PG. 362-64 12/31/58

22B ELIAS GREENWOOD
 (A. 0.70 ±) STA. 400+90 - 404+03
 W.D. 12/26/58
 RECORDED MIDDLESEX BK. 27 PG. 554-6 12/31/58

21C MYRTLE M. THOMPSON
 (A. 5.9 ±) STA. 378+76 - 398+27 ±
 W.D. 12/26/58
 RECORDED MIDDLESEX BK. 27 PG. 362-4 12/31/58

23 THEODORE E. & RUTH BOUCHER
 (A. 2.4 ±) STA. 397+18 - 400+90 ±
 COND. 12/31/58
 RECORDED MIDDLESEX BK. 29 PG. 94-111 12/31/58

22C ELIAS GREENWOOD
 (A. 13.4 ±) STA. 400+90 - 423+25
 W.D. 12/26/58
 RECORDED MIDDLESEX BK. 27 PG. 554-56 12/31/58

21F MYRTLE M. THOMPSON
 (A. 0.5 ±) STA. 394+50 - 398+27 ±
 W.D. 1/21/60
 RECORDED MIDDLESEX BK. 27 PG. 204-5 1/26/60

21G MYRTLE M. THOMPSON
 (R.O.W.) STA. 400+40
 Q.C.D. 12/26/58
 RECORDED MIDDLESEX BK. 27 PG. 367 12/31/58

- BOUNDARY MARKER STA. 403+90 RT. 188'
- LANDSCAPE MATERIAL FOR CONTRACT #1
- 1. Deciduous
 - 2. Shrubs
 - 3. General Notes
1. Evergreen trees should be 3 year old transplants or older.
 2. Large deciduous trees should be 1 to 1 1/2 inches in caliper with a minimum height of 7 to 8 feet.
 3. Small deciduous trees should be 1 1/2 inch in caliper, 5 to 6 feet in height with 4 or more branches.
 4. Deciduous shrubs should be 2 to 3 feet in height, with not less than 4 canes, 2 feet and up.
5. All plant material to be graded according to American standards for Nursery stock.
6. Fertilizer (10-10-10) to be applied at the same time as the grass seed at the rate of 400 lbs./A.

E.B. P.V.I. Sta. 403+00
 EL = 519.93
 V.C. = 500
 K = 1.91
 H.S.D. = 7.85

+0.50% E.B.
 CUT TO FILL TRANS. E.B.
 STA. 390+59 - 391+34

East Bound Existing ground

W.B. P.V.I. Sta. 395+00
 EL = 535.37
 V.C. = 600'
 K = 1.34
 H.S.D. = 7.25'

E.B. P.V.I. Sta. 395+00
 EL = 529.93
 V.C. = 600'
 K = 1.31
 H.S.D. = 7.25'

(STATIONING ALONG REVISED BASE LINE)

490	West Bound	552.1	560.6	563.9	576.8	519.8	537.6	552.3	554.5	552.3	570.8	588.3	580.7	571.1	559.5	526.8	504.5	504.9	507.3	507.3	509.8	509.3	506.8	506.5	505.2	504.9	490		
480	East Bound	523.2	533.9	529.4	517.7	512.7	535.9	532.7	535.2	540.0	535.5	531.0	539.9	535.0	519.8	507.6	511.4	511.2	510.6	500.5	493.5	491.5	496.0	506.8	501.6	501.7	480		
470		390	50	391	50	392	50	393	50	394	50	395	50	396	50	397	50	398	50	399	50	400	50	401	50	402	50	403	470

PLAN AND PROFILE
 STA. 390+00 TO STA. 405+00

PROJECT I 89-2 (4) 43 800