


PILE NOTES

- MATERIAL:
HP 12x53 PILES
STEEL - ASTM DESIGNATION A36
- ALL WELDING SHALL BE IN ACCORDANCE WITH THE STRUCTURAL WELDING CODE ANSI/AASHTO/AWS D1.5-88.
- FOR PILE SPLICE DETAILS, SEE VT. STD. SHEET SCB-D6-73.
- ⊥ INDICATES VERTICAL PILES.
↓ INDICATES PILES TO BE BATTERED 1:12 IN THE DIRECTION OF THE ARROWHEAD.
- PILES SHALL BE DRIVEN TO A DEPTH THAT WILL DEVELOP A STATIC PILE CAPACITY OF TWICE THE ALLOWABLE LOAD. PILE CAPACITY SHALL BE DETERMINED AS PER SECTION 505.04 OF THE VAOT STANDARD SPECIFICATIONS FOR CONSTRUCTION, DATED 1986 INCLUDING ALL LATEST REVISIONS.

COFFERDAM NOTES

- THE COFFERDAM DESIGN AND CONSTRUCTION SHALL CONFORM TO SECTION 204 OF THE VAOT STANDARD SPECIFICATIONS FOR CONSTRUCTION, DATED 1986 INCLUDING ALL LATEST REVISIONS.
- THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS TO THE ENGINEER FOR APPROVAL IN SUCH A MANNER AS TO ALLOW SUFFICIENT TIME FOR CAREFUL REVIEW.



PILE LAYOUT PLAN

SCALE: 1/4" = 1'-0"

STATE OF VERMONT
AGENCY OF TRANSPORTATION

Town Of	POWNAI	Bridge No.	6
Highway No.	ROUTE 346	Log Sta.	
		Surv. Sta.	201+74
PILE LAYOUT PLAN			

Designed By	J.S.J.	Drawn By	K.M.B.
Checked By	Date	Bridge Design Supervisor	Date
	P.D.M.		

PROJECT	POWNAI	PROJECT NO.	RS0107(7)
---------	--------	-------------	-----------

L.C.C. Info.	Bridge Sheet No. BR606	Sheet	143 of 319
--------------	------------------------	-------	------------

PARE ENGINEERING CORPORATION
Engineers Planners Landscape Architects
8 Blackstone Valley Place Lincoln RI 02635
401-334-4100