


**- APPROACH AREA DETAIL -**


**WAITSFIELD**  
**STA 6+671.00 (BEGIN PROJECT)**  
**MORETOWN**  
**STA 0+760.00 (END PROJECT)**



**- COLD PLANING DETAIL @ CONCRETE BOXES -**


LOCATION	FIELD STATION
WAITSFIELD UNNUMBERED 3' x 3' BOX	STA 7+299
WAITSFIELD BRIDGE #180	STA 7+646
WAITSFIELD BRIDGE #184	STA 8+735
WAITSFIELD BRIDGE #185	STA 9+353

**NOTE: THESE PARTICULAR CONCRETE BOX CULVERTS DO NOT APPEAR TO HAVE SUFFICIENT COVER TO ACCOMMODATE THE DESIGNED RECLAIM DEPTH.**



**- TRANSITION AREA DETAIL -**

**WAITSFIELD**  
**STA 10+245 (RECLAIMING/END COLD PLANING)**  
**STA 11+185 (BEGIN COLD PLANING/RECLAIMING)**



NOTE: THE STEEL PLATE IN THE ASPHALTIC PLUG JOINT MAY BE OMITTED ONLY IF THE SURFACE IS SO IRREGULAR IT WILL CAUSE VERTICAL MOVEMENT AND IS DIRECTED BY THE RESIDENT ENGINEER.

**ASPHALTIC PLUG-TYPE JOINT DETAIL**

FIELD STA.	LENGTH
VT. ROUTE 100 WAITSFIELD - BRIDGE 186 - STA. 11+466	(8.7 m)
VT. ROUTE 100 WAITSFIELD - BRIDGE 186 - STA. 11+492	(8.7 m)

**CONSERVATION SEED MIX**

RURAL AREA - SEED MIXTURE				
% WT.	kg/ha.	NAME	PUR. %	GERM. %
37.14	26.0	CREeping RED FESCUE	98	85
37.14	26.0	TALL FESCUE	95	90
5.71	4.0	RED TOP	95	90
14.30	10.0	BIRDFOOT TREFOIL	98	85
5.71	4.0	ANNUAL RYEGRASS	95	85
100.0	70.0			

SEED MIXTURE:  
 SHALL NOT HAVE A WEED CONTENT EXCEEDING 0.40% BY WEIGHT AND SHALL BE FREE OF ALL NOXIOUS WEED SEED.


SEED:  
 TO BE APPLIED PER SEEDING FORMULA DIRECTED BY THE RESIDENT ENGINEER

FERTILIZER:  
 FORMULA 10-20-10 TO BE USED WITH SEED, APPLIED AT THE RATE OF 560 kg/ha (HYDRO SEEDERS MAY USE 19-19-19 FORMULA)

AGRICULTURAL LIMESTONE:  
 TO BE APPLIED AT THE RATE OF 4500 kg/ha OR AS DIRECTED BY THE RESIDENT ENGINEER.

HAY MULCH:  
 TO BE APPLIED ON EARTH SLOPES AT THE RATE OF 4500 kg/ha, OR AS DIRECTED BY THE RESIDENT ENGINEER.

TOPSOIL:  
 TO BE USED WITH SEED AS INDICATED ON THE PLANS, OR AS DIRECTED BY THE RESIDENT ENGINEER.



**- COLD PLANING DETAIL @ BRIDGES -**

LOCATION	FIELD STATION
WAITSFIELD BRIDGE #181	STA 7+907
WAITSFIELD BRIDGE #186	STA 11+479

NOTE: THE CONTRACTOR MUST USE CARE WHEN COLD PLANING BRIDGE 186 AS NOT TO DAMAGE THE BRIDGE MEMBRANE. IF DAMAGE TO THIS MEMBRANE SHOULD OCCUR DURING THE COLD PLANING, THE CONTRACTOR SHALL REPLACE THE BRIDGE MEMBRANE AT NO COST TO THE STATE.

THE CONTRACTOR SHALL TAKE PRECAUTIONS TO AVOID THE ACCUMULATION OF DEBRIS IN THE DRAINAGE STRUCTURES LOCATED AT CURB LINE AND IN THE EXPANSION JOINTS. THE CONTRACTOR SHALL EXAMINE THESE BRIDGE FEATURES ON A REGULAR BASIS TO ENSURE THAT DEBRIS HAS NOT ACCUMULATED. ANY DEBRIS WHICH IS PRESENT SHALL BE REMOVED BY THE CONTRACTOR AT NO COST TO THE STATE.

NOT TO SCALE



**PAVING DETAILS AND PAVEMENT JOINT DETAIL SHEET**

DESIGNED BY	LFW	DATE	7-05
DRAWN BY	LFW	DATE	7-05
DESIGN FILE NO.	/pave/00b058/00b058.dgn		
PRF FILE	00b058+yp2.i	DATE PLOTTED	23-MAY-2008
PROJ. NAME:	WAITSFIELD - MORETOWN		
PROJ. NO.:	STP 2227(1)S		
SHEET	26	OF	54 SHEETS