


- | | | | |
|---|---|--|---|
| 646.402 DURABLE 4 INCH WHITE LINE, THERMOPLASTIC
STA. 74+75 - STA. 90+75 (SOLID LT & RT) | 646.602 TEMPORARY 4 INCH WHITE LINE, PAINT
STA. 74+75 - STA. 90+75 (SOLID LT & RT) | 675.50 REMOVING SIGNS
AS SHOWN - 2 | 621.20 STEEL BEAM GUARD RAIL GALVANIZED
STA. 87+70.50 LT - STA. 87+95.50 LT |
| 646.412 DURABLE 4 INCH YELLOW LINE, THERMOPLASTIC
STA. 74+75 - STA. 74+98 (SOLID LT)
STA. 74+75 - STA. 79+20 (SOLID RT)
STA. 74+98 - STA. 81+31 (DASHED LT)
STA. 81+31 - STA. 90+75 (DASHED RT)
STA. 81+31 - STA. 87+38 (SOLID LT) | 646.612 TEMPORARY 4 INCH YELLOW LINE, PAINT
STA. 74+75 - STA. 74+98 (SOLID LT)
STA. 74+75 - STA. 79+20 (SOLID RT)
STA. 74+98 - STA. 81+31 (DASHED LT)
STA. 81+31 - STA. 90+75 (DASHED RT)
STA. 81+31 - STA. 87+38 (SOLID LT) | 675.60 ERECTING SALVAGED SIGNS
AS SHOWN - 2 | 621.50 MANUFACTURED TERMINAL SECTION FLARED
STA. 87+33.00 LT - STA. 87+70.50 LT
STA. 87+95.50 LT - STA. 88+33.00 LT |

- | | | | |
|---|---|---|---|
| 646.402 DURABLE 4 INCH WHITE LINE, THERMOPLASTIC
STA. 90+75 - STA. 106+50 (SOLID LT & RT) | 646.602 TEMPORARY 4 INCH WHITE LINE, PAINT
STA. 90+75 - STA. 106+50 (SOLID LT & RT) | 604.412, 604.415, 604.418 REHAB, DROP
INLETS, CATCH BASINS, OR MANHOLES, CLASS I,
CLASS II OR CLASS III | 621.80 REMOVAL AND DISPOSAL OF GUARDRAIL
STA. 96+76.00 - STA. 103+26.00 RT |
| 646.412 DURABLE 4 INCH YELLOW LINE, THERMOPLASTIC
STA. 90+75 - STA. 92+13 (DASHED RT)
STA. 92+13 - STA. 100+06 (DASHED LT)
STA. 92+13 - STA. 106+50 (SOLID RT)
STA. 100+06 - STA. 106+50 (SOLID LT) | 646.612 TEMPORARY 4 INCH YELLOW LINE, PAINT
STA. 90+75 - STA. 92+13 (DASHED RT)
STA. 92+13 - STA. 100+06 (DASHED LT)
STA. 92+13 - STA. 106+50 (SOLID RT)
STA. 100+06 - STA. 106+50 (SOLID LT) | STA. 105+08 LT "TYPE D GRATE" | 676.10 DELINEATOR WITH STEEL POST
STA. 96+76.00 RT
STA. 103+26.00 RT |

- 621.20 STEEL BEAM GUARDRAIL, GALVANIZED
STA. 97+13.50 - STA. 102+88.50 RT
- 621.50 MANUFACTURED TERMINAL SECTION, FLARED
STA. 96+76.00 - STA. 97+13.50 RT
STA. 102+88.50 - STA. 103+26.00 RT
- 675.50 REMOVING SIGNS
AS SHOWN - 4
- 675.60 ERECTING SALVAGED SIGNS
AS SHOWN - 3

Curve # 37
Delta= 20°05'38.79"
D= 1°35'29.58"
T= 637.83'
L=1262.55'
R= 3600.00'
BANKING 0.032 FT/FT
150' RUNOFF (50 MPH)
SEE SUPERELEVATION SHEET 4
FOR BANKING DETAIL



- SIGN LEGEND**
R = REMOVE
R&S = REMOVE AND SALVAGE
S = SALVAGE
RET = RETAIN
N = NEW
B-B = BACK TO BACK

- LEGEND**
□ = UTILITY POLE
○ = HYDRANT
⊠ = CATCH BASIN / DROP INLET

PROJECT LAYOUT SHEET 11

PROJECT NAME: CHLSEA-VERSHIRE	PLOT DATE: 28-OCT-2011 13:36
PROJECT NUMBER: STP 2331(1)S	DRAWN BY: BMB
FILE NAME: 01c040.dgn	CHECKED BY: EPD
PROJECT LEADER: CDL	SHEET 26 OF 55
DESIGNED BY: BMB	
PLOT FILE: 01c040_26.i	

NOT TO SCALE