

SEEDING FORMULA URBAN AREA

% MASS	kg/ha	NAME	PUR %	GERM %
42.5	38.0	CREeping RED FESCUE	98	85
10.0	9.0	PERENNIAL RYE GRASS	95	90
42.5	38.0	KENTUCKY BLUE GRASS	85	85
5.0	5.0	ANNUAL RYE GRASS	95	85
100.0	90.0			

SEED MIXTURE: SHALL NOT HAVE A WEED CONTENT EXCEEDING 0.40% BY MASS AND SHALL BE FREE OF ALL NOXIOUS SEED.


SEED: TO BE APPLIED PER SEEDING FORMULAS OR AS DIRECTED BY THE RESIDENT ENGINEER.

FERTILIZER: FORMULA 10-20-10, TO BE USED WITH SEED, APPLIED AT THE RATE OF 560 kg/ha. (HYDRO SEEDERS MAY USE 19-19-19 FORMULA).

AGRICULTURAL LIMESTONE: TO BE APPLIED AT THE RATE OF 4500 kg/ha, OR AS DIRECTED BY THE RESIDENT ENGINEER.

HAY MULCH: TO BE PLACED ON THE EARTH SLOPES AT THE RATE OF 4500 kg/ha, OR AS DIRECTED BY THE RESIDENT ENGINEER.

TOPSOIL: TO BE USED WITH SEED AS INDICATED ON THE PLANS, OR AS DIRECTED BY THE RESIDENT ENGINEER.




BRIDGE COLD PLANE DETAIL


NOT TO SCALE

LOCATION

BRIDGE #102 STA 2+643 TO STA 2+679



TOP VIEW




APPROACH AREA DETAIL

NOT TO SCALE

LOCATION

STA 0+885	VT RTE 30	- BEGIN COLD PLANING
STA 2+310	VT RTE 30 (TH 57)	- END COLD PLANING
STA 2+391	VT RTE 30 (TH 6)	- END COLD PLANING
STA 2+487	VT RTE 30 (TH 51)	- END COLD PLANING
STA 2+507	VT RTE 30 (TH 69)	- END COLD PLANING
STA 2+609	VT RTE 30 (TH 68)	- END COLD PLANING
STA 2+620	VT RTE 30 (TH 51)	- END COLD PLANING
STA 2+725	VT RTE 30 (SA 8)	- END COLD PLANING
STA 2+863	VT RTE 30 (SA 5)	- END COLD PLANING
STA 2+897	VT RTE 30	- END COLD PLANING
STA 0+538	VT RTE 125	- BEGIN COLD PLANING
STA 0+685	VT RTE 125 (TH 59)	- END COLD PLANING
STA 0+770	VT RTE 125 (TH 58)	- END COLD PLANING
STA 1+220	VT RTE 125 (TH 61)	- END COLD PLANING
STA 1+233	VT RTE 125 (TH 57)	- END COLD PLANING
STA 1+483	VT RTE 125 (VT 23)	- END COLD PLANING




ELEVATION VIEW

BULB-OUT DETAIL

NOT TO SCALE

LOCATION

STA 2+515 TO 2+517 LT



PARKING SPACE MARKING DETAIL

NOT TO SCALE

PROJECT TYPICAL SHEET 2

PROJECT NAME:	MIDDLEBURY	FILE NAME:	/pave/0ld048/pd048.dgn	PLOT DATE:	06-OCT-2008 13:0
PROJECT NUMBER:	STP 2304(I)S	PROJECT LEADER:	PTS	DRAWN BY:	MRS
		IPARM FILE NAME:	pd048ty02.i	CHECKED BY:	NLL
				SHEET II	OF 103

NOTE: ALL DIMENSIONS IN MILLIMETERS EXCEPT AS INDICATED