

646.414 DURABLE 6" WHITE LINE (MOD.) (RETROREFLECTIVITY/INLAID)  
 (ALL LINES WILL INCLUDE EDGE LINE BREAKS AND RADIUS FOR TOWN HIGHWAYS)

CLARENDON:  
 STA. 128+00.00 - STA. 144+00.00 DASHED LINE C/L  
 STA. 128+00.00 - STA. 129+65.00 EDGE LINE LT  
 STA. 128+00.00 - STA. 129+10.00 DASHED LANE LINE LT  
 STA. 134+65.00 - STA. 144+00.00 EDGE LINE LT  
 STA. 135+35.00 - STA. 136+75.00 DASHED LANE LINE LT  
 STA. 136+75.00 - STA. 140+50.00 DOTTED LANE LINE LT

646.415 DURABLE 6" YELLOW LINE (MOD.) (RETROREFLECTIVITY/INLAID)  
 (ALL LINES WILL INCLUDE EDGE LINE BREAKS AND RADIUS FOR TOWN HIGHWAYS)

CLARENDON:  
 STA. 128+00.00 - STA. 144+00.00 EDGE LINE RT

646.44 DURABLE 12" WHITE LINE (MOD.) (RETROREFLECTIVITY/INLAID)

CLARENDON:  
 STA. 129+10.00 - STA. 129+65.00 SOLID LANE LINE LT  
 STA. 134+65.00 - STA. 135+35.00 SOLID LANE LINE LT

646.614 TEMPORARY 6" WHITE LINE (PAINT)  
 (ALL LINES WILL INCLUDE EDGE LINE BREAKS AND RADIUS FOR TOWN HIGHWAYS)


CLARENDON:  
 STA. 128+00.00 - STA. 144+00.00 DASHED LINE C/L  
 STA. 128+00.00 - STA. 129+65.00 EDGE LINE LT  
 STA. 128+00.00 - STA. 129+10.00 DASHED LANE LINE LT  
 STA. 134+65.00 - STA. 144+00.00 EDGE LINE LT  
 STA. 135+35.00 - STA. 136+75.00 DASHED LANE LINE LT  
 STA. 136+75.00 - STA. 140+50.00 DOTTED LANE LINE LT

646.615 TEMPORARY 6" YELLOW LINE (PAINT)  
 (ALL LINES WILL INCLUDE EDGE LINE BREAKS AND RADIUS FOR TOWN HIGHWAYS)

CLARENDON:  
 STA. 128+00.00 - STA. 144+00.00 EDGE LINE RT

646.64 TEMPORARY 12" WHITE LINE (PAINT)

CLARENDON:  
 STA. 129+10.00 - STA. 129+65.00 SOLID LANE LINE LT  
 STA. 134+65.00 - STA. 135+35.00 SOLID LANE LINE LT



213.10 MILLED RUMBLE STRIPS

CLARENDON:  
 STA. 128+00.0 - STA. 144+00.0 RT (1600 LF)  
 STA. 140+50.0 - STA. 144+00.0 LT (350 LF)

604.412 REHABING DI, CB OR MH, CLASS I

CLARENDON:  
 STA. 129+83.0 RT  
 STA. 131+29.0 LT  
 STA. 134+22.0 LT  
 STA. 134+22.0 RT

676.10 DELINEATORS WITH STEEL POSTS

♀ TYPE I WHITE      ● TYPE I AMBER      ♂ TYPE II WHITE

CLARENDON:  
 STA. 132+00.0 LT      STA. 129+36.0 RT      STA. 129+00.0 LT  
 STA. 142+56.0 LT      STA. 132+00.0 RT      STA. 130+00.0 LT  
 STA. 134+64.0 RT      STA. 137+28.0 RT      STA. 134+50.0 LT  
 STA. 139+92.0 RT      STA. 136+50.0 LT      STA. 135+50.0 LT  
 STA. 142+56.0 RT      STA. 137+50.0 LT      STA. 136+50.0 LT  
 STA. 138+50.0 LT  
 STA. 139+50.0 LT  
 STA. 140+50.0 LT

NOTE:

I. PARKING AREA TO BE COLD PLANED 2 1/2", LEVEL WITH TYPE IVS AND PAVE WITH 2" OF TYPE III'S OR AS DIRECTED BY THE RESIDENT ENGINEER.

SIGN LEGEND  
 R = REMOVE  
 S = SALVAGE  
 N = NEW  
 RET = RETAIN  
 B-B = BACK TO BACK  
 EXISTING = - - - - -  
 NEW = \_\_\_\_\_

<b>PROJECT LAYOUT SHEET #11</b>	PROJECT NAME: WALLINGFORD - RUTLAND TOWN	PLOT DATE: \$DATE\$
	PROJECT NUMBER: NH 2408(1)S	DRAWN BY: C.A.K.
	FILE NAME: p04b050.dgn	CHECKED BY: D.E.G.
	DESIGNED BY: J.S.P.	SHEET 23 OF 80
	IPARM FILE: p04b050LI.I	