

# ITEM DETAIL SUMMARY SHEET 3

STATION		POS.	203.15	203.16	203.30	301.28	402.12 (MOD.)	NEW PIPE			604.40	604.412	616.35	525.41	525.41	501.25	507.15	621.20	621.20	621.505	621.60	621.21	621.80	REMARKS
BEGIN	END		COMMON EXCAV. CY	SOLID ROCK EXCAV. CY	EARTH BORROW CY	SUBBASE OF CR. GRAVEL T	AGGREGATE SHOULDERS T	D	L	TH/CL	GRATE TYPE EA	CHAN ELEV EA	REHAB DI CLASS I EA	TREATED TIMBER CURB LF	BRIDGE RAIL-H.D. STEEL BEAM FASCIA MTD (MOD. 1) LF	BRIDGE RAIL-H.D. STEEL BEAM FASCIA MTD (MOD. 3) LF	CONC. CLASS B CY	REINF. STEEL LB	STEEL BEAM G.R. LF	STEEL BEAM G.R. (MOD) LF	MANUFACT. TERMINAL SECTION EA	ANCHOR FOR STEEL BEAM RAIL EA	HEAVY DUTY STEEL BEAM GUARD RAIL LF	
252+71		RT										I												REHAB THROAT DI IN DITCH
264+35		LT										I												REHAB DI
265+91		RT									I													CHANGE ELEVATION OF SMH (T-19)
268+69	271+73	LT	10/24/05		50	10												316.5 <del>300</del>			2		304	REMOVE AND DISPOSE EXISTING GUARD RAIL ,REPLACE W/NEW STEEL BEAM GUARD RAIL NEW ANCHORS AT STA. 268+81LT AND STA. 271+61LT.
272+13	279+67	LT			50	10												779 <del>750</del>			2		754	REMOVE AND DISPOSE EXISTING GUARD RAIL ,REPLACE W/NEW STEEL BEAM GUARD RAIL NEW ANCHORS AT STA. 272+25 LT AND STA. 279+55 LT.
307+88		RT										I												REHAB DI
378+12		RT									I													CHANGE ELEVATION OF SMH
380+64		RT									I													CHANGE ELEVATION OF SMH
						500	18"	1855	CPEP(SL)	I2-E						35	2780							QUANTITIES ARE FOR THE CONSTRUCTION OF CLOSED DRAINAGE SYSTEM BETWEEN MM 0.601 - MM 1.200 AND RELATED CURB WORK. ALL WORK NON-GOVT PARTICIPATING.
		SUBTOTAL			100	500	20	18"	1855	CPEP(SL)	I2-E	3	3			35	2780	1050			4		1058	
		GRAND TOTAL			750	500	150	18"	1855	CPEP(SL)	I2-E	15	19	31.5	413	35	2780	5729			30	50	6064.5	