


# REINFORCING STEEL SCHEDULE

R	O	ITEM	EACH	SIZE	LENGTH	MARK	TYPE	A	B	C	D	E	F	G	H	J	K	R	O	
		<b>ABUTMENT # 2</b>																		
		76	5	23'-2"	2A501	STR 23'-2"														
		72	5	21'-5"	2A503	STR 21'-5"														
		41	5	21'-0"	2A505	STR 21'-0"														
		39	5	12'-1"	2A506	STR 12'-1"														
		20	5	3'-6"	2A507	STR 3'-6"														
		43	5	5'-11"	2A502	STR 5'-11"			2'-2"	1'-7"	2'-2"									
		42	6	15'-11"	2A601	STR 15'-11"			4'-5"	11'-6"										
		39	7	10'-9"	2A701	STR 10'-9"														
		90	9	17'-6"	2A902	STR 17'-6"														
		39	9	17'-8"	2A901	STR 17'-8"			10'-1"	7'-7"										
		<b>WINGWALL # 3</b>																		
		38	5	15'-9"	3W501	STR 15'-9"														
		44	5	13'-4"	3W503	STR 13'-4"														
		2	5	13'-1"	3W504	STR 13'-1"														
		15	5	21'-4"	3W505	STR 21'-4"														
		14	5	12'-1"	3W506	STR 12'-1"														
		15	5	5'-11"	3W502	STR 5'-11"			2'-2"	1'-7"	2'-2"									
		69	5	9'-4"	3W508	STR 9'-4"			4'-8"	4'-8"										
		14	7	13'-0"	3W701	STR 13'-0"														
		14	7	0'-0"	3W702	STR 0'-0"			11'-6"	5'-9"										
		14	7	6'-9"	3W703	STR 6'-9"			5'-9"	1'-0"										
		16	8	19'-3"	3W801	STR 19'-3"			11'-9"	7'-6"										
		34	9	17'-6"	3W901	STR 17'-6"														
		<b>WINGWALL # 4</b>																		
		38	5	12'-10"	4W501	STR 12'-10"														
		42	5	10'-4"	4W503	STR 10'-4"														
		2	5	10'-9"	4W504	STR 10'-9"														
		12	5	19'-4"	4W505	STR 19'-4"														
		11	5	10'-1"	4W506	STR 10'-1"														
		12	5	5'-11"	4W502	STR 5'-11"			2'-2"	1'-7"	2'-2"									
		66	5	9'-4"	4W508	STR 9'-4"			4'-8"	4'-8"										
		11	7	13'-0"	4W701	STR 13'-0"														
		14	7	0'-0"	4W702	STR 0'-0"			11'-6"	5'-9"										
		11	7	6'-9"	4W703	STR 6'-9"			5'-9"	1'-0"										
		14	8	19'-3"	4W801	STR 19'-3"			11'-9"	7'-6"										
		27	9	17'-6"	4W901	STR 17'-6"														
		<b>APPROACH SLAB # 2</b>																		
		17	5	29'-6"	2EA501	STR 29'-6"														
		62	6	16'-1"	2EA901	STR 16'-1"			14'-6"											

## ~ NOTES ~

- UNLESS OTHERWISE DESIGNATED, ALL BAR REINFORCEMENT FOR CONCRETE IN SIZES UP TO AND INCLUDING NO. 18 SHALL CONFORM TO THE REQUIREMENTS OF THE SPECIFICATIONS FOR DEFORMED BILET-STEEL BARS FOR CONCRETE REINFORCEMENT, ASTM A 615 (ASTM A 615-5). ALL BARS SHALL BE GRADE 60, UNLESS OTHERWISE DESIGNATED.
- FOR TYPICAL BENDING DETAILS, RECOMMENDED PIN DIAMETER "D" OF BENDS AND HOOKS, AND OTHER STANDARD PRACTICE, SEE CURRENT CONCRETE REINFORCING STEEL INSTITUTE MANUAL OF STANDARD PRACTICE.
- BARS WHICH REQUIRE MORE ACCURATE BENDING THAN STANDARD PRACTICES SHOULD HAVE LIMITS INDICATED.
- ALL DIMENSIONS ARE OUT TO OUT OF BAR EXCEPT "A" AND "G" ON STANDARD 180 DEGREE AND 135 DEGREE HOOKS.
- "J" DIMENSION ON 180 DEGREE HOOKS TO BE SHOWN ONLY WHERE NECESSARY TO RESTRICT HOOK SIZE. OTHERWISE, STANDARD HOOKS ARE TO BE USED.
- "H" DIMENSION ON STIRRUPS TO BE SHOWN ONLY WHEN NECESSARY TO MAINTAIN CLEARANCES.
- WHERE SLOPE DIFFERS FROM 45 DEGREES, DIMENSIONS "H" AND "K" MUST BE SHOWN.
- ▲ DENOTES BARS TO BE CUT IN FIELD.
- \* DENOTES ONE EXTRA BAR ADDED FOR TESTING PURPOSES.
- △ DENOTES TWO EXTRA BARS ADDED FOR TESTING PURPOSES.
- E IN BAR MARK PREFIX DENOTES EPOXY COATED REINFORCING STEEL.



### ASME STANDARD REINFORCING BARS

BAR SIZE DESIGNATION	WEIGHT PER FOOT	NOMINAL DIAMETER INCHES	AREA INCHES <sup>2</sup>	PERIMETER INCHES
#3	0.376	0.375	0.11	1.178
#4	0.668	0.500	0.20	1.571
#5	1.043	0.625	0.31	1.963
#6	1.502	0.750	0.44	2.356
#7	2.044	0.875	0.60	2.749
#8	2.670	1.000	0.79	3.142
#9	3.400	1.128	1.00	3.544
#10	4.303	1.270	1.27	3.990
#11	5.313	1.410	1.56	4.430
#14	7.65	1.693	2.25	5.32
#18	13.60	2.257	4.00	7.09

PROJECT NAME: CANANAN  
 PROJECT NUMBER: ER ST 0271(16)  
 FILE NAME: 04cd098  
 PROJECT MANAGER: M.EVANS-MONGEON  
 DESIGNED BY: S.SCRIBNER  
 REINFORCING STEEL SCHEDULE SHEET #1

PLOT DATE: 4/22/2008  
 DRAWN BY: L.DUQUETTE  
 CHECKED BY: M.EVANS-MONGEON  
 SHEET 51 OF 66