



CONSTRUCT SIDEWALK RAMP		
CL STATION	OFFSET	TYPE
14+46	46.44' LT	I
15+58	46.69' LT	I

PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH	
STA. 31+11, 96.6' RT - STA. 33+00, 26.7' RT	
STA. 30+85, 75.2' LT - STA. 30+90, 50.9' LT	

REMOVAL OF EXISTING CURB	
STA. 14+17, 40.3' LT - STA. 31+54, 24.0' LT	
STA. 15+88, 40.0' LT - STA. 31+49, 8.4' RT	
STA. 29+98, 10.1' RT - STA. 30+36, 22.0' RT	

CAST-IN-PLACE CONCRETE CURB, TYPE B	
STA. 14+17, 40.3' LT - STA. 31+66, 26.0' LT	
STA. 15+88, 40.0' LT - STA. 31+68, 15.0' RT	

VERTICAL GRANITE CURB	
STA. 29+95, 14.3' RT - STA. 30+36, 22.0' RT	

REMOVAL OF EXISTING FENCE	
STA. 31+55, 41.0' LT - STA. 31+55, 74.3' LT	
STA. 31+55, 24.6' RT - STA. 31+55, 60.4' RT	

SOLID ROCK EXCAVATION	
STA. 30+88, 75.6' LT - STA. 30+93, 48.0' LT	
STA. 31+10, 64.7' RT - STA. 31+13, 96.3' RT	

SPECIAL PROVISION (SAW CUTTING SURFACES AND PAVEMENTS)
~~STA. 14+17, 40.0' LT - STA. 15+88, 40.0' LT - 171'~~
~~STA. 14+48, 24.0' RT - STA. 15+00, 24.0' RT - 52'~~
 STA. 29+75, 13.0' RT - STA. 30+33, 10.0' RT - 58'

REMOVING AND RESETTING FENCE (ORNAMENTAL)
 STA. 31+77, 65.0' LT - STA. 33+00, 93.0' LT (REMOVE)

RECORD DRAWING
DATE: DECEMBER 21, 2012

- NOTES:
- SIDEWALK RAMPS SHALL BE CONSTRUCTED IN ACCORDANCE WITH VTRANS STANDARDS C-3A AND C-3B.
 - DETECTABLE WARNING SURFACES SHALL BE CONSTRUCTED AT SIDEWALK RAMPS IN ACCORDANCE WITH VTRANS STANDARDS C-3A AND C-3B. DETECTABLE WARNING SURFACES SHALL BE CAST IRON. SEE SIGNING/PVT MARKING PLANS FOR LOCATIONS.
 - REMOVE AND RESET EXISTING ENTRANCE TO CAMP JOHNSON TO BE PAID AS ITEM 900.6206 SPECIAL PROVISION (REMOVE AND RESET BLOCK WALL). SEE GENERAL PLAN GP-3 FOR INSTALLATION LOCATION.

REVISION	BY	DATE
ADDENDUM - 1	JBL	01/24/11

0 20 40
SCALE

PROJECT NAME:	COLCHESTER CAMPUS CONNECTOR
PROJECT NUMBER:	TCSP TCSE (007)
FILE NAME: ...\plotfiles\058-065_Gen.plt	PLOT DATE: 4/22/2011
PROJECT LEADER: JBL	DRAWN BY: PZA
DESIGNED BY: TFD	CHECKED BY: GGG
GENERAL PLAN GP-4	SHEET 61 OF 153