



646.402 DURABLE 4 INCH WHITE LINE, THERMOPLASTIC  
 (ALL LINES WILL INCLUDE EDGE LINE BREAKS AND RADIUS FOR TOWN HIGHWAYS)  
 BRIDGEWATER:  
 STA. 64+00.00 - STA. 80+00.00 LT & RT

646.412 DURABLE 4 INCH YELLOW LINE, THERMOPLASTIC  
 (ALL LINES WILL INCLUDE C/L BREAKS FOR TOWN HIGHWAYS) S=SOLID, D=DASHED  
 BRIDGEWATER:  
 STA. 64+00.00 - STA. 69+15.00 LT C RT  
 STA. 64+00.00 - STA. 69+15.00 D - S  
 STA. 69+15.00 - STA. 80+00.00 S - S  
 STA. 69+69.60 DOUBLE SOLID RT, TH-41

646.482 DURABLE 24 INCH STOP BAR, THERMOPLASTIC  
 BRIDGEWATER:  
 STA. 69+69.60 RT, TH-41

646.492 DURABLE LETTER OR SYMBOL, THERMOPLASTIC  
 BRIDGEWATER:  
 STA. 69+69.60 RT, TH-41 "S,T,O,P" (4 EA)

646.602 TEMPORARY 4 INCH WHITE LINE, PAINT  
 (ALL LINES WILL INCLUDE EDGE LINE BREAKS AND RADIUS FOR TOWN HIGHWAYS)  
 BRIDGEWATER:  
 STA. 64+00.00 - STA. 80+00.00 LT & RT

646.612 TEMPORARY 4 INCH YELLOW LINE, PAINT  
 (ALL LINES WILL INCLUDE C/L BREAKS FOR TOWN HIGHWAYS) S=SOLID, D=DASHED  
 BRIDGEWATER:  
 STA. 64+00.00 - STA. 69+15.00 LT C RT  
 STA. 64+00.00 - STA. 69+15.00 D - S  
 STA. 69+15.00 - STA. 80+00.00 S - S

646.682 TEMPORARY 24 INCH STOP BAR, PAINT  
 BRIDGEWATER:  
 STA. 69+69.60 RT, TH-41

646.692 TEMPORARY LETTER OR SYMBOL, PAINT  
 BRIDGEWATER:  
 STA. 69+69.60 RT, TH-41 "S,T,O,P" (4 EA)

675.50 REMOVING SIGNS  
 AS SHOWN - 9

675.60 ERECTING SALVAGED SIGNS  
 AS SHOWN - 1

621.20 STEEL BEAM GUARDRAIL, GALVANIZED  
 BRIDGEWATER: 35.5 98  
 STA. 64+37.0 - STA. 65+99.5 LT (162.5 LF)  
 STA. 64+43.5 - STA. 65+68.5 RT (125.0 LF)  
 STA. 68+20.5 - STA. 68+33.0 RT (12.5 LF)  
 STA. 68+51.5 - STA. 69+14.0 LT (62.5 LF)

621.205 STEEL BEAM GUARDRAIL, GALVANIZED W/8 FEET POSTS  
 BRIDGEWATER:  
 STA. 70+32.5 - STA. 79+32.5 LT (900.0 LF)

621.50 MANUFACTURED TERMINAL SECTION, FLARED  
 BRIDGEWATER: 98 35.5  
 STA. 63+99.5 - STA. 64+37.0 LT  
 STA. 64+06.0 - STA. 64+43.5 RT  
 STA. 68+33.0 - STA. 68+70.5 RT  
 STA. 69+14.0 - STA. 69+51.5 LT  
 STA. 69+95.0 - STA. 70+32.5 LT  
 STA. 79+32.5 - STA. 79+70.0 LT

621.70 GUARDRAIL APPROACH SECTION, GALVANIZED TYPE I  
 BRIDGEWATER:  
 STA. 65+68.5 - STA. 66+18.5 RT  
 98 STA. 65+99.5 - STA. 66+49.5 LT 48  
 STA. 67+70.5 - STA. 68+20.5 RT  
 STA. 68+01.5 - STA. 68+51.5 LT

621.80 REMOVAL AND DISPOSAL OF GUARDRAIL  
 BRIDGEWATER:  
 STA. 64+11.0 - STA. 66+49.5 LT (238.5 LF)  
 STA. 64+18.0 - STA. 66+18.5 RT (200.5 LF)  
 STA. 67+70.5 - STA. 68+20.0 RT (49.5 LF)  
 STA. 68+01.5 - STA. 69+52.0 LT (90.5 LF)  
 STA. 69+94.0 - STA. 79+70.0 LT (976.0 LF)

676.10 DELINEATOR WITH STEEL POST  
 ♀ TYPE I WHITE

BRIDGEWATER:  
 STA. 64+06.0 RT  
 STA. 68+70.5 RT  
 STA. 69+51.5 LT  
 STA. 69+95.0 LT  
 STA. 79+70.0 LT

SIGN LEGEND  
 R = REMOVE  
 S = SALVAGE  
 N = NEW  
 RET = RETAIN  
 B-B = BACK TO BACK  
 EXISTING = -----  
 NEW = \_\_\_\_\_

- NOTES:
- PAVING LIMIT ON ALL TOWN HIGHWAYS SHALL BE MEASURED 25 FT BACK FROM U.S. ROUTE 4 EDGE OF SHOULDER UNLESS DENOTED OTHERWISE ON THE PLANS OR AS DIRECTED BY THE RESIDENT ENGINEER.
  - SEE SHEET 67 FOR BRIDGE 38 DETAILS.
  - THERE ARE FIVE EXISTING DRAINAGE STRUCTURES LOCATED IN EACH OF THE EASTBOUND AND WESTBOUND SHOULDERS ON BR 38. HEIGHT ADJUSTMENTS OR REHABILITATIONS WILL NOT BE REQUIRED.
  - THERE ARE EXISTING UNDERGROUND UTILITIES LOCATED THROUGHOUT THE U.S. ROUTE 4 CORRIDOR IN THE PROJECT AREA. THE CONTRACTOR IS RESPONSIBLE FOR CONTACTING "DIG SAFE" AT 1-888-344-7233 TO DETERMINE THE LOCATIONS OF THESE UTILITIES PRIOR TO PERFORMING ANY SUBSURFACE OPERATIONS.

<b>PROJECT LAYOUT SHEET #9</b>	PROJECT NAME: KILLINGTON - BRIDGEWATER	PLOT DATE: 15-MAY-2008 14
	PROJECT NUMBER: NH 2502(1)S	DRAWN BY: C.A.K.
	FILE NAME: p05b036.dgn	CHECKED BY: D.E.G.
	DESIGNED BY: J.S.P.	SHEET 21 OF 74
	IPARM FILE: p05b036i09.i	