

# TRAFFIC SIGN SUMMARY SHEET 23

MILEMARKER, STATION, OR SIGN NUMBER	SIGN LEGEND	SIGN DIMENSIONS		NEW & SALVAGED SIGNS				EXIST POST RETAIN SALVAGE	NO. OF POSTS	NEW SIGN POSTS																REMARKS	SIGN DETAIL					
		E A	WIDTH (In)	HEIGHT (In)	"A"	"B"	SALV SIGN			SALV TIS	FLANGED CHANNEL			SQUARE STEEL (In)			TUBULAR ALUMINUM Ø (In)			TUBULAR STEEL Ø (In)				W-SHAPE STEEL			REQUIRE SIGNED	DETAIL ON DWG. NUMBER	STD. SHEET NUMBER			
											lb/ft			1.75	2.0	2.5	3.0	4.0	4.0 MOD	FOUND- ATION	3.0	3.5	4.0	5.0	FTG. SIZE					WEIGHT	POST SIZE	
											1.12	2.0	3.0	1.88	2.16	3.35	1.3	1.7	1.7		lb/ft				24"							30"

OPTION ITEMS																															
BRIDGEWATER: 311+80.0, LT	R-2		21	15	2.19					1			16.0'	X		X		X												SIGN ID CODE M2-1	E-136B
			30	24	5.00																								SIGN ID CODE MI-5	E-136B	
312+54.0, LT	R-2									1		14.0'	X		X		X												SALVAGED SIGN TO BE MOUNTED ON NEW POST. TOP MOUNTING BRACKET REQUIRED TO INSTALL SALVAGED SIGN ON NEW POST. COSTS ASSOCIATED WITH THIS BRACKET ARE INCIDENTAL TO THE SIGN POST.	-	-
			30	30	6.25																								BACK-TO-BACK SIGN ID CODE RI-1 SIGN ID CODE VD-700	E-143 E-138	
313+00.0, LT	R-1		24	30	5.00					1		14.0'	X		X		X												SIGN ID CODE VR-017	E-141	
313+75.0, LT	R-1		30	18	3.75					1		12.0'	X		X		X													E-128A E-128B	
314+44.0, RT	R-1		36	36	9.00					2		14.0'	X																SIGN SHALL BE MOUNTED ON TWO FLANGED CHANNEL POSTS SIGN ID CODE VW-619	E-151	
316+46.0, RT	R-1		36	36	9.00					1		14.0'	X		X		X												SIGN ID CODE WI-4R	62	
316+80.0, RT			6	10	0.42					1	X	12.0'	X		X		X												SIGN ID CODE VD-700	E-138	

FINAL POST LENGTHS ARE TO BE DETERMINED IN THE FIELD. POST SIZES ARE COMPUTED BASED ON INFORMATION FURNISHED ON THE STANDARD SHEETS AND THE TRAFFIC OPERATIONS SECTION "SIGN POST DESIGN GUIDELINE."

											LF	LF	LF	LF	LF	LF	EA.	LB	LB	LB	LB	LB	LB	EA.	EA.	LB	
											14.0	14.0	70.0	70.0	70.0	70.0											
											96.0			96.0				96.0									
											LF	LF	LF	LF	LF	EA.	LB	LB	LB	LB	EA.	EA.	LB				
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									
											84.0	84.0	84.0	84.0	84.0												
											96.0			96.0				96.0									