NOTES

1. INSTALL SILT FENCE TO CONTROL SEDIMENT FROM DISTURBED SOILS. INSTALL WHEN NEEDED.
2. SEED AND MULCH DISTURBED AREAS AS REQUIRED. SEE EROSION CONTROL NARRATIVE ON SHEET #26.
3. INSTALL EROSION CONTROL MATTING ON DISTURBED SLOPES GREATER THAN 1:3.

EROSION AND SEDIMENT CONTROL INDEX	
NO.	DESCRIPTION
(1)	INSTALL SILT FENCE TO CONTAIN SEDIMENT AS REQUIRED
(2)	PROJECT LIMITS DEMARCATION FENCE (SNOW FENCE (MOD.-PDF))
(3)	TURBIDITY CURTAIN
(4)	SEED AND MULCH. Apply to disturbed areas as needed.
(5)	EROSION CONTROL MATTING

NOTE: ALL DISTURBED AREAS WITH SLOPES GREATER THAN 1:3 WILL REQUIRE TEMPORARY EROSION MATTING. SEE EROSION CONTROL DETAIL SHEETS AND CROSS SECTIONS.

N

MAGNETIC

PERMANENT CHANNEL EASEMENT

PERMANENT SLOPE EASEMENT

EXISTING TOWN ROW

EXISTING STATE ROW

SADAWGA BROOK

SHED

GRAVEL DRIVE

OLD PENSTOCK

RUSSELL LANE (NO. NINE ROAD)

VT 100 TO READSBORO

VT 100 TO JACKSONVILLE

21+40 TH #12 BRICKHOUSE RD.

1+00 2+00 3+00 4+00 5+00 6+00 7+00

1500 1510 1520 1530 1540

PDF

SOIL CLASSIFICATION

WORDEN LOAM
SLOPES: 15-25%
"K FACTOR" 0.49
HIGHLY ERODIBLE LAND

SOIL CLASSIFICATION

WORDEN LOAM
SLOPES: 15-25%
"K FACTOR" 0.49
HIGHLY ERODIBLE LAND

LEGEND

- T——T— TURBIDITY CURTAIN
- SILT FENCE
- EROSION CONTROL MATTING
- SEED AND MULCH
- PDF——PDF PROJECT DEMARCATION FENCE
- RIPARIAN BUFFER ZONE

DATUM
VERTICAL ASSUMED
HORIZONTAL ASSUMED

SEE AMENDED EP&SC PLAN

EROSION PREVENTION AND SEDIMENT CONTROL PLAN

SCALE 1" = 20'-0
20 0 20

PROJECT: WHITINGHAM
PROJECT NO.: ST CULV(6)

DESIGN FILE NAME: 05c128/Structures/s05c128bdr.dgn
IPARM FILE NAME: s05c128aro.i
PLOT DATE: 08-MAR-2006
SURVEYED BY: L. ORVIS
SURVEY DATE: 06/2005
SQUAD LEADER: C.P. WILLIAMS
DRAWN BY: M. FESSEL
EROSION & SEDIMENT CONTROL PLAN
SHEET: 28 OF 34