



646.202 DURABLE 3 INCH WHITE LINE, THERMOPLASTIC OR  
 646.403 DURABLE 4 INCH WHITE LINE, EPOXY PAINT OR  
 646.404 DURABLE 4 INCH WHITE LINE, POLYUREA  
 (ALL LINES WILL INCLUDE EDGE LINE BREAKS AND  
 RADIUS FOR TOWN HIGHWAYS)  
 CASTLETON:  
 STA 170+75.00 - STA 176+75.00 EDGE LINE LT & RT  
 STA 171+62.0 - STA 171+80.0 NO PARKING HATCHING LT  
 646.412 DURABLE 4 INCH YELLOW LINE, THERMOPLASTIC OR  
 646.413 DURABLE 4 INCH YELLOW LINE, EPOXY PAINT OR  
 646.414 DURABLE 4 INCH YELLOW LINE, POLYUREA  
 (ALL LINES WILL INCLUDE C/L BREAKS FOR  
 TOWN HIGHWAYS) S=SOLID, D=DASHED  
 CASTLETON:  
 STA 170+75.00 - STA 176+75.00 LT S RT S  
 STA 171+38.88 DOUBLE SOLID RT, TH-4 S - S  
 STA 171+38.88 DOUBLE SOLID LT, TH-5 S - S  
 STA 176+24.64 DOUBLE SOLID RT, TH-10 S - S

646.602 TEMPORARY 4 INCH WHITE LINE, PAINT  
 (ALL LINES WILL INCLUDE EDGE LINE BREAKS AND  
 RADIUS FOR TOWN HIGHWAYS)  
 CASTLETON:  
 STA 170+75.00 - STA 176+75.00 LT S RT S  
 STA 171+38.88 DOUBLE SOLID RT, TH-4 S - S  
 STA 171+38.88 DOUBLE SOLID LT, TH-5 S - S  
 STA 176+24.64 DOUBLE SOLID RT, TH-10 S - S

646.482 DURABLE 24 INCH STOP BAR, THERMOPLASTIC OR  
 646.483 DURABLE 24 INCH STOP BAR, EPOXY PAINT OR  
 646.484 DURABLE 24 INCH STOP BAR, POLYUREA  
 CASTLETON:  
 STA 171+38.88 LT, TH-5  
 STA 171+38.88 RT, TH-4  
 STA 176+24.64 RT, TH-10  
 646.492 DURABLE LETTER OR SYMBOL, THERMOPLASTIC OR  
 646.493 DURABLE LETTER OR SYMBOL, EPOXY PAINT  
 CASTLETON:  
 STA 171+38.88 LT, TH-5 "S,T,O,P" (4 EA)  
 STA 171+38.88 RT, TH-4 "S,T,O,P" (4 EA)  
 STA 176+24.64 RT, TH-10 "S,T,O,P" (4 EA)

646.682 TEMPORARY 24 INCH STOP BAR, PAINT  
 CASTLETON:  
 STA 171+38.88 LT, TH-5  
 STA 171+38.88 RT, TH-4  
 STA 176+24.64 RT, TH-10  
 646.692 TEMPORARY LETTER OR SYMBOL, PAINT  
 CASTLETON:  
 STA 171+38.88 LT, TH-5 "S,T,O,P" (8 EA)  
 STA 171+38.88 RT, TH-4 "S,T,O,P" (8 EA)  
 STA 176+24.64 RT, TH-10 "S,T,O,P" (8 EA)  
 646.702 TEMPORARY CROSSWALK MARKING, PAINT  
 CASTLETON:  
 STA 171+38.33 LT, TH-5  
 STA 171+38.33 RT, TH-4  
 STA 171+58.00 LT & RT  
 STA 176+24.64 RT, TH-10

646.442 DURABLE 8 INCH WHITE LINE, THERMOPLASTIC OR  
 646.443 DURABLE 8 INCH WHITE LINE, EPOXY PAINT OR  
 646.444 DURABLE 8 INCH WHITE LINE, POLYUREA  
 CASTLETON:  
 STA 171+62.0 - STA 171+90.0 FIRE HYDRANT NO PARKING ZONE RT  
 STA 171+62.0 - STA 171+80.0 NO PARKING HATCHING LT  
 STA 176+44.0 - STA 176+56.0 FIRE HYDRANT NO PARKING ZONE RT

646.502 DURABLE CROSSWALK MARKING, THERMOPLASTIC OR  
 646.503 DURABLE CROSSWALK MARKING, EPOXY PAINT  
 CASTLETON:  
 STA 171+38.88 LT, TH-5  
 STA 171+38.88 RT, TH-4  
 STA 171+58.00 LT & RT  
 STA 176+24.64 RT, TH-10

675.50 REMOVING SIGNS  
 AS SHOWN - I-2 - II  
 675.60 ERECTING SALVAGED SIGNS  
 AS SHOWN - I

604.412, 604.415 OR 604.418 REHAB. DROP INLETS, CATCH  
 BASINS OR MANHOLES (SEE NOTE 1)  
 CASTLETON:  
 STA 171+27.0 RT  
 STA 171+31.0 LT  
 STA 173+01.0 RT  
 STA 173+01.0 LT  
 STA 176+35.0 RT  
 STA 176+56.0 RT

604.42 CHANGING ELEVATION OF SEWER MANHOLES  
 CASTLETON:  
 STA 171+13.0 RT  
 STA 173+14.0 LT  
 STA 174+05.0 RT  
 STA 175+30.0 LT  
 STA 176+23.0 RT  
 629.20 ADJUST ELEVATION OF VALVE BOX  
 CASTLETON:  
 STA 171+06.0 RT  
 STA 171+26.0 LT  
 STA 171+30.0 LT  
 STA 171+35.0 LT  
 STA 171+36.0 LT  
 STA 171+37.0 RT  
 STA 171+39.0 RT  
 STA 171+62.0 RT  
 STA 171+72.0 RT  
 STA 171+84.0 RT  
 STA 175+77.0 RT  
 STA 176+14.0 RT  
 STA 176+15.0 RT  
 STA 176+18.0 RT

616.28 CAST-IN-PLACE CONCRETE CURB, TYPE B  
 CASTLETON:  
 STA 171+22.0 LT (14.0 LF)  
 STA 171+22.0 RT (7.0 LF)  
 STA 171+58.0 LT (7.0 LF)  
 STA 171+58.0 RT (7.0 LF)

618.10 PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH  
 CASTLETON:  
 STA 171+22.0 LT (10.6 SY)  
 STA 171+22.0 RT (6.7 SY)  
 STA 171+58.0 LT (6.7 SY)  
 STA 171+62.0 RT (6.7 SY)  
 STA 176+12.0 RT (3.9 SY)  
 STA 176+35.0 RT (3.9 SY)

618.30 DETECTABLE WARNING SURFACE  
 CASTLETON:  
 STA 171+22.0 LT (10.0 SF)  
 STA 171+22.0 RT (10.0 SF)  
 STA 171+58.0 LT (10.0 SF)  
 STA 171+58.0 RT (10.0 SF)  
 STA 176+12.0 RT (10.0 SF)  
 STA 176+35.0 RT (10.0 SF)

- NOTES:
1. THE CONTRACTOR SHALL REHAB. THE EXISTING DROP INLETS, CATCH BASINS OR MANHOLES TO A DEPTH AS DIRECTED BY THE RESIDENT ENGINEER. ALL REHAB. WORK WILL BE PAID FOR UNDER THE APPLICABLE REHAB. ITEM AS DIRECTED BY THE RESIDENT ENGINEER. ALL EXISTING UTILITIES MARKED "TO REMAIN" SHALL NOT BE ALTERED OR REHABILITATED UNLESS DIRECTED OTHERWISE BY THE RESIDENT ENGINEER.
  2. SEE SHEET 8 FOR FIRE HYDRANT PAVEMENT MARKING DETAIL.
  3. NEW MILE MARKER SIGN TO BE INSTALLED ON THE EXISTING SIGN POST.

SIGN LEGEND  
 R = REMOVE  
 S = SALVAGE  
 N = NEW  
 RET = RETAIN  
 B-B = BACK TO BACK  
 EXISTING = - - - - -  
 NEW = \_\_\_\_\_

**PROJECT LAYOUT SHEET #5**

NOT TO SCALE

PROJECT NAME: CASTLETON  
 PROJECT NUMBER: STP 2908(I)  
 FILE NAME: p10c210.dgn  
 PROJECT LEADER: D.E.G.  
 DESIGNED BY: M.J.M.  
 IPARM FILE: p10c210I05.i

PLOT DATE: 04-JUN-2013 09:3  
 DRAWN BY: W.G.P.  
 CHECKED BY: D.E.G.  
 SHEET 102 OF 152