

ITEM DETAIL SUMMARY SHEET 4

LOCATION			MISCELLANEOUS										REMARKS
BEGIN MILE STA.	END MILE STA.	POS.	617.10 RELOCATE MAILBOX, SINGLE SUPPORT EACH	618.10 PORTLAND CEMENT CONC., 5 INCH SY	618.30 DETECTABLE WARNING SURFACE SF	619.17 YIELDING MARKER POSTS EACH	649.31 GEOTEXTILE UNDER STONE FILL SY	651.40 GRUBBING MATERIAL SY	653.20 TEMPORARY EROSION MATTING SY	676.10 DELINEATOR WITH STEEL POST EACH	676.12 REMOVAL OF EXIST. DELINEATOR EA		
VT ROUTE 78													
HIGHGATE													
317+95		RT											REMOVE 3 INCHES OF EXISTING GRAVEL IN PULL-OFF FOR OVERLAY
334+10.0	348+22.5	RT						36	21	71	2	2	INSTALL ANCHORS @ STA. 334+10.0 AND 348+22.5. SEE REDUCED POST SPACING DETAILS #1 & #2 ON SHEET 14. REPAIR SLOPE EROSION AT 344+84 - 344+90, 345+50 - 345+56 & 346+33 - 346+39. SEE DETAIL ON SHEET 17.
357+18.0		RT											REMOVE 4 INCHES OF EXISTING PAVEMENT AT MACHIA ROAD
377+69.5	381+94.5	RT								50	2	2	INSTALL ANCHORS @ STA. 377+69.5 AND 381+94.5
SHELDON													
9+52.5	12+02.5	RT								50	2	2	INSTALL ANCHORS @ STA. 9+52.5 AND 12+02.5
21+50.0		LT											REMOVE 4 INCHES OF EXISTING PAVEMENT AT RICE HILL ROAD
21+96.0		RT											REMOVE 4 INCHES OF EXISTING PAVEMENT AT SHAWVILLE ROAD
31+21.0	32+33.5	LT								50	2	2	INSTALL ANCHORS @ STA. 31+21.0 AND 32+33.5. SEE CULVERT SPAN DETAIL ON SHEET 14
31+21.0	32+33.5	RT								50	2	2	INSTALL ANCHORS @ STA. 31+21.0 AND 32+33.5. SEE CULVERT SPAN DETAIL ON SHEET 14
48+68.0	56+93.0	RT						12	7	57	2	2	INSTALL ANCHORS @ STA. 48+68.0 AND 56+93.0. REPAIR SLOPE EROSION AT 51+39 - 51+45. SEE DETAIL ON SHEET 17
69+12.5	81+75.0	RT						92	64	114	2	2	INSTALL ANCHORS @ STA. 69+12.5 AND 81+75.0. REPAIR SLOPE EROSION AT 69+69 - 69+75, 70+37 - 70+82, 76+34 - 76+40. SEE DETAIL ON SHEET 17
70+77.5	72+52.5	LT						12	7	57	2	2	INSTALL ANCHORS @ STA. 70+77.5 AND 72+52.5. REPAIR SLOPE EROSION AT 71+62 - 71+68. SEE DETAIL ON SHEET 17.
76+11.5	94+86.5	LT						44	29	79	2	2	INSTALL ANCHORS @ STA. 76+11.5 AND 94+86.5. REPAIR SLOPE EROSION AT 81+91 - 82+11, 91+08 - 91+14. SEE DETAIL ON SHEET 17.
82+31.5	92+44.0	RT						39	28	78	2	2	INSTALL ANCHORS @ STA. 82+31.5 AND 92+44.0. REPAIR SLOPE EROSION AT 88+95 - 89+20. SEE DETAIL ON SHEET 17.
SHEET 9 SUBTOTALS:			2	15	12	160	5567	192	6770	44	36		
SHEET 11 SUBTOTALS:			-	-	-	-	235	156	656	20	20		
SUBTOTALS:			2	15	12	160	5802	348	7426	64	56		
ROUNDING:			-	1	-	-	48	7	74	-	-		
TOTALS:			2	16	12	160	5850	355	7500	64	56		

**ITEM
DETAIL
SUMMARY
SHEET #4**

PROJECT NAME: SWANTON-SHELDON
PROJECT NUMBER: STP 2715(1)

FILE NAME: p07ci86.dgn
PROJECT LEADER: JLL
DESIGNED BY: MCF

PLOT DATE: 4/24/2014
DRAWN BY: STANTEC
CHECKED BY: JLL
SHEET 11 OF 121