

646.402 DURABLE 4 INCH WHITE LINE, THERMOPLASTIC
 STA. 115+50 TO 121+50, SOLID LT & RT


646.602 TEMPORARY 4 INCH WHITE LINE, PAINT
 STA. 115+50 TO 121+50, SOLID LT & RT

675.50 REMOVING SIGNS
 AS SHOWN - 1

646.412 DURABLE 4 INCH YELLOW LINE, THERMOPLASTIC
 STA. 115+50 TO 121+50, SOLID LT & RT

646.612 TEMPORARY 4 INCH YELLOW LINE, PAINT
 STA. 115+50 TO 121+50, SOLID LT & RT

CURVE #12
 PC = STA. 114+10
 PT = STA. 120+12
 R = 2500'
 $\Delta = 13^\circ 48' 13.49''$, LT
 $D = 2^\circ 17' 30.59''$
 $e = 18.25'$
 $L = 602.30'$
 SEE SHEET 75 OF 116 FOR
 SUPERELEVATION DIAGRAM



NOTES:
 1. ALL EXISTING SIGNS NOT SHOWN SHALL BE RETAINED.
 2. FOR LEGENDS, SEE LAYOUT SHEET #1

NOT TO SCALE

PAVEMENT CORES =

#	TOTAL DEPTH (INCH)	PCC	COMMENTS
5	7 1/2"	NO	



PROJECT LAYOUT SHEET #13

PROJECT NAME: TROY	PLOT DATE: 25-OCT-2011 4:02
PROJECT NUMBER: STP 2717(1)	DRAWN BY: STANTEC
FILE NAME: p07b198.dgn	CHECKED BY: JLL
PROJECT LEADER: JLL	SHEET 68 OF 116
DESIGNED BY: STANTEC	
IPARM FILE: p07b198I13.i	