

# ITEM DETAIL SUMMARY SHEET 2

LOCATION			GUARDRAIL				MISCELLANEOUS															REMARKS			
			621.20 S.B. GR. GALV. LF	621.60 ANCHOR FOR S.B. RAIL EA	621.74 ALUMINUM APPROACH RAILING LF	621.80 REMOVAL & DISPOSAL OF GUARDRAIL LF	203.15 COMMON EXCAVATION CY	203.16 SOLID ROCK EXCAV. CY	301.26 SUBBASE CRUSHED GRAVEL CY	604.40 CHAN ELEV OF DI, CB OR MH EA	604.412 REHAB DI, CB, OR MH, CLASS I EA	604.415 REHAB DI, CB, OR MH, CLASS II EA	604.418 REHAB DI, CB, OR MH, CLASS III EA	616.28 C-I-P CONC. CURB TYPE B LF	616.41 REMOVAL OF EXIST. CURB LF	616.47 BIT. CONC. GUTTERS & TRAFF. ISL. TON	618.10 PORT. CEM. CONC. SIDEWALK, 5 INCH SY	618.30 DET. WARNING SURFACE SF	620.75 SNOW BARRIER, GALV. EA	619.17 YIELDING MARKER POSTS EA	653.20 TEMP. EROSION MATTING SY		676.10 DELINEATOR WITH STEEL POST EA	676.12 REMOVAL OF EXISTING DELINEATOR EA	
ALT. U.S. ROUTE 5 (CONT.) DERBY (CONT.)																									
8+87		LT						2.5		1.4						8.3	8								CONSTRUCT SIDEWALK RAMP, TYPE 6
8+92		RT						3.3		1.8						10.7	8								CONSTRUCT SIDEWALK RAMP, TYPE 1
8+95	9+74	LT														4.1									CONSTRUCT BITUMINOUS CONCRETE GUTTER (4' WIDE)
11+90		RT						0.6	0.5	0.6						3.6	8								CONSTRUCT SIDEWALK RAMP, TYPE 1
12+26		RT						0.6	0.5	0.6						3.6	8								CONSTRUCT SIDEWALK RAMP, TYPE 1
18+81		RT						0.3	0.2	0.3						1.8	8								CONSTRUCT SIDEWALK LANDING AND DETECTABLE WARNING SURFACE
19+07		RT						0.3	0.2	0.3						1.8	8								CONSTRUCT SIDEWALK LANDING AND DETECTABLE WARNING SURFACE
25+69	28+58	RT	264.5	1	25	289																1	1		INSTALL ANCHOR AT 25+70.5, RT; CONNECT ALUMINUM APPROACH RAILING TO EXISTING BRIDGE RAIL ON BRIDGE 114
26+04	28+79	LT	252	1	25	266																1	1		INSTALL ANCHOR AT 26+04, LT; CONNECT ALUMINUM APPROACH RAILING TO EXISTING BRIDGE RAIL ON BRIDGE 114
29+26	29+98	RT																	72						
29+74	30+42	LT																	68						
30+69	31+41	RT																	72						
31+18	31+80	LT																	62						
APPROACH (DERBY TOWN)																									
0+50.8	2+27.8	RT	152	1	25	177																1	1		INSTALL ANCHOR AT 2+25.8, RT; CONNECT ALUMINUM APPROACH RAILING TO EXISTING BRIDGE RAIL ON BRIDGE 114
0+72.8	4+13.8	LT	314.5	1	25	341																1	1		INSTALL ANCHOR AT 4+10.3, LT; CONNECT ALUMINUM APPROACH RAILING TO EXISTING BRIDGE RAIL ON BRIDGE 114
SHEET 1 SUBTOTALS:			-	-	-	-	29.5	14.4	24.6	1	11	11	11	42	42	-	146.4	244	-	18	200	-	-		
SHEET 2 SUBTOTALS:			983	4	100	1073	7.6	1.4	5	-	-	-	-	-	-	4.1	29.8	48	274	-	-	4	4		
PROJECT SUBTOTALS:			983	4	100	1073	37.1	15.8	29.6	1	11	11	11	42	42	4.1	176.2	292	274	18	200	4	4		
ROUNDINGS:			17	-	-	-	0.9	1.2	0.4	-	-	-	-	3	3	0.4	3.8	8	6	-	-	-	-		
TOTALS:			1000	4	100	1073	38	17	30	1	11	11	11	45	45	4.5	180	300	280	18	200	4	4		

<b>ITEM DETAIL SUMMARY SHEET #2</b>	PROJECT NAME: DERBY	PLOT DATE: 29-JAN-2013 09:2
	PROJECT NUMBER: STP 2703(1)	DRAWN BY: STANTEC
	FILE NAME: 07D202.dgn	CHECKED BY: JLL
	DESIGNED BY: STANTEC	SHEET 32 OF 62