


NOTES

1. THESE PLANS SHOW A CONCEPTUAL EROSION CONTROL PLAN. THE CONTRACTOR MUST SUBMIT A PROPOSED TEMPORARY EROSION CONTROL PLAN FOR APPROVAL.
2. TEMPORARY EROSION CONTROL MEASURES ARE CONCEPTUALLY SHOWN. THE CONTRACTOR MAY RELOCATE TEMPORARY MEASURES TO IMPROVE EROSION CONTROL WITH APPROVAL OF THE RESIDENT ENGINEER AND ON SITE COORDINATOR. SILT FENCE SHALL NOT BE INSTALLED ACROSS CONTOURS.
3. THE CONTRACTOR SHALL USE OTHER TEMPORARY EROSION CONTROL MEASURES AS NECESSITATED BY THE SEQUENCE OF CONSTRUCTION OR AS DIRECTED BY THE RESIDENT ENGINEER OR ON SITE COORDINATOR.
4. REFER TO EPSC DETAIL SHEETS FOR ADDITIONAL DETAILS.
5. IN AREAS UNDER STONE FILL, GEOTEXTILE MAY BE SUITABLE FOR TEMPORARY SLOPE STABILIZATION.

LEGEND

- SILT FENCE, WOVEN WIRE REINFORCED
- LIMITS OF SOIL DISTURBANCE
- ▨ TEMPORARY EROSION MATTING (SEE NOTE 5)
- BF— BARRIER FENCE
- RIPARIAN BUFFER ZONE
- ASSUMED CONSTRUCTION ACCESS ROUTE
- ▭ STABILIZED CONSTRUCTION ENTRANCE
- ~ WETLAND AREA



EPSC CONSTRUCTION SITE PLAN

PROJECT NAME: WINHALL	PLOT DATE: 1/5/2011
PROJECT NUMBER: STP CULV(22)	DRAWN BY: E. ALLING
FILE NAME: ...drawing\z08bl98ero.dgn	CHECKED BY: M. CHENETTE
PROJECT LEADER: G. BOGUE	DESIGNED BY: T. KNIGHT
EPSC CONSTRUCTION SITE PLAN	
SHEET 11 OF 21	