



- COLD PLANING, BITUMINOUS PAVEMENT**
 SL STA 421+56 RT - SL STA 706+22 LT
 SL STA 421+94 LT - SL STA 706+63 LT
~~SL STA 705+75 - 706+94 LT (PARKING LOT)~~
- PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH**
 SL STA 421+56 RT - SL STA 706+22 LT
 SL STA 421+94 LT - SL STA 707+63 LT
- DETECTABLE WARNING SURFACE**
 SL STA 422+04 RT
 SL STA 422+03 LT
- CAST-IN-PLACE CONCRETE CURB, TYPE B**
 1 SL STA 421+56 - 422+02 RT
 2 SL STA 421+94 - 422+01 LT
 3 SL STA 706+22 - 706+91 LT
 4 SL STA 707+48 - 707+63 LT
- CONSTRUCT SIDEWALK RAMP TYPE 6**
 SL STA 421+94 - 422+07 LT
 SL STA 421+94 - 422+10 RT
- P.C. CONCRETE SIDEWALK DRIVE TYPE I WIDTH 9'**
 SL STA 422+11 LT

CURVE DATA #E3
 D = 19°05'55"
 R = 300.00'
 T = 35.64'
 L = 70.94'
 E = 2.11'
 BANK = NC

SUMMER ST. POT 422+49.38 =
 ELM ST. POC 707+30.09

AREA 5

DATUM
 VERTICAL NAVD 1929
 HORIZONTAL NAD 27



VHB Vanasse Hangen Brustlin, Inc.

PROJECT NAME: BARRE CITY	
PROJECT NUMBER: FEFC F 026-1(34) C/1	
FILE NAME: z85b010bdr nu	PLOT DATE: 4/5/2010
PROJECT LEADER: G. BAKOS	DRAWN BY: D. PECK
DESIGNED BY: D. PECK	CHECKED BY:
ALIGNMENT AND CURB LAYOUT PLAN	SHEET 28 OF 95