



- NOTES:**
1. Hollow Structural Steel Tubing Shall Conform to ASTM A-300 or A501.
 2. All Plates, Bars and Angles Shall Conform to ASTM A-36.
 3. The Top Surface of Scupper Shall be Sloped to Match Roadway Slope and Grade.
 4. The Bar and Grate Section May be Prefabricated Providing the Geometry and Section Properties are Equivalent to the Details Shown.
 5. All Scuppers Shall be Galvanized in Accordance With ASTM A-123 After Fabrication.
 6. For Scupper Location See Sheets 99 25, 99 26 & 99 27

ALBURGH-ROUSES POINT
BHF MEMB(24)
SHEET 50 OF 50
FOR REFERENCE ONLY

**STATE OF VERMONT
AGENCY OF TRANSPORTATION**

TOWN OF ROUSES POINT N.Y. - ALBURG VT.	Bridge No. 1
HIGHWAY NO. ROUTE 2	Log Sta. 0+00
	Surv. Sta.

**SCUPPER DETAILS
(STEEL ALTERNATE)**

Designed by S.H.R.	Drawn by R.D.F.
Checked by S.M.	Bridge Design Supervisor
date	C.J.M./S.M. date

PROJECT ROUSES POINT BRIDGE REPLACEMENT	PROJECT NO. BRF 028-1(11)
Bridge Sheet No. 5588	Sheet of

HNTB
HOWARD NEEDLES TAMMEN & BERGENDOFF