

Options:

Traffic Parts, Inc.

1. Size/Type

- E=8" Vehicle T=12" Vehicle
- C=Combination Vehicle 8"/12"
- P=12" Pedestrian
- L=Lane Control (12" only)
- S=Speed Indicator (12" only)

2. Material

- P=Poly A=Alum
- T=Top Section Al/Other PC (Vehicle Signals only)
- C=Poly Signal/Alum Visor

3. Color

- Y=Yell B=Blk F=Flt Blk
- G=Dk Grn X=Special
- C=Yellow Body, Blk Door, Blk Visor
- D=Yellow Body, Blk Door, Yell Visor
- E=Yellow Body/Door, Black Visor
- V=Blk Body, Yellow Door, Blk Visor

4-5. Configuration

- 2 digit MPH for speed indicator
- 2 digit configuration code for others

6. Terminal Block Type

- 5=5 position, 20a
- 6=6 position, 20a (12" only)
- 7=5 position, 30a
- 8=6 position, 30a (12" only)
- 2=2 position, 20a N=None

7. Terminal Block Location

- T=Top C=Center B=Bottom
- X=Special

8. Visor

- T=Tunnel C=Cap
- F=Full Circle N=No visor

9. Lens

- N=None X=None, w/1" lens clips

Option # -->	P	S	G	M	D
Material: PC	X	X			
Glass			X	X	X
12" Arrows: Stenciled	X		X		
Molded				X	
Shields		X			X
8" Arrows: Stenciled	X	X	X		
Molded				X	X

10. Lens Gasket Material

- E=EPDM (High temp neoprene)
- S=Silicone N=None

11. Orientation

- V=Vertical H=Horizontal

12. Support Plates

- 1=One plate in top section
- 2=One plate in bottom section
- 3=Two plates in bottom section
- 4=One plate in top section + one plate in bottom section
- 5=Two plates for elevator plumbizer
- 6=Doghouse (top and bottom of red)
- N=None

13. Mechanical

- 0=Pltd Tri-stud kits 1=SS Tri-stud kits
- 2=Plated screws 3=SS screws

14. LED Configuration

- 0=Not applicable

LED in:	LED incl	LED ready
All sections, 120vac	A	N
All sections, 12vdc	B	N
Red balls, Hand only	J	K
Red, Grn balls/arrow	G	H

SIG	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Option Category																			

1-800-345-6329