






PCU 3-6 ELEVATIONS



	WW1 (PCU 3)	WW2 (PCU 4)	WW3 (PCU 5)	WW4 (PCU 6)
ELEV "A"	332.46	332.56	332.22	332.32
ELEV "B"	331.21	329.26	329.31	331.00
ELEV "C"	322.00	322.00	322.00	322.00
DIST "W"	1'-6"	1'-6"	1'-6"	1'-6"
DIST "I"	5'-6"	10'-0"	10'-0"	5'-6"
DIST "O"	1'-0"	1'-0"	1'-0"	1'-0"
ANGLE "D"	90°	35°	35°	90°



NOTE:

- NF = NEAR FACE
- FF = FAR FACE
- EF = EACH FACE
- ▲ = CUT TO FIT IN FIELD
- 3" CLEAR, UNLESS OTHERWISE SPECIFIED ON THE PLANS.
- 2'-7" BAR LAP UNLESS OTHERWISE SPECIFIED ON THE PLANS.

NOTES:

1. EPOXY GROUT SHALL BE INCIDENTAL TO ITEM 540.10, "PRECAST CONCRETE STRUCTURE".
2. ALL REINFORCING STEEL AND MECHANICAL CONNECTORS SHALL BE INCLUDED IN THE UNIT PROCE BID FOR ITEM 540.10, "PRECAST CONCRETE STRUCTURE".
3. ALL REINFORCING STEEL IN WINGWALLS SHALL MEET THE REQUIREMENTS OF SECTION 507 FOR LEVEL II REINFORCING. ALL MECHANICAL CONNECTORS IN WINGWALLS SHALL MEET THE REQUIREMENTS OF SECTION 507 FOR LEVEL I (EPOXY COATED) REINFORCING.
4. THE BRIDGE PLAQUE FURNISHED BY THE AGENCY SHALL BE CAST INTO WINGWALL 2. ALL WORK TO INSTALL THE PLAQUE SHALL BE INCIDENTAL TO THE APPROPRIATE PRECAST CONCRETE STRUCTURE ITEM. SEE SD-502.00 FOR FURTHER DETAILS.

PROJECT NAME:	BRISTOL
PROJECT NUMBER:	BRF 021-1(29)
FILE NAME:	si0b094sub.dgn
PROJECT LEADER:	C. CARLSON
DESIGNED BY:	C. MOONEY
WINGWALL DETAILS	
PLOT DATE:	04-NOV-2014
DRAWN BY:	R. PELLETT
CHECKED BY:	EVANS-MONGEON
SHEET	34 OF 54