

STONE FILL, TYPE J
STA. 28+50 TO 33+50, LT

STEEL BEAM GUARDRAIL, GALVANIZED W/8 FEET POSTS
STA. 28+50 TO 33+50, LT
STA. 30+68 TO 31+30.5, RT
STA. 31+55.5 TO 31+93, RT

HD STEEL BEAM GUARDRAIL,
GALVANIZED/NESTED W/8 FEET POSTS
STA. 31+30.5 TO 31+55.5, RT

ANCHOR FOR STEEL BEAM RAIL
STA. 30+68, RT
STA. 31+93, RT


REMOVAL AND DISPOSAL OF GUARDRAIL
STA. 28+50 TO 33+50, LT
STA. 30+77.5 TO 31+79, RT

DURABLE 4 INCH WHITE LINE
(ALL LINES WILL INCLUDE EDGE LINE BREAKS
AND RADII FOR SIDE ROADS)
STA. 28+50 TO 33+50, SOLID LT & RT

DURABLE 4 INCH YELLOW LINE
(ALL LINES WILL INCLUDE ϕ BREAKS FOR SIDE ROADS)
STA. 28+50 TO 29+57, DASHED LT, SOLID RT
STA. 29+57 TO 33+50, SOLID LT & RT

TEMPORARY 4 INCH WHITE LINE, PAINT
(ALL LINES WILL INCLUDE EDGE LINE BREAKS
AND RADII FOR SIDE ROADS)
STA. 28+50 TO 33+50, SOLID LT & RT

TEMPORARY 4 INCH YELLOW LINE, PAINT
(ALL LINES WILL INCLUDE ϕ BREAKS FOR SIDE ROADS)
STA. 28+50 TO 29+57, DASHED LT, SOLID RT
STA. 29+57 TO 33+50, SOLID LT & RT
GEOTEXTILE UNDER STONE FILL
STA. 28+50 TO 33+50, LT
GRUBBING MATERIAL
STA. 28+50 TO 33+50, LT
BARRIER FENCE
STA. 28+50 TO 32+00, LT
STA. 28+50 TO 32+00, RT
(WITH BREAKS FOR DRIVES AND SIDEROADS)



ENVIRONMENTALLY SENSITIVE LOCATIONS:

NO.	LIMITS	POSITION
15.	28+50 TO 32+00	LT
16.	28+50 TO 32+00	RT

SOIL BORING DATA			
BORING#	DEPTH (FT.)	PCC	COMMENTS
B-25	5.0'	NO	

STONE FILL, TYPE J
STA. 33+50 TO 36+50, LT
STA. 34+75 TO 36+50, RT

STEEL BEAM GUARDRAIL, GALVANIZED W/8 FEET POSTS
STA. 33+50 TO 36+50, LT

REMOVAL AND DISPOSAL OF GUARDRAIL
STA. 33+50 TO 36+50, LT

DURABLE 4 INCH WHITE LINE
(ALL LINES WILL INCLUDE EDGE LINE BREAKS
AND RADII FOR SIDE ROADS)
STA. 33+50 TO 36+50, SOLID LT & RT


DURABLE 4 INCH YELLOW LINE
(ALL LINES WILL INCLUDE ϕ BREAKS FOR SIDE ROADS)
STA. 33+50 TO 36+50, SOLID LT & RT

TEMPORARY 4 INCH WHITE LINE, PAINT
(ALL LINES WILL INCLUDE EDGE LINE BREAKS
AND RADII FOR SIDE ROADS)
STA. 33+50 TO 36+50, SOLID LT & RT

TEMPORARY 4 INCH YELLOW LINE, PAINT
(ALL LINES WILL INCLUDE ϕ BREAKS FOR SIDE ROADS)
STA. 33+50 TO 36+50, SOLID LT & RT

GEOTEXTILE UNDER STONE FILL
STA. 33+50 TO 35+75, LT
STA. 34+75 TO 36+50, RT
STA. 36+25 TO 36+50, LT

GRUBBING MATERIAL
STA. 33+50 TO 35+75, LT
STA. 34+75 TO 36+50, RT
STA. 36+25 TO 36+50, LT



NOTES:

- FOR LEGENDS, SEE SHEET 27.
- ALL EXISTING SIGNS NOT SHOWN SHALL BE RETAINED.
- DURABLE MARKINGS DETAILED ON THIS SHEET ARE OPTION BID ITEMS. SEE SHEET 14.



NOT TO SCALE

PROJECT LAYOUT SHEET #26

PROJECT NAME: CAMBRIDGE-BAKERSFIELD
PROJECT NUMBER: STP 2926(I)

FILE NAME: p10b258.dgn
PROJECT LEADER: JLL
DESIGNED BY: STANTEC
IPARM FILE: p10b258126.i

PLOT DATE: 11/15/2012
DRAWN BY: STANTEC
CHECKED BY: STANTEC
SHEET 52 OF 387