

**STATE OF VERMONT
AGENCY OF TRANSPORTATION**

ITEM DETAIL SUMMARY SHEET 2

BEGIN STATION	END STATION	POS.	203.30 EARTH BORROW	204.20 TRENCH EXCAV. OF EARTH	204.22 TRENCH EXCAV. OF EARTH, EXP. (N.A.B.I.)	204.30 GRAN. BACKFILL FOR STRUCTURES	402.12 AGG. SHOULD.	601.0010 15" CSP .064 (2-2/3 X 1/2)	601.0015 18" CSP .064 (2-2/3 X 1/2)	604.412 REHAB. D.1. CLASS 1	613.10 STONE FILL, TYPE 1	619.17 YIELDING MARKER POSTS	621.20 STEEL BEAM G.R. GALV	621.205 STEEL BEAM G.R. GALV W/BFT POSTS	621.207 STEEL BEAM G.R. GALV/NEST W/8 FT POSTS	621.60 ANCHOR FOR S.B. GUARDRAIL	621.80 REMOVE & DISP. OF G.R.	649.31 GEOT. UNDER STONE FILL	651.35 TOPSOIL	651.40 GRUBBING MATERIAL	653.20 TEMP. EROSION MATTING	676.10 DEL.INE. WITH STEEL POSTS	676.12 REMOVAL OF EXIST. DEL.INE.	REMARKS
			CY	CY	CY	CY	TON	LF	LF	EACH	CY	EACH	LF	LF	LF	EACH	LF	SY	CY	SY	SY	EACH	EACH	
82+15	84+35	RT	25										227			2	227		10		50	2	2	INSTALL 12'-6" LONG, 16' RADIUS WITH ANCHOR AT STA. 82+15 AND STA. 84+35
83+10	89+10	LT	25										327	277		2	604		10		50	2	2	INSTALL 12'-6" LONG, 16' RADIUS WITH ANCHOR AT STA. 83+10 AND STA. 89+10
99+80	100+25	RT									12.2									29.1	46.6			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
99+90	100+10	LT									4.9									19.1	11.3	19.1		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
99+98.79	99+98.83	RT		1		1		4																EXTEND EXISTING 15" CMP
103+00	103+39	LT									10.5									40.3	25.1	40.3		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
103+75	103+90	RT									4.3									16.3	10.5	16.3		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
110+75	112+45	RT									32.0									133.7	67.6	133.7		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
114+35	114+45	RT									1.4									6.5	2.6	6.5		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
114+40	115+25	LT									29.4									107	74	107		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
118+27	118+40	RT									2.6									10.5	5.5	10.5		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
119+25	119+45	LT									5.9									22.2	14.4	22.2		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
119+45	119+70	RT									6.5									25.2	15.5	25.2		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
120+80	123+85	RT									100.4									369.1	250.5	369.1		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
124+20	124+25	RT									1.4									5.4	3.5	5.4		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
124+25	124+40	RT									4									15.4	9.6	15.4		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
124+41.20	124+43.98	LT		1		1		3																EXTEND EXISTING 18" CMP
124+90	126+25	RT									51.2									183.6	131.1	183.6		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
128+05	129+75	RT									55.2									203.4	137.3	203.4		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
129+75	130+30	RT									13.9									53.8	32.4	53.8		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
132+25	132+90	RT									13.3									54.4	29.2	54.4		PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION
SUBTOTAL			50	2	-	2	-	4	3	-	349.1	-	554	277	-	4	831	1312.5	20	849.2	1412.5	4	4	

**ITEM
DETAIL
SUMMARY
SHEET 2**

PROJECT NAME: MONTGOMERY-WESTFIELD

PROJECT NUMBER: STP 2906(1)

FILE NAME: pi0CI90.dgn

PROJECT LEADER: CDL

DESIGNED BY: SJL

PLOT FILE: pi0CI90_15.1

PLOT DATE: 9/5/12

DRAWN BY: SJL

CHECKED BY: CDL

SHEET 15 OF 178