

**STATE OF VERMONT
AGENCY OF TRANSPORTATION**

ITEM DETAIL SUMMARY SHEET 3

BEGIN STATION	END STATION	POS.	203.30 EARTH BORROW	204.20 TRENCH EXCAV. OF EARTH	204.22 TRENCH EXCAV. OF EARTH, EXP. (N.A.B.I.)	204.30 GRAN. BACKFILL FOR STRUCTURES	402.12 AGG. SHOULD.	601.0010 15" CSP .064 (2-2/3 X 1/2)	601.0015 18" CSP .064 (2-2/3 X 1/2)	604.412 REHAB. D.1. CLASS 1	613.10 STONE FILL, TYPE 1	619.17 YIELDING MARKER POSTS	621.20 STEEL BEAM G.R. GALV	621.205 STEEL BEAM G.R. GALV W/8FT POSTS	621.207 STEEL BEAM G.R. GALV/NEST W/8 FT POSTS	621.60 ANCHOR FOR S.B. GUARDRAIL	621.80 REMOVE & DISP. OF G.R.	649.31 GEOT. UNDER STONE FILL	651.35 TOPSOIL	651.40 GRUBBING MATERIAL	653.20 TEMP. EROSION MATTING	676.10 DEL.INE. WITH STEEL POSTS	676.12 REMOVAL OF EXIST. DEL.INE.	REMARKS	
			CY	CY	CY	CY	TON	LF	LF	EACH	CY	EACH	LF	LF	LF	EACH	LF	SY	CY	SY	SY	EACH	EACH		
135+55	135+75	LT									6.0							22.4		14.7	22.4			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
136+30	136+60	LT									7.5							29.3		17.6	29.3			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
140+45	141+25	RT									25.6							94.7		63.6	94.7			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
142+45	146+10	RT									126							459.2		317.3	459.2			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
145+75	145+95	LT									2.3							11.3		3.5	11.3			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
151+80	153+10	LT									37							139.8		89.2	139.8			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
161+65	161+80	RT									4.7							17.3		11.5	17.3			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
164+63	164+82	RT									3.0							13.2		5.8	13.2			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
167+90	168+55	RT									27.1							95.9		70.6	95.9			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
183+52	183+80	RT									5.2							23.8		13.0	23.8			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
188+00	188+20	LT									5.6							21.2		13.4	21.2			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
188+00	188+60	RT									20.2							73.9		50.6	73.9			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
189+00	189+25	RT									4.1							17.8		8.1	17.8			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
WESTFIELD																									
A 0+00	A 138+65	LT&RT					284.5					56							47.3						
A 3+95	A 5+40	LT									47.3							174.1		117.7	174.1			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
A 11+10	A 12+25	LT									40.3							146.5		101.8	146.5			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
A 12+25	A 14+30	LT									73.5							266		186.3	266			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
A 15+55	A 16+50	LT									20.8							83.6		46.6	83.6			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
A 36+05	A 38+30	RT	25										229			2	225		10		50	2	2	INSTALL 12'-6" LONG, 16' RADIUS WITH ANCHOR AT STA. A 36+05 AND STA. A 38+30	
A 36+05	A 38+05	LT	25											204		2	200		10		50	2	2	INSTALL 12'-6" LONG, 16' RADIUS WITH ANCHOR AT STA. A 36+05 AND STA. A 38+05	
A 40+10	A 40+25	RT									2.1							9.7		3.8	9.7			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
A 40+25	A 41+25	RT									36.6							131.9		93	131.9			PLACE STONE FILL ON SLOPES GREATER THAN 1:2 FOR SLOPE STABILIZATION	
SUBTOTAL			50	-	-	-	284.5	-	-	-	494.9	56	229	204	-	4	425	1831.6	67.3	1228.1	1931.6	4	4		

**ITEM
DETAIL
SUMMARY
SHEET 3**

PROJECT NAME: MONTGOMERY-WESTFIELD

PROJECT NUMBER: STP 2906(1)

FILE NAME: piOC190.dgn

PROJECT LEADER: CDL

DESIGNED BY: SJL

PLOT FILE: piOC190_16.1

PLOT DATE: 9/5/12

DRAWN BY: SJL

CHECKED BY: CDL

SHEET 16 OF 178