

STATE OF VERMONT
AGENCY OF TRANSPORTATION

ITEM DETAIL SHEET 1

BEGIN STATION	END STATION	POS.	203.15 COMMON EXCAVATION	203.16 SOLID ROCK EXCAVATION	204.20 TRENCH EXCAV. OF EARTH	204.30 GRAN. BACKFILL FOR STRUCTURES	402.13 AGG. SHOULD. RAP	540.10 PRECAST CONCRETE STRUCTURE	601.0005 12" CSP .064 (2'-2 1/2 X 1/2)	601.0025 24" CSP .064 (2'-2 1/2 X 1/2)	601.0811 15" RCP CLASS IV	601.2615 18" CPEP (SL)	601.2620 24" CPEP (SL)	604.18 PRECAST CONC. DI W/CAST GRATE	604.20 PRECAST CONC. CB W/CAST GRATE	604.412 REHAB. D. I. CLASS I	613.10 STONE FILL, TYPE I	619.17 YIELDING MARKER POSTS	651.35 TOPSOIL	651.40 GRUBBING MATERIAL (2")	651.40 GRUBBING MATERIAL (6")	653.20 TEMP. EROSION MATTING	REMARKS
			CY	CY	CY	CY	TON	LS	LF	LF	LF	LF	LF	EACH	EACH	EACH	CY	EACH	CY	SY	SY	SY	
BETHEL																							
124+05	370+41	LT&RT	7290				513									8		83	84	29110			
134+90	134+95	RT															2				4	4	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
140+00	141+10	RT															22				48	48	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
141+40	141+60	RT															5				12	12	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
141+75	142+10	RT															12				29	29	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
145+54		LT			15	15				2.25				1									REMOVE EXISTING DROP INLET. INSTALL CONCRETE REINFORCED DROP INLET WITH CAST IRON GRATE. RIM EL. = 576.40
150+34		LT			15	15					9.80			1									REMOVE EXISTING DROP INLET. INSTALL CONCRETE REINFORCED DROP INLET WITH CAST IRON GRATE. RIM EL. = 591.53
150+90	151+60	RT															12				24	24	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
152+40	152+49	RT															1				2	2	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
153+00	154+40	RT															27				58	58	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
154+21		LT			16	16					7.00		-6	1									REMOVE EXISTING DROP INLET. INSTALL CONCRETE REINFORCED DROP INLET WITH CAST IRON GRATE. RIM EL. = 584.87
163+30	163+50	LT															2				3	3	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
168+50				848.81																			
166+50	171+50	LT		508.5																			
167+75		LT									7.00			1									
168+25	168+50	RT															3				6	6	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
168+30	168+40	LT															2				4	4	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
169+20	169+70	RT															9				18	18	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
171+30	171+60	LT															8				18	28	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
173+80	174+50	RT															13				26	26	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
177+00	177+10	RT															3				7	7	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
180+00	180+40	LT															11				27	27	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
180+10	180+70	RT															19				46	46	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
180+90	181+00	RT															3				8	8	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
189+20	189+44	RT															3				5	5	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
213+80	214+00	RT															3				6	6	PLACE STONE FILL ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
SUBTOTAL			7290	508.5	46	46	513	-	-	6	6	-	-6	-3	-	8	160	83	84	29110	351	351	THAN 1:1.5 FOR SLOPE STABILIZATION

848.81 2.25 23.80 4

PROJECT NAME: BETHEL-RANDOLPH
 PROJECT NUMBER: STP 2921 (I)
 FILE NAME: z10c244.dgn PLOT DATE: 4/23/2015
 PROJECT LEADER: C. LATHROP DRAWN BY: S. LAMPHERE
 DESIGNED BY: S. LAMPHERE CHECKED BY: C. LATHROP
 ITEM DETAIL SHEET 1 SHEET 16 OF 21