


LOCATION				FEET OF DITCHING		MISC. ITEMS		REMARKS	LOCATION				FEET OF DITCHING		MISC. ITEMS			REMARKS	LOCATION				FEET OF DITCHING		MISC. ITEMS			REMARKS
SITE	STA.	STA.	POS.	PERCENT GRADE		TEMP. EROS. MATT.	STONE FILL TYP. I		SITE	STA.	STA.	POS.	PERCENT GRADE		TEMP. EROS. MATT.	STONE FILL TYP. I	GEO. UNDER STONE FILL		SITE	STA.	STA.	POS.	PERCENT GRADE		TEMP. EROS. MATT.	STONE FILL TYP. I	GEO. UNDER STONE FILL	
				0-2.5	2.5-10								0-2.5	2.5-10									0-2.5	2.5-10				
VT 12						SY	CY								SY	CY	SY							SY	CY	SY		
BETHEL																												
1	159+50	162+75	LT	325		145																						
2	171+50	173+50	LT	200		89																						
3	188+00	189+00	LT	100		45																						
4	227+50	230+00	RT		250		37																					
5	235+00	237+50	RT		250		37																					
6	235+50	238+00	LT		250		37																					
7	239+50	241+00	RT	150		67																						
8	264+00	268+00	LT	400		178																						
9	280+00	281+50	LT		150		22																					
10	297+00	298+50	RT	150		67																						
11	300+50	305+00	LT		450		67																					
12	309+50	311+00	LT	150		67																						
13	318+00	320+50	RT		450		67																					
14	324+50	330+00	LT	550		244																						
15	339+00	340+00	LT		100		15																					
16	345+50	348+50	LT		300		44																					
17	351+00	362+50	LT	1150		511																						
18	369+50	370+41	LT		91		13																					
RANDOLPH																												
19	A 0+00	A 2+50	LT		250		37																					
20	A 5+00	A 10+00	LT		500		74																					
21	A 10+00	A 15+00	LT	500		222																						
22	A 28+50	A 30+50	LT	200		89																						
23	A 33+00	A 40+00	LT	700		311																						
24	A 46+50	A 48+50	LT	200		89																						
25																												
BETHEL				3175	2291	1413	339																					
RANDOLPH				1600	750	711	111																					
SUBTOTAL				4775	3041	2124	450																					
ROUNDING				-	-	-	-																					
TOTAL				-	-	-	-																					



- NOTES:**
- GRADES BETWEEN 0 AND 2.5 PERCENT SHALL USE ITEM 651.25, HAY MULCH OR ITEM 653.20, TEMPORARY EROSION MATTING AS DIRECTED BY THE ENGINEER.
 - GRADES FROM 2.5 PERCENT TO 10 PERCENT SHALL USE ITEM 613.10, STONE FILL, TYPE I AS DIRECTED BY THE ENGINEER.
 - ANY GRADE GREATER THAN 10 PERCENT SHALL USE ITEM 613.11, STONE FILL, TYPE II AS DIRECTED BY THE ENGINEER.
 - PIPE INLET AND OUTLET AREAS, AND DITCH CLEANING THROUGHOUT THE PROJECT SHALL BE PERFORMED AT LOCATIONS IDENTIFIED ON THIS SHEET AND AS DIRECTED BY THE ENGINEER. PAYMENT WILL BE UNDER THE APPLICABLE RENTAL ITEM(S).

NOT TO SCALE

PROJECT NAME:	BETHEL - RANDOLPH
PROJECT NUMBER:	STP 2921 (I)
FILE NAME:	z10c244det.dgn
PROJECT LEADER:	C. LATHROP
DESIGNED BY:	S. LAMPHERE
DITCH CLEANING DETAIL SHEET	
PLOT DATE:	4/23/2015
DRAWN BY:	S. LAMPHERE
CHECKED BY:	C. LATHROP
SHEET	26 OF 211