


TREATED TIMBER CURB REMOVAL


NOTE: THE REMOVAL OF TREATED TIMBER CURBING, INCLUDING THE BITUMINOUS CONCRETE FILLET, AND ANY SAWCUTTING FROM INSTALLATIONS WHERE EXISTING GUARDRAIL IS REMOVED WILL NOT BE PAID FOR DIRECTLY BUT WILL BE CONSIDERED INCIDENTAL TO REMOVAL AND DISPOSAL OF GUARDRAIL.



FILL SLOPE DETAIL

(FOR SLOPES 1:1.5 OR FLATTER)

NOTE: IF DUE TO GROWING SEASON TIME CONSTRAINTS IT IS DEEMED NECESSARY BY THE CONSTRUCTION ENVIRONMENTAL ENGINEER THAT A MORE RAPID VEGETATION ESTABLISHMENT IS REQUIRED, 2 INCHES OF GRUBBING MATERIAL SHALL BE PLACED ON THE SLOPE PRIOR TO PLACEMENT OF SEED, FERTILIZER, TEMPORARY EROSION MATTING, AND AGRICULTURAL LIMESTONE. PLACEMENT OF GRUBBING MATERIAL WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER SQUARE YARD OF ITEM 651.40 "GRUBBING MATERIAL (2 INCH)".




FILL SLOPE WITH STONE FILL DETAIL

(FOR SLOPES STEEPER THAN 1:1.5)



NOTE: ANY EXCAVATION REQUIRED TO INSTALL STONE SHALL BE PAID FOR UNDER ITEM 608.25 "ALL PURPOSE EXCAVATOR RENTAL, TYPE 1".

SAWCUT EXISTING SHOULDER TO MINIMIZE DAMAGE TO ADJACENT PAVEMENT. EXCAVATE TO DEPTH REQUIRED & REMOVE TOP AND BRICKS FROM DI. PLACE STEEL PLATE ON DI AND BACKFILL WITH ITEM 301.28. EXCAVATED BITUMINOUS PAVEMENT SHALL BE REPLACED WITH NEW BITUMINOUS CONCRETE PAVEMENT, TYPE 11S. APPLICATION OF SAWCUT, REMOVAL AND DISPOSAL OF TOP AND BRICKS, FURNISHING AND INSTALLING STEEL PLATE, AND REQUIRED EXCAVATION SHALL BE PAID AS ONE EACH OF ITEM 900.620 SPECIAL PROVISION (CAP CURB DROP INLET).



SPECIAL PROVISION (CAP CURB DROP INLET) DETAIL

RANDOLPH
 STA. 42+69 RT
 STA. 45+69 RT
 STA. 48+42 RT
 STA. 54+85 RT
 STA. 59+09 RT



PROJECT NAME: RANDOLPH
 PROJECT NUMBER: STP 2932(I)

FILE NAME: z10c270.dgn
 PROJECT LEADER: C. LATHROP
 DESIGNED BY: B. BRESLEND
 PROJECT TYPICAL SHEET 4
 PLOT DATE: 6/5/2014
 DRAWN BY: J. GOODALL
 CHECKED BY: C. LATHROP
 SHEET II OF 276

DETAILS ARE NOT TO SCALE