

STATE OF VERMONT  
AGENCY OF TRANSPORTATION

ITEM DETAIL SHEET 3

BEGIN STATION	END STATION	POS.	203.30 EARTH BORROW CY	613.10 STONE FILL, TYPE I CY	617.10 RELOCATE MAILBOX, SINGLE SUPPORT EACH	619.17 YIELDING MARKER POSTS EACH	621.20 STEEL BEAM G. R., GALV LF	621.205 STEEL BEAM G. R. GALV W/8FT POSTS LF	621.206 STEEL BEAM G. R. GALV/NEST LF	621.207 STEEL BEAM G. R., GALV/NEST W/8 FT POSTS LF	621.60 ANCHOR FOR S. B. GUARDRAIL EACH	621.80 REMOVE & DISP. OF G. R. LF	649.51 GEOT. FOR SILT FENCE SY	651.35 TOPSOIL CY	651.40 GRUBBING MATERIAL (6') SY	653.20 TEMP. EROSION MATTING SY	676.10 DELINE. WITH STEEL POSTS EACH	676.12 REMOVAL OF EXIST. DELINE. EACH	REMARKS
334+10	334+90	LT		34.6									35.6		90.5	90.5			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
335+60	339+00	LT		163.9									151.1		434.9	434.9			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
339+20	339+90	LT		30.2									31.1		78.9	78.9			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
340+70	341+20	LT		27.4									22.2		73.8	73.8			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
345+65	347+15	LT	50				154				2	150		10		50	2	2	SEE VTRANS STANDARD G1-D. PROVIDE ANCHORS AT STA. 345+65 AND STA. 347+15.
346+10	346+85	RT	50				79				2	75		10		50	2	2	SEE VTRANS STANDARD G1-D. PROVIDE ANCHORS AT STA. 346+10 AND STA. 346+85.
346+30	346+50	LT		4.2									8.9		9.1	9.1			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
362+60	363+35	LT		23.2									33.3		57.2	57.2			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
364+05	367+60	LT		136.9									157.8		351.6	351.6			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
370+45	372+75	LT		85.4									102.2		214.7	214.7			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
374+40	376+95	LT		93									113.3		236.4	236.4			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
377+80	381+20	LT		140.5									151.1		364.9	364.9			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
382+45	385+50	LT		168.7									135.6		455.3	455.3			PLACE STONE ON SLOPES GREATER THAN 1:1.5 FOR SLOPE STABILIZATION
500+50	501+00	LT															3		SPACE DELINEATORS EVERY 25 FT.
SUBTOTAL THIS SHEET			100	908	-	-	233	-	-	-	4	225	942.2	20	2367.3	2467.3	7	4	
SUBTOTAL SHEET 1			446.6	78.8	11	151	4646.75	429	25	25	16	691.2	110.7	209.1	194.9	594.9	16	20	
SUBTOTAL SHEET 2			-	868.7	-	-	-	-	-	-	-	-	908.1	-	2278.4	2278.4	20	-	
ROUNDING			3.4	-	-	-	20.25	21	-	-	-	33	39	-	59.4	-	-	-	
TOTAL			550	1855.5	11	151	4900	450	25	25	20	71.70	2000	229.1	4900	5340.6	43	24	

PROJECT NAME: RANDOLPH  
PROJECT NUMBER: STP 2932(I)  
FILE NAME: z10c270.dgn PLOT DATE: 6/5/2014  
PROJECT LEADER: C. LATHROP DRAWN BY: J. GOODALL  
DESIGNED BY: B. BRESLEND CHECKED BY: C. LATHROP  
ITEM DETAIL SHEET 3 SHEET 21 OF 276