


- * RADIAL DIMENSION FROM CENTERLINE VT 73 UP TO STA 262+50.30
- ** (2) - 1 1/2" LIFTS OF TYPE IVS
(1) - VARIABLE LIFT OF TYPE IVS
(0" MIN, 3" MAX)

TYPICAL BRIDGE SECTION

SCALE 1/2" = 1'-0"

HEIGHT VARIES - SEE PRECAST CONCRETE PARAPET HEIGHT DETAIL ON BR 15 NEXT BEAM DETAILS SHEET (2 OF 4)



FASCIA DETAIL

SCALE 1/2" = 1'-0"

NOTES:

1. DIMENSIONS IN TYPICAL BRIDGE SECTION ARE ALONG THE BACK-TANGENT OF CURVE NO 1, AT THE INTERSECTION OF THE APPROACH SLAB SEAT, UNLESS NOTED OTHERWISE.
2. COSTS FOR PRECAST CONCRETE FLARED OVERHANG AND PARAPET TO BE INCLUDED IN THE UNIT PRICE BID FOR ITEM 900.640, "SPECIAL PROVISION (PRESTRESSED CONCRETE NEXT D BEAMS) (NEXT 28 D) (FASCIA)".

PROJECT NAME: ROCHESTER
PROJECT NUMBER: BRF 0162(16)

FILE NAME: z10c418+typ.dgn
PROJECT LEADER: G.S. GOODRICH
DESIGNED BY: G.S. GOODRICH
BR 15 TYPICAL BRIDGE SECTION

PLOT DATE: 8/19/2013
DRAWN BY: E.A. FIALA
CHECKED BY: S.E. BURBANK
SHEET 61 OF 238

