

STONE FILL, TYPE I  
STA. 363+40 - STA. 363+65 RT

GEOTEXTILE UNDER STONE FILL  
STA. 363+40 - STA. 363+65 RT

GEOTEXTILE FOR SILT FENCE  
STA. 363+40 - STA. 363+65 RT

GRUBBING MATERIAL  
STA. 363+40 - STA. 363+65 RT

DURABLE 4 INCH WHITE LINE, POLYUREA  
STA. 361+75 - STA. 366+75 (SOLID LT & RT)  
(WITH EDGE LINE BREAKS RT AT TH#5 & LT AT TH#7)  
STA. 364+90 LT (EDGE LINES AT TH#7)

DURABLE 4 INCH YELLOW LINE, POLYUREA  
STA. 361+75 - STA. 366+75 (SOLID LT & RT)  
(WITH CENTERLINE BREAKS AT TH#5 & TH#7)  
STA. 364+90 LT (CENTERLINE AT TH#7)

TEMPORARY 4 INCH WHITE LINE, PAINT  
STA. 361+75 - STA. 366+75 (SOLID LT & RT)  
(WITH EDGE LINE BREAKS RT AT TH#5 & LT AT TH#7)  
STA. 364+90 LT (EDGE LINES AT TH#7)

TEMPORARY 4 INCH YELLOW LINE, PAINT  
STA. 361+75 - STA. 366+75 (SOLID LT & RT)  
(WITH CENTERLINE BREAKS AT TH#5 & TH#7)  
STA. 364+90 LT (CENTERLINE AT TH#7)

DURABLE 24 INCH STOP BAR, POLYUREA  
STA. 364+69 - STA. 364+89 LT (TH#7)



TEMPORARY 24 INCH STOP BAR, PAINT  
STA. 364+69 - STA. 364+89 LT (TH#7)

DURABLE LETTER OR SYMBOL, POLYUREA  
STA. 364+81 LT "STOP" (TH#7)

TEMPORARY LETTER OR SYMBOL, PAINT  
STA. 364+81 LT "STOP" (TH#7)

REMOVING SIGNS  
AS SHOWN - 11

CURVE #20  
DELTA = 17° 37' 03"  
D = 5° 40' 22"  
R = 1010.00'  
T = 156.51'  
L = 310.56'  
E = 12.06'  
BANKING 0.049 FT/FT  
DESIGN SPEED 35 MPH  
SEE SUPERELEVATION DIAGRAMS  
FOR MORE INFORMATION



**SIGN LEGEND**

R = REMOVE  
R&S = REMOVE AND SALVAGE  
RET = RETAIN  
S = SALVAGED  
N = NEW  
B-B = BACK TO BACK  
- - = EXISTING  
— = NEW

SCALE IN FEET  
0 20

<b>PROJECT LAYOUT SHEET 34</b>	PROJECT NAME: ELMORE-MORRISTOWN	PLOT DATE: 3/3/14
	PROJECT NUMBER: STP 2937 (1)	DRAWN BY: J. GOODALL
	FILE NAME: z11c310.dgn	CHECKED BY: C. LATHROP
	DESIGNED BY: S. LAMPHERE	SHEET 57 OF 194
	PLOT FILE: z11c310_57.i	